UNIVERSITY OF MICHIGAN LIBRARIES

CHAPTER 1. ASBESTOSIS

Since the beginning of the present century it has been known that inhalation of asbestos dust over a period of years gives rise to a progressive, diffuse pulmonary fibrosis, called asbestosis. This disease therefore occurs in mining and milling of asbestos and in manufacturing processes using the mineral.

The basal parts of the lungs are first affected in asbestosis (*Shull* 1936). There is also a reaction from the parietal and diaphragmatic pleurae and the pericardium, in which structures secondary calcification occurs (*Ahlborg & Hansson* 1956). As the fibrosis progresses, emphysema and right cardiac hypertrophy develop. The clinical picture in asbestosis tallies with that in other pulmonary fibroses; dyspnoea, cough and weakness usually are present when the lesions are advanced. In fatal cases the immediate cause of death as a rule is given as complicating bronchiectasis, pneumonia or cardiac failure.

Many investigations (e. g., *Gloyne* 1933, 1935, 1936, *Nordmann* 1938, 1939, *Behreus* 1952, and *Merewether* 1947) indicate that asbestosis — in contrast to silicosis — not infrequently is complicated by carcinoma of the lung; in large autopsy series, between 10 and 20 per cent of persons with asbestosis thus were found to have coexistent pulmonary carcinoma. Concerning tuberculosis in asbestosis, opinions differ. While, for instance, German sources reported that among asbestos workers the incidence of tuberculosis was not higher than in the general population, British investigations showed this complication to be not uncommon, although less frequent than in silicosis (*Worth & Schiller* 1957).

The occurrence of asbestosis in various industries has been studied in many countries. The first case described in Sweden was observed in 1953 (*Ahlborg* 1956). It led to examination of 60 asbestos workers and thus resulted in the detection of 8 more cases (*Ahlborg & Hansson* 1956). The prediagnostic duration of exposure to asbestos ranged from 5 to 17 years; asbestos had been used by 7 of the men in insulation work and by 2 in spraying operations. These last 2 men had advanced asbestosis; 1 of them died soon after diagnosis. The insulation workers had milder lesions.

Technical conditions for asbestosis

Asbestos (Greek, = unquenchable) is the name given to mineral substance composed of fine, usually parallel fibres which may vary in length from a

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/1

few microns to 15 cm[1]. In different types of asbestos the fibres differ in length, but as a rule they are pliable enough to be carded and spun into yarn which can be woven into tapes or sheeting. Asbestos belongs to the amphibole and serpentine minerals, whose best known varieties of asbestos fibre are actinolite, amosite, crocidolite (blue asbestos), tremolite and chrysotile. All are silicates but differ in composition. The most common are chrysotile, a magnesium silicate, and amosite, which is magnesium-iron-aluminium silicate. The silicic acid bound in asbestos constitutes about half of the mineral's weight.

Asbestos is mined mainly in Canada, South Africa and Siberia. Of the European deposits, the most important lie in Italy, Finland and Germany. Asbestos is found in many places in Sweden, for instance in Dannemora in the centre and Taberg in the south of the country, but it is not mined.

Some types of asbestos, because of their great tensile strength, high resistance to and poor conductivity of heat, are widely used in industry. To insulate pipes, radiators, exhaust ventilators, etc., slabs, tapes or braided tubing of asbestos may be used. When mixed with a binding agent and water asbestos can also be spread or sprayed on surfaces.

In Sweden the use of asbestos has increased considerably in recent years. During a 5-year period before the late World War we imported a total of 17,600 tons, whereas after the War, once the accumulated needs arising from our isolation had been met, no less than 46,500 tons were imported over a period of equal length (*Ahlborg & Hansson* 1956). A survey in 1958 showed that about 60 Swedish firms carried out work with asbestos. Most of this work concerned insulation in the building and ship-building trades. Among the remaining uses of asbestos was admixture with various technical products, for instance to make reinforced plastic material and paste for treatment of automobile chassis. Manufacture and processing of slabs, blocks, etc. and sawing, grinding and polishing of asbestos articles were also represented. The total number of workers involved was estimated to be between 300 and 400.

Many of the above-mentioned operations, particularly spraying of asbestos, manufacture of sheeting and certain insulation jobs, are very dusty. To eliminate or diminish the dust, wet substance is used as far as possible, and efforts are made to enclose the dusty operations and extract the contaminated air by exhaust ventilation. When the dust concentration cannot be satisfactorily reduced, the workers can be protected by respirators. Not infrequently, however, prophylaxis seems to have lagged behind; it is only fairly recently that the hygienic problems arising from asbestos have been seriously considered.

[1] Asbestos is defined in the British "Asbestos Industry Regulations, 1931" as "any fibrous silicate material, and any admixture containing any such material, whether crude, crushed or opened."

OWN INVESTIGATIONS

Our series of asbestosis comprised 11 cases. In 8 of them the disease was contracted from insulating work, in 2 from various jobs with asbestos, including spooling and weaving of brake linings, and in 1 mainly from spraying with asbestos. The year of diagnosis was as follows: 1950, 1 case, 1953, 1 case, 1955, 6 cases, 1956, 3 cases.

After the end of our observation period (1956) some further cases of asbestosis have been detected. According to *Ahlborg* (personal communication) the total of known cases up to 1960 was 15.

The age when work with asbestos was begun ranged from 16 to 52 years, and that when asbestosis was diagnosed from 33 to 63 years. In 10 of the 11 cases the diagnostic roentgenograms showed mild interstitial fibrosis or finely mottled infiltration, generally with thickening or calcification of the pleura. In the remaining case there was advanced asbestosis with diffuse, irregular linear densities around the hilus and down towards the base in both lungs. Between these densities were bullous rarefactions. There was basal pleural thickening and apical emphysema and the sputum contained abundant asbestos bodies.

Plate XXVII in the appendix shows a case of severe asbestosis.

The duration of exposure to asbestos ranged at diagnosis from 6 to 30 years in the insulation workers; it was 4 and 8 years, respectively, in the men who made brake linings and 17 years in the asbestos sprayer. The sprayer had the most advanced lesions. He died a few months after diagnosis, at the age of 63 years. The cause of death was asbestosis plus pneumonia[1]. Autopsy showed, in addition to the acute changes in the pulmonary parenchyma, fibrosis increasing in intensity towards the basal regions. Between reticular, slate-grey strands of fibrosis were spherical cavities up to the size of hazelnuts. The visceral pleura on both sides was diffusely thickened and calcified. The right side of the heart was hypertrophic. On microscopy the atelectatic pulmonary parenchyma was seen to be studded with broad strands of connective tissue and foci of nodular appearance. Within the connective tissue were abundant asbestos bodies.

This was the only death during our observation period. After 1956, however, 2 more deaths have occurred from asbestosis.

No signs of tuberculosis or pulmonary carcinoma were observed in the 11 men during the observation period[2].

[1] This case was described in detail by *Ahlborg & Hansson* (1956).

[2] After the observation period pulmonary cancer was found in 1 case.

UNIVERSITY OF MICHIGAN LIBRARIES

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/2

Roentgenographic progression occurred in 1 case only. This was a 56-year-old insulation worker with "at least 20 years of exposure", whose roentgenogram 6 years after diagnosis showed increase of pleural calcification and of generalized emphysema. He had continued work with asbestos after diagnosis[1].

Two of the men received disablement benefit. One of them, the man who died, was compensated at full rate. In the man with roentgenographic progression, disablement was first assessed as 15 per cent and later as 60 per cent.

DISCUSSION

Although asbestos has been used industrially in Sweden for several decades, no cases of asbestosis were diagnosed before 1950. The reasons seem to have been manifold: a relatively long period of exposure to asbestos dust is necessary to produce the disease, and exposed persons were not systematically examined before the first case was diagnosed; further, the number of persons at risk, particularly in the building industry, probably has greatly increased in very recent years.

Periodic medical examination of asbestos workers thus was instituted only towards the end of the period covered by our investigation (1931 to 1956), and not all the cases of asbestosis hitherto demonstrated had then been notified to the insurance authorities. The cases we have presented therefore comprise only a proportion of those at present known. They nevertheless show that also in Sweden asbestosis may constitute a grave health hazard. Among our 11 cases there were 3 deaths from occupational pulmonary disease. The time required to produce asbestosis was no more than about 5 years in 2 cases.

A survey of all asbestos workers in Sweden has been planned and should provide further knowledge of the risk of asbestosis. The problem of asbestosis is now being vigorously attacked by the factory inspection authorities, and we may anticipate that the risk will soon be reduced by technical prophylaxis. To prevent asbestosis it is essential that technical and medical measures should rapidly be enforced.

SUMMARY

Industrial use of asbestos has a fairly long history in Sweden, but asbestosis was not demonstrated in this country until 1950. After *Ahlborg* (1956) directed attention to the occurrence of this disease, further investigations showed that it was not rare.

At the end of our observation period (1956), 11 cases of asbestosis were known; the first was diagnosed in 1950. The work with asbestos had been insulating operations in 8 cases, making of brake linings in 2 cases, and spraying in 1 case. In 10 of the men the pulmonary fibrosis was mild at diagnosis and with or without pleural thickening or calcification. The remaining man had roentgenographically advanced disease. In no case was there coexistent pulmonary tuberculosis or cancer. The age at diagnosis ranged from 33 to 63 years and the preceding duration of exposure from 4 to 30 years.

One man died of asbestosis during the observation period[1] and in another case there was roentgenographic progression. Disablement benefit was awarded in 2 cases.

This investigation, despite its limited scope, indicates that in Sweden asbestosis is an important occupational health risk. Strictly enforced technical protection and medical supervision of exposed persons are therefore necessary, especially as the use of asbestos has considerably increased in the past decade.

[1] In 3 other cases the disease progressed after the observation period.

CHAPTER 2. TALCOSIS

Technical conditions for talcosis and earlier observations. Talc, which is a magnesium silicate, is widely used in the pharmaceutical and chemical industries and in rubber, cleaning material and paper works. In the deposits of talc, which are found over much of the world, the mineral occurs in more or less compact form, and sometimes as stone, as shown by the designations soapstone, speckstein and potstone. Commercial talc frequently contains small quantities of closely related compounds such as tremolite, antigorite, etc. On the other hand, admixture of quartz is relatively rare, and when it occurs the content of free silica is too low to be of pathogenic significance. In analyses by *Schultz & Williams* (1942) 25 specimens of talc were found to be free from quartz, 25 contained traces of this substance, and in 1 there was 3 per cent of quartz. In specimens of Swedish soapstone we failed to demonstrate quartz with a method that gives reactions down to 1 per cent of the mineral. Almost without exception, industrially used talc is in powder form and frequently it is milled near the mine. The dry, light talc dust everywhere present in these mills is a troublesome hygienic problem,

[1] After 1956 there were 2 more deaths, 1 from asbestosis alone and 1 from asbestosis with coexistent pulmonary cancer.

UNIVERSITY OF MICHIGAN LIBRARIES

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/3

UNIVERSITY OF MICHIGAN LIBRARIES

REFERENCES

ADLER-HERZMARK, J. & SELINGER, A.: Einige Bemerkenswerte Fälle von Silikose. Arch. Gewerbepath. 1932, *3*, 58—67.

AGRICOLA, G.: De re metallica, 1556. Transl. London 1912, 640 p.

AHLBORG, G.: Asbestos. Nord. Med. 1956, *55*, 478—479.

AHLBORG, G. & HANSSON, C.-J.: Asbestos. En för Sverige ny yrkessjukdom. Svenska Läkartidningen 1956, *53*, 1376—1383.

AHLMARK, A. & LÖNNBERG, B.: En hälsoundersökning av 110 elektrosvetsare med långvarig arbetsanamnes. Nord. Hyg. Tidskr. 1953, 238—249.

AHLMARK, A. & NYSTRÖM, Å.: Silikosrisken i gjuterier och dess förebyggande med olivinsand. — Ett betydande framsteg för silikosprofylaxen. To be published in Svenska Läkartidningen 1960.

AHLMARK, A. & ÖHMAN, H.: Silikos och silikosbekämpning. Föreningen för arbetarskydd, Stockholm 1957.

ALLING, G.: Kohlengrubenarbeit und Tuberculose in Schweden. Studien über die Gesundheitsverhältnisse der schwedischen Kohlengrubenarbeiterbevölkerung, Lund 1926.

American Conference of Governmental Industrial Hygienists. Treshold Limit Values for 1959, Arch. Industr. Health, 1959, *20*, 94/266—98/270.

AMSLER, R. & CADY, J.: Remarques sur la silicose des mineurs d'or des mines d'or de la Bellière en Mainte-et-Loire. Rev. tbc., 1939, *5*, 580—588.

BEHRENS JR, W.: Ueber Klinik und Pathologie der Asbestosis. Zschr. Unfallmed. 1952, *45*, 129—140, 179—189.

BEINTKER, E.: Die Reaktion von Kaninchenlungen auf die Einatmung von Kieselgurstaub. Virchows Arch. path. Anat. 1935, *294*, 546—569.

BELLANDER, J.: Fall av stendammlungor vid gjutgodsrensning och något om silicos och tuberkulos. Hygiea. 1933, *95*, 655—683.

BERKOVITZ, M. & ISRAEL, B.: Kinicheskaya Medestina, Moskva 1940, 18 (no 5), 117.

BERTSCHI, E. & STIEFEL, E.: Silikose in einer Grossgiesserei. Schweiz. med. Wschr. 1950 *80*, 1163—1166.

BOEMKE, F.: Die Histologie seltener Pneumokoniosen. Bericht über den VIII. internationalen Kongress für Unfallsmedizin und Berufskrankheiten. Frankfurt a. M. 1939. September 1938. *2*, 1038—1045.

BOUILLAD, M.: Demonstration in L'Académie Impériale de Médicine Febr. 1861. Bull. Acad. Impér. Méd. 1861, *26*, 372.

BRANDBERG, A. K.: Notes on occupational diseases among workers at Gustafsberg pottery, 1876.

BRIDGE DAVIES, S. & NAGELSCHMIDT, G.: A report on the absence of pneumoconiosis among workers in pure limestone. Brit. J. Industr. Med. 1956, *13*, 6—8.

BRITTON, J. A. & WALSH, E. L.: Health hazards of electric and gas welding. J. Industr. Hyg. 1940, *22*, 125—151.

BROCH, C.: Silikose forårsaket av røkstøvet i ett ferro-silicium- og ferrokrom-smelteverk. Oslo 1953.

BRUCE, T.: The occurence of silicosis in the manufacture of silicon alloys. J. Industr. Hyg. 1937, *19*, 155—162.

BRUCE, T.: Silikosproblemet ur socialmedicinsk synpunkt. Svenska Läkartidningen 1941, *38*, 2017—2030.

BRUCE, T.: Die Silikose als Berufskrankheit in Schweden. Eine klinische und gewerbemedizinische Studie. Acta Med. Scand. 1942, *110*, Suppl. 129.

BRUCE, T.: Silikosrisker vid emaljeringsarbete. Nord. Hyg. Tidskr. 1945, *26*, 284—291.

BRUCE, T. & JÖNSSON, G.: The Roentgen picture of silicosis in different industries. Acta Radiol., 1943, *24*, 89—112.

BRUUSGAARD, A.: Silikose in norske støperier. Sosialt Arbeid 1940, *14*, 201—210.

BRUUSGAARD, A. & SKJELBRED-KNUDSEN, K. B.: Pneumoconiose dans l'industrie du talc en Norvege. Arch. mal. profess. méd. 1948, *9*, 589.

CHADZIOLOV, C.: Klinische Beobachtungen über die Pneumokoniose (Silikose) bei der Goldgewinnung in den Goldgruben Bulgariens. Izvest. Inst. social. Med. 1950, *2*, 288—324.

CLARKE, E. D.: Travels in various countries of Europe, Asia and Africa. Part the third: Scandinavia. London 1823.

COLLIS, E. L. & GILCHRIST, J. C.: Effects of dust upon coal trimmers. J. Industr. Hyg. 1928, *10*, 101—110.

COLLIS, E. L. & GOADBY, K. W.: Dust inhalation and iron ore mining. J. Industr. Hyg. 1930, *12*, 266—580.

DECHOUX, J.: La pneumoconiose des mineurs de fer du bassin de Lorraine. Thomas 1954.

DOESE, M.: Gewerbemedizinische Studien zur Frage der Gesundheitsschädigungen durch Aluminium, insbesondere der Aluminiumstaublunge. Arch. Gewerbepath. 1938, *8*, 501—531.

DOIG, A. T.: Disabling pneumoconiosis from limestone dust. Brit. J. Industr. Med. 1955, *12*, 206—216.

DOIG, A. T. & MCLAUGHLIN, A. J. G.: X-ray appearances of the lungs of electric arc welders. Lancet 1936, *230*, 771—775.

DOIG, A. T. & MCLAUGHLIN, A. J. G.: Clearing of X-ray shadows in welders' siderosis, Lancet 1948, *254*, 789—791.

DOLL, R.: Mortality from lung cancerin asbestos workers. Brit. J. Industr. Med. 1955, *12*, 81—86.

DREESSEN, W. C.: Effect of inhaled marble dust as observed in Vermont marble finishers. Publ. Health Rep. 1934, *49*, 724—732.

DREESSEN, W. C. et al.: Health and Working Environment of Nonferrous Metal Mine Workers. Publ. Health Bull. No 277. Washington 1942.

DREESSEN, W. C. & DALLAVALLE, J. M.: The effects of exposure to dust in two Georgia talc mills and mines. Publ. Health Rep. 1935, *50*, 131—143.

EBINA, T.: (1953) Quot. from Worth & Schiller. 1954.

EBINA, T., TAKASE, Y., INASAWA, Y. & HORIE, K.: Silicosis in the diatomaceous earth factories. Sci. Rep. Res. Inst. Tohoku Univ. Ser. C, 1952, *4*, 65—75.

ENZER, N. & SANDER, O. A.: Chronic lung changes in electric arc welders. J. Industr. Hyg. 1938, *20*, 333—350.

ENZER, N., SIMONSON, E. & EVANS, A. M.: Clinical physiological observations on welders with pulmonary siderosis and foundry men with nodular uncomplicated silicosis. J. Industr. Hyg. 1945, *27*, 147—158.

EHRHARDT, W.: Neue Beobachtungen von Silikosen: I Bei einem Sargschleifer. II Bei einem Farbenmischer. Aerztl. Sachverst. Ztg 1939, *45*, 129—131.

EVANG, K.: Silikose i et norsk stålstöperi. Nord. Med. Tidskr. 1938, *16*, 1085—1092.

FABRONI, S. M.: Patologia polmonare da polveri di berillio. Med. lavoro, Milano 1935, *26*, 297.

FAIRHALL, L. R., CASTBERG, H. T., CAROZZO, J. & BRINTON, H. P.: Occup. Med. 1947, *4*, 317—379.

FAVELL, C. F.: Grinder's diseases. Schmidt's Jahrb. 1846, *52*, 164—168.

FLETCHER, C. M., MANN, K. J., DAVIES, I., COCHRANE, A. L., GILSON, J. C. & HUGH-JONES, P.: The classification of radiographic appearances in coalminers pneumoconiosis. J. Fac. Radiol., Bristol 1949, *1*, 40—61.

FORBES, J. J., DAVENPORT, S. J. & MORGIS,

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/4

UNIVERSITY OF MICHIGAN LIBRARIES

G. G.: Review of literature on dusts. Bureau of Mines, Wash. Bulletin 1950, *478*, IV, 333 p.

Forssman, S.: Medicinska synpunkter på hälsoriskerna. In Thrysin, E. & Gerhardsson, G.: Om rökens och gasernas sammansättning vid metallbågsvetsning. Arbetarskyddet. 1951, 204—215.

Forssman, S.: Pneumoconiosis in various countries. 3rd Intern. Conf. Exp. Pneumocon., Sydney 1950, Rec. Proc. 1953, *I*, 12—15. Intern. Lab. Off., Geneva.

Forssman, S., Lundgren, K. D., Nordenfelt, O. & Swensson, Å.: To be published in Acta Med. Scand. 1960.

Friberg, L. & Öhman, H.: Silicosis hazards in enamelling. A medical, technical and experimental study. Brit. J. Industr. Med. 1957, *14*, 85—91.

Gardner, L. U.: The diagnosis of silicosis, with special reference to roentgenological manifestations. Ann. Int. Med. 1936, *10*, 166—173.

Gardner, L. U. & Dworski, M.: Studies on the relation of mineral dusts to tuberculosis. Amer. Rev. Tbc. 1922, *6*, 782—797.

Gardner, L. U., Middleton, E. L. & Orenstein, A. J.: Report upon the medical aspects of silicosis, including aetiology, pathology and diagnostics. Resolutions adopted by the International Conference held at Johannesburg 13—27 August 1930, Silicosis 1930 (suppl), 3—8.

Gaubatz, E.: Die Emailstaublunge. Fortschr. Röntgenstr. 1940, *61*, 233—240.

Gerlach, W. & Gander, G.: Ueber akute Staublungen. Zugleich ein Beitrag zur Frage Staublunge und Lungentuberkulose. Arch. Gewerbepath. 1932, *3*, 44—57.

Giese, W.: Quarzstaub, Schwielenlunge und Lungentuberkulose. Veröff. Gewerbe-Konstit. Path. 1931, *28*, VI.

Gloyne, S. R.: Two cases of squamous carcinoma of the lung occurring in asbestosis. Tubercle. 1935, *17*, 5—10.

Goralewski, G.: Klinische und tierexperimentelle Studien zur Frage der Aluminium-Staublunge. Arch. Gewerbepath. 1939, *9*, 676—688.

Goralewski, G.: Zur Symptomatologie der Aluminium-Staublunge. Arch. Gewerbepath. 1941, *10*, 384—408.

Goralewski, G.: Die Aluminiumlunge — eine neue Gewerbeerkrankung. Zschr. inn. Med. 1947, *2*, 665—673.

Goralewski, G.: Die Aluminiumlunge. Eine klinische Studie. Arbeitsmedizin. 1950, No. 26, Leipzig: Barth.

Gough, J.: Pneumoconiosis in coal trimmers. J. Path. Bact. 1940, *51*, 277—285.

Greenburg, L., Siegal, W. & Smith, A. R.: Silicosis in the foundry industry. N. Y. State Dept. Labor, Div. Industr. Hyg., Spec. Bull. 1938, 197, 48 p.

Grier, R. S., Nash, P. & Freiman, D. G.: Skin lesion in persons exposed to beryllium compounds. J. Industr. Hyg. & Toxicol. 1948, *30*, 228—237.

Gudjonsson, S. V.: Silicosis in the pottery industry in Denmark. Examination of 951 workers in Danish pottery factories. Arch. Gewerbepath. 1933, *4*, 748—771.

Gudjonsson, S. V.: Ueber das Auftreten von Silikose bei Metallschleifern. Aerztl. Sachverst. Ztg 1934, *40*, 145—149.

Hadjioloff, C.: Zur Frage der Entstehung der schweren Staublungenerkrankung (Silikose). Ein bemerkenswerter Fall von Silikose. Med. Klin. 1940, *36*, 894—895.

Haglind, O.: Lung changes in electric welders. XII Intern. Congr. on Occup. Health 1957, *III*, 169—171.

Hagström, J. O.: Jemtlands oeconomiska Beskrifning eller känning i akt tagen på En Resa om Sommaren 1749, Stockholm 1751.

Hamlin, L. E.: Anthracosilicosis occurring in a foundry employee. A.M.A. Arch. Industr. Hyg. 1953, *7*, 339—351.

Hardy, H. L. & Tabershaw, I. R.: Delayed chemical pneumonitis occurring in workers exposed to beryllium compounds. J. Industr. Hyg. 1946, *28*, 197—211.

Harper, A.: Pneumoconiosis in South Wales colliery surface workers. Brit. Med. J. 1935, No. 3885, 1264.

Haubrich, R.: Ueber die Rontgencharakteristik der Silicosen nach Staubberufen. Fortschr. Röntgenstr. 1951, *74*, 385—408.

Hedenstedt, S.: Das Vorkommen von Silikose und Siliko-tuberkulose bei Gusstückputzern des Eisenwerkes Söderfors. Acta tbc. Scand. 1940, *14*, 265—276.

Helleberg, G.: Om pneumokonios hos elektrosvetsare. Om sjukdom och sjukvård. Studier tillägnade Malte Ljungdahl. Gleerup, Lund, 1947.

Henschen, F.: Min långa väg till Salamanca. Albert Bonnier, Stockholm, 1957.

Hoffman, F. L.: The problem of dust phtisis in the granitestone industry. Bureau of Labor Statistics, Wash. 1922, No. 293, VI, 178 p.

Huss, M.: Om Sveriges endemiska sjukdomar, Stockholm 1852.

Hülphers, A. A:son: Dagbok, öfwer en resa igenom de, under Stora Kopparbergs Höfdingedöme lydande lähn och Dalarne år 1757. Västerås 1763.

Ibeling, H.: Die Silikose in der Holzbearbeitung. D. Med. Wschr. 1942, *31*, 768—771.

Jamin, F.: Ueber Aluminium-Staublunge. S. ber. Phys.-Med. Soz. 1942, *73*, 25—57.

Jobs, H. & Ballhausen, C.: Metallkeramik als Staubquelle vom ärztlichen und technischen Standpunkt. Vertrauenarzt, Berlin 1940, *8*, 142—148.

Johansson, F. & Winblad, N.: Ståltillverkning. Sandvikens Handbok II, Stockholm 1951.

Jötten, K. W. & Eickhoff, W.: Die Lungengefahrlichkeit des Aluminiumstaubes. Arch. Hyg. 1942, *127*, 344—367.

Kalbfleisch, H. H.: Pathologisch-anatomische Untersuchungen über Silikose und Siliko-Tuberkulose des Menschen. Arch. Gewerbepath. 1933, *4*, 580—616.

Karth, B.: Lungskador hos hårdmetallarbetare. Paper read at the meeting of the Swedish Association of Internal Medicine 1948.

Kelly, J. F. & Hall, R. C.: Silicosis in modern foundries. N. Y. State J. Med. 1937, *37*, 478—481.

Koelsch, F.: Handbuch der Berufskrankheiten. Fischer, Jena, 1937, *2*, 635—1175.

Koelsch, F.: Eisenstaublungen bei Elektroschweissern. Arch. Gewerbepath. 1941, *10*, 519—528.

Koelsch, F.: Die Lungenerkrankung durch Aluminiumstaub. Beitr. Klin. Tbk. 1942, *97*, 688—693.

Koelsch, F. & Kaestle, K.: Arbeitsmedizinische Untersuchungen über die Wirkungen verschiedener Mineralstaub-Arten. Beil. Reicharbeitsblatt T. III, 1929, *26*, 52.

Kötzing, K.: Untersuchungen über Staublungenerkrankungen in Quarzit-Steinbrüchen, Reichsarbeitsblatt 1938, part III, 59—62.

Landau, W.: Ueber Staublungenerkrankungen bei Gussputzern. II. Mitteilung. Arch. Gewerbepath. 1933, *4*, 515—523.

Langguth, F.: Ueber die Siderosis pulmonum. Dtsch. Arch. klin. Med. 1895, *55*, 255—271.

Lawson, G. B., Jackson, W. P. & Gardner, J. E.: Pneumoconiosis in iron miners. J. Amer. Med. Ass. 1931, *96*, 1129—1131.

Legge, R. T. & Rosencrantz, E.: Observations and studies on silicosis by diatomaceous silica. Amer. J. Publ. Health 1932, *22*, 1055—1060.

von Linné, C.: Iter Dalekarlicum . . . 1734. From Carl von Linnés ungdomsskrifter, collected by Ewald Ährling, Stockholm 1888.

von Linné, C.: Öländska och Gothländska Resan, Upsala 1745.

von Linné, C.: Skånska resa . . . förrättad 1749. Stockholm 1751.

Lindh, C.: Cited from Neander, G.

Linnerhjelm, J. C.: Bref under resor i Sverige. Stockholm 1797—1816.

Lochtkemper, J.: Versuche zur Differential-

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/5

UNIVERSITY OF MICHIGAN LIBRARIES

diagnose der Silikose im Röntgenbild und eine Untersuchung über die Gefährdung der Sandstrahlbläser. Arch. Gewerbepath. 1930, *1*, 271—302.

Lochtkemper, J. & Teleky, L.: Studien über Staublunge. III. Mitteilung: Steinmetze und Steinbrüche. Arch. Gewerbepath. 1932, *3*, 673—711.

Lundgren, K. D. & Öhman, H.: Pneumokoniose in der Hartmetallindustrie. Virchows Archiv 1954, *325*, 259—284.

Luton, P., Champeix, J., Ravet, M. & Vallaud, A.: Observations récentes sur la pneumoconiose par terre à diatomées. Arch. mal. profess. méd. 1956, *17*, 125—148.

Löfquist, H.: Tackjärnets råvaror och framställning av tackjärn och järnsvamp. Sandvikens handbok I, Stockholm 1951.

Maassen, R. & Büttner, H. E.: Ueber die Staubgefahrdung in der Schamotte- und Dinasindustrie der schlesischen Oberlausitz. Arch. Gewerbepath. 1939, *9*, 179—197.

Macklin, E. L. & Middleton, E. L.: Report on grinding of metals and clearing of castings. With special reference to the effects of dust inhalation upon the workers. London: His Majesty's Stationary Office 1923.

Mc Connel, W. J. & Fehnel, J. W.: Health hazards in the foundry industry. J. Industr. Hyg. 1934, *16*, 227—251.

Mc Donald, G., Piggot, A. P. & Gilder, F. W.: Two cases of acute silicosis, with a suggested theory of causation. Lancet 2, 1930, *219*, 846—848.

Mc Laughlin, A. I. G.: The dust diseases in Great Britain. Arch. Industr. Health 1955, *12*, 83—98.

Mc Laughlin, A. I. G. & al.: Industrial lung diseases of iron and steel foundry workers. His Majesty's Stationary Office. London. 1950.

Mc Nally, W. D.: Acute Silicosis. J. Ind. Hyg. & Toxicol. 1941, *1*, 45—49.

Magnus, Olaus: Historia om de nordiska folken. Rome 1555. Swedish translation. Uppsala and Stockholm 1909—1951.

Martin, M. Vallaud, A. & Champeix, J.: Contribution à l'étude du risque silicotique et de sa prévention dans l'industrie française de la silica fossile. Médecin usine. 1947, *9*, 295—315.

van Marwyck, Ch. & Eickhoff, W.: Weitere experimentelle Feststellungen zur Frage der Lungengefährlichkeit des Aluminiumstaubes. Arch. Hyg. 1950, *133*, 139—157.

Mascher, W.: Om »stenlungan» (Silikos). Svenska Nat. foren. tbk. kvskr. 1929, *24*, 106—113.

Mascher, W.: Om dammlungsjukdom (Pneumokoniosis) med särskild hansyn till silikos. Hygiea 1930, *92*, 145—220, 232—272.

di Mattei: Cited by Siltzbach.

Merewether, E. R. A.: Discussion: The present position in regard to the pneumoconiosis. Proc. Roy. Soc. Med. 1947, *40*, 781—786.

Meyer, F. A. & Kasper, W.: Untersuchungen zur Frage der Aluminiumlunge. Dtsch. Arch. klin. Med. 1942, *189*, 471—495.

Middleton, E. L.: Industrial pulmonary disease due to the inhalation of dust with special reference to silicosis. Lancet 1936, *231*, 1—9, 59—64.

Miller, C. W., Davis, M. W., Goldman, A. & Wyatt, J. P.: Pneumoconiosis in the tungsten-carbide tool industry. A.M.A. Arch. Industr. Hyg. 1953, *8*, 453—465.

de La Motraye, A.: Resor 1711—1725. Selection and translation by Hugo Hultenberg. Norstedt & Söner, Stockholm 1918.

v. Müller, E.: Pneumoconiose bei Arbeitern eines Sandgebläses. Zbl. Gewerbehyg. 1928, *15*, 148—150.

Naucler, O.: Beskrivning över Stora Kopparbergs Gruva. Thesis 1702. Skrifter utgivna av Stora Kopparbergs Bergslags A/B. Uppsala 1941.

Neander, G.: Ur lungsotens och lungsotsbehandlingens äldre historia i Sverige. Stockholm 1924.

Nordgren, B.: Om förekomsten av silikos och lungtuberkulos bland sandstensarbetare på södra Gotland. Nord. Hyg. Tidskr. 1947, *28*, 271—284.

Nordmann, M.: Der Berufskrebs der Asbestarbeiter. 1938, *17*, 288—302.

Nordmann, M.: Die Staublunge der Kieselgurarbeiter. Virchows Arch. 1943, *311*, 116—148.

Oberst, E.: Die Giessersilikose in der Schweiz. Zschr. Unfallmed. Berufskr. 1949, *42*, 196—222.

Official Statistics of Sweden. Metal and Mining Industries 1955. Board of Trade, Stockholm 1956.

Oldendorff, A.: Die Mortalitäts- und Morbiditäts-Verhältnisse der Metallschleifer in Solingen und Umgegend, sowie in Remscheid und Kronenberg. Zbl. allg. Gesd. pfl. Bonn 1882, *1*, 238—261.

Olson, H. & Nordgren, H.: Handbok i kemisk teknologi 1948.

van Ordstrand, H. S., Hughes, R., De Nardi, J. M. & Carmody, M. G.: Beryllium poisoning. J.A.M.A. 1945, *129*, 1084—1090.

Pancheri, G.: La silicosi nella fabbricazione del ferrosilicio e del siliciuro di calcio. Rass. Med. Ind. Torino 1948, *1*, 1—15.

Pancoast, H. K. & Pendergrass, E. P.: The roentgenological aspects of pneumoconiosis and its medicolegal importance. J. Ind. Hyg. 1933, *15*, 117—135.

Paracelsus (Theophrastus Bombast von Hohenheim): Von der Bergsucht und anderen Bergkrankheiten. Dillingen 1567. Revised by F. Koelsch: Schr. a. d. Gesamtg. d. Gewerbehyg., new ser., 1925, No 12.

Parmeggiani, L.: Le pneumoconiosi dei minatori e dei mugnai di talco nel pinerolese. Rass. med. industr. Torino 1948, *17*, 16—47.

Pendergrass, E. P.: The occurrence of silicosis in a pure silica industry. Fourth Saranac Lab. Symposium on Silicosis. 1939, 224—235.

Peterson, F.: Anthracosis pulmonum. Med. Rec. 1887, *32*, 113.

Podkaminsky, N. A.: Ueber Siderosis pulmonum. Roentgenpraxis. 1931, *3*, 1071—1081.

Podwyssozki, W.: Zur Frage über die formativen Reize. Riesenzellengranulome durch Kieselgur hervorgerufen. Beitr. path. Anat. allg. Path. 1910, *47*, 270—281.

Policard, A., Roche, L. & Turc: Le travail dans le granit. Étude sur les ouvriers du tunnel de la Croix-Rousse à Lyon. Arch. mal. profess. méd. 1947, *8*, 165—174.

Ramazzini, B.: De morbis artificum, Typis antonii Capponi, Impressoris Episcopalis, Mutinae (Modena) 1700.

Raymond, V., Sivadon, A. & Conil, Ph.: Les poumons des carriers et tailleurs de pierre calcaire. Arch. mal. profess. méd. 1952, *13*, 169—178.

Reichmann, V. & Schürmann: Der Verlauf der Silikose bei den Gesteinshauern des Ruhrgebietes nebst Mitteilung über die bisherigen Beobachtungen an Gesteinshauern mit Arbeitswechsel hinsichtlich der Weiterentwicklung der Silikose. Contrib. to the conference on »Fragen der Entstehung und Verhütung der Silikose» in Bochum, November 1934, 18—29.

Ritterhoff, R. J.: Acute silicosis occurring in employees of abrasive soap powder industries. Amer. Rev. Tbc. 1941, *43*, 117—131.

Russel, A. E., Britten, R. H., Thompson, L. R. & Bloomfield, J. J.: The health of workers in dusty trades II. Exposure to siliceous dust (granite industry). Publ. Health Bull. No. 187. Washington 1929.

Rüttner, J. R.: Foundry workers' pneumoconiosis in Switzerland (anthracosilicosis). A.M.A. Arch. Industr. Hyg. 1954, *9*, 297—305.

Röhrl, W.: Die Granit-Silikose. Arbeitsmedizin, 1947, 23, 1—68.

Saita, G.: Silicosi tardiva in un operaio sabbiatore per sette mesi. Med. lavoro. 1949, *40*, 37—42.

Sander, O. A.: The lung findings in foundry

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/6

UNIVERSITY OF MICHIGAN LIBRARIES

workers. Amer. J. Publ. Health. 1938, *28*, 601—609.

Sander, O. A.: Clinical picture and X-ray findings of silicosis in the foundry industry. Fourth symposium on silicosis, Saranac Laboratory, Saranac Lake 1939.

Sander, O. A.: Foundry workers' pneumoconiosis. Arch. Industr. Hyg. Occup. Med. 1954, *10*, 512—529.

Saupe, E.: Klinisch-röntgenologische Untersuchungen an Ofensetzern. Arch. Gewerbepath. 1931, *2*, 591—598.

Saupe, E.: Ueber das Lungenröntgenbild der Elektroschweisser. Fortschr. Röntgenstr. 1941, *64*, 214—220.

Saupe, E. & Bredau, H.: Ueber Staublungenuntersuchungen in einer Wandplatten- und Kachelofenfabrik. Reichsarbeitsblatt *19*, part III: Arbeitsschutz 1939, 36—41.

Scheidemandel, F.: Aluminiumstauberkrankungen der Lunge. Einzel-, Verlaufs- und Schichtbeobachtungen. Tbk. arzt. 1948, *2*, 298—306.

Schinz, H. R., Baensch, W. E., Friedl, E. & Uehlinger, E.: Lehrbuch der Röntgendiagnostik, Stuttgart 1952, *3*, 1921—2966.

Schiötz, E. H.: The frequency of silicosis in iron foundries. Tskr. Norske Laegeforg 1940, *60*, 945—948.

Schmidt, J. W.: Reise durch einige schwedische Provinzen. Hamburg 1801.

Schulz, R. Z. & Williams, Ch. R.: Commercial talc animal and mineralogical studies. J. Industr. Hyg. 1942, *24*, 75—79.

Schürmann, W.: Massnahmen zur Bekämpfung des Gewerbestaubs. Zbl. Gewerbehyg. 1929, Beih. *15*, 1—21.

Shull, J. R.: Asbestosis. A roentgenologic review of 71 cases. Radiology. 1936, *27*, 279—292.

Siltsbach, L. E.: The silicosis hazards in mechanical dentistry. J. Amer. Ass. 1939, *113*, 1116—1119.

Simonin, C.: Un cas de silicose galopante. Arch. mal. profess. méd. 1950, *11*, 505—506.

Simonin, C. & al.: Images pulmonaires anormales chez les mineurs de fer du Bassin de Lorraine. Presse. méd. 1953, *61*, 1227—1228.

Sjövall, E.: Personal communication. 1941.

Smart, R. H. & Andersson, V. M.: Pneumoconiosis due to diatomaceous earth. Industr. Med. and Surgery 1952, *21*, 509—518.

Smith, A. R.: Silicosis from an unsuspected source — a dental laboratory. Industr. Bull. 1939, *18*, No. 6.

Stetter, K.: Beitrag zur Frage der Staublungenerkrankungen. Beitr. Klin. Tbk. 1930, *76*, 724—737.

Stetter, K.: Die Silikose der Hafenmacher in den Glashütten. Zbl. Gewerbehyg. 1932, *19*, 6—11.

Stetter, K.: Die Silikose in Sandsteinbetrieben, Schamottefabriken und bei den Hafenmachern der Glashütten. Zschr. Tbk. 1934, *70*, 61—63.

Stewart, M. J. & Faulds, J. S.: The pulmonary fibrosis of haematite miners. J. Path. Bact. 1934, *39*, 233—253.

Stub-Christensen, V.: Silikosen i den danske Industri. Copenhagen. Med. Diss. 1937.

Stützel, H.: Feuerstein und Silikose. Dtsch. Gesd.-wes. 1949, *4*, 12—14.

Sundell, C. G.: Stendammlunga som yrkessjukdom hos gruvarbetare i Grängesberg och närliggande gruvfält. Svenska Läkartidningen. 1935, *32*, 369—392.

Sundius, N.: Personal communication. 1942.

Sundius, N.: Kvarts, fältspat och glimmer samt förekomster därav i Sverige. Sveriges Geologiska Undersökning. Ser. C, No 520, 231 p. Stockholm 1952.

Sutherland, C. L., Bryson, S. & Keating, N.: Silicosis in granite workers. Home Office Report 1930, 34—208.

Symanski, H.: Bemerkenswerte Fälle von Silikose und ihre Verhütung. Zbl. Gewerbehyg. 1939, *26*, 139—141.

Thiis-Evensen, E.: Kiselstövundersökelser og silikoseforhold i en norsk porselansfabrik. Oslo 1941.

Thomas, R. W. & Cummins, S. L.: Acute silicosis in lead-miners, with a note on the histology of the cases. Lancet 1937, *233*, 1481—1484.

Thorel, Ch.: Eisenlunge und Eisenpigmentmetastase. Festschrift zur Eröffnung des neuen Krankenhauses der Stadt Nürnberg. 560—582. Nürnberg 1896.

Thrysin, E. & Gerhardsson, G.: Om rökens och gasernas sammansättning vid metallbågsvetsning. Arbetarskyddet 1950, 110—113, 141—144, 204—206, 238—242, 301—304, and 1951 46—48, 127—130, 204—207, 224—227.

Troisi, F. M.: Silicatoses en phase micronodulaire chez femmes occupées à l'émaillage sur métaux. Congrés, Xe, Internat. Med. Travail, Lisbon. Sept. 1951.

Uehlinger, E.: Die akute Staublunge. In Jötten & Gärtner: Die Staublungenerkrankungen, Wissenschaftliche Forschungsberichte, Naturwissenschaftl. Reihe, Darmstadt 1950, *60*, 134—152.

Ursinus, M. L.: De morbis metallariorum. Med. Diss., Leipzig 1652.

Wallander, J. W.: Svenska folket sådant det ännu lefver vid elfvom, på berg och i dalom. With text by Onkel Adam (C. A. Wetterbergh). Stockholm and Köpenhamn 1864—65.

Wange, N. A.: Om lungsoten i Orsa. Hygien. Tidskr. 1908, *1*, 260—271.

Weber, H. H. & Engelhardt, W. E.: Ueber eine Apparatur zur Erzeugung niedriger Staubkonzentrationen von grosser Konstanz und eine Methode zur mikrogravimetrischen Staubbestimmung. Anwendung bei der Untersuchung von Stauben aus der Berylliumgewinnung. Zbl. Gewerbehyg. 1933, *20*, 41—47.

Wetterbergh, C. A. (Onkel Adam): See Wallander, J. W.

Wiborgh, J. G.: Jarnets metallurgi. Stockholm 1904.

Wiele, G.: Atmosphärische Einflüsse und Gutachtertätigkeit. Beitr. Silikose-Forsch., Bochum. Ber. über die med.-wissensch. Arbeitstagung über Silikose. Oktober 1951, 97—100.

Vigliani, E. C. & Mottura, G.: Diatomaceous earth silicosis. Brit. J. Industr. Med. 1948, *5*, 148—160.

Villner, L.: The foundry industry in Sweden. Gjuteriet 1957, *47*, 137—145.

Wilson, S. A.: Roentgenological manifestations of pulmonary changes due to exposure to beryllium compounds. Occup. Med. 1948, *5*, 690—700.

Worth, G. & Schiller, E.: Die Pneumokoniosen, Köln 1954, 898 p.

Wulff, H. B.: Studies on the pathogenesis and the pathological anatomy of silicosis. Based on an examination of the lungs of stone-cutters, particularly from Hardeberga Stone Quarry in the province of Scania, Sweden. Acta path. microbiol. Scand. 1934, *11*, 389—441.

Wätjen, J.: Zur Kenntnis der Quartzitstaublunge. Arch. Gewerbepath. 1942, *11*, 551—574.

Zanetti, E.: Ricerche sulla silicosi in una fabbrica di saponi abrasivi. Med. lavoro. 1950, *41*, 1—9.

Zenker, F. A.: Staubinhalationskrankheiten der Lunge. Amtl. Bericht uber d. 40. Versammlung dtsch. Naturforscher u. Ärzte zu Hannover im September 1865. 1866, 271.

Zenker, F. A.: Ueber Staubinhalationskrankheiten der Lungen. Dtsch. Arch. klin. Med. 1867, *2*, 116—172.

Öhman, H. & Övrum, P.: Personal communication, 1959.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25342/7