PLAINTIFF'S
EXHIBIT
NG-376

SUMMARY OF INFORMATION SUBMITTED BY NATIONAL GYPSUM COMPANY PURSUANT TO THE ASBESTOS INFORMATION ACT

Docket Control Number OPTS-60273

RECEIVED
JAN 2 1990

1. Company Name and Address

National Gypsum Company
4500 Lincoln Plaza
500 North Akard Street
Dallas, Texas

2. Dates of Manufacture

National Gypsum manufactured the products for which formulas are submitted between 1933 and 1981. The specific dates National Gypsum manufactured each formula are listed with the formula spreadsheet for each product.

3. Types of Product

Acoustical plasters and treatments
Fireproofing
Textures
Paints
Asbestos-cement products
Insulating cement
Joint treatments

4. Identifying Characteristics

The identifying characteristics of these products are their constituents as listed in the formulas submitted.

\100\EWFRYR2 ryr
12/28/89

PLAINTIFF'S
EXHIBIT
NG-500

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/1

National Gypsum Company

Russell F. Ward, Director-Public Affairs

December 22, 1989

Mr. Thomas Tillman
TS 799
EAD USEPA
401 M Street, S. W.
Washington, DC 20460

Re: Asbestos Information Act
Submission of National Gypsum Company

Dear Mr. Tillman:

National Gypsum Company submitted formula spreadsheets and specifications for some of its acoustical plasters to the EPA last October. At that time we promised to file spreadsheets and specifications for our other asbestos-containing products as soon as they were assembled.

We are now submitting formula spreadsheets for the other asbestos-containing products for which we have located records. We believe these spreadsheets contain the formulas for all the asbestos-containing products manufactured by National Gypsum.

We are assembling formula and raw material specifications for each product for which we submitted spreadsheets and will send copies of these as soon as they have been collected. During this process, if we discover a need to make changes in the information previously submitted, any such changes will be made at that time.

Sincerely,

Office • 2001 Rexford Road • Charlotte, NC 28211 • 704-588-3479

NATIONAL GYPSUM
JOINT COMPOUNDS

PRODUCT	DATES MANUFACTURED		
4050 - P JOINT COMPOUND	03/23/53	TO	06/01/54
4050-P JOINT CEMENT	03/17/52	TO	08/29/52
4050-P JOINT CEMENT	08/29/52	TO	03/23/53
ALL PURPOSE JOINT COMPOUND (WESTERN SALES DIST.)	05/02/66	TO	07/17/67
A-1 TOPPING COMPOUND (GOOD HOPE & ROTAN)	05/17/65	TO	04/09/73
BEDDING COMPOUND (WESTERN SALES DIST)	05/02/66	TO	02/02/70
BLOCK FILL COMPOUND	02/18/59	TO	12/07/73
BLOCK FILL COMPOUND	02/10/59	TO	09/06/68
B-6 TOPPING COMPOUND	05/17/65	TO	04/09/73
CROWN COAT CEMENT EXPERIMENTAL FORMULA	04/21/58	TO	06/10/59
CROWN COAT CEMENT FORMULA 303	09/10/57	TO	06/10/59
CROWN COAT CEMENT FORMULA 4050-C	09/10/57	TO	06/10/59
CROWN COAT CEMENT FORMULA LOW ALKALINE	09/10/57	TO	06/10/59
CROWN COAT CEMENT FORMULA X	09/10/57	TO	06/10/59
CROWN COAT CEMENT LOW ALKALINE	10/08/56	TO	N/A
CROWN COAT CEMENT "H"	07/22/57	TO	06/10/59
CROWN COAT CEMENT (HIGH ALKALINE)	03/23/53	TO	10/30/56
CROWN COAT CEMENT (LOW ALKALINE)	03/30/56	TO	07/31/57
"D2" TOPPING COMPOUND - MATTESON	01/25/71	TO	02/15/74
EXPERIMENTAL JOINT CEMENT	05/08/58	TO	06/10/59
GOLD BOND 1055CU & WESCO 10X0 JOINT CEMENT	10/20/54	TO	03/05/57
GOLD BOND ALL PURPOSE JOINT CEMENT	10/19/54	TO	06/20/57
GOLD BOND CONCRETE FINISH COAT	08/27/58	TO	02/20/68
GOLD BOND CONCRETE PILLARS	01/16/59	TO	06/01/65
GOLD BOND CROWN CEMENT (LOW ALKALINE)	02/23/53	TO	03/23/53
GOLD BOND CROWN CEMENT (LOW ALKALINE)	03/23/53	TO	09/19/62
GOLD BOND CROWN COAT CEMENT	03/11/57	TO	06/20/57
(LOW ALKALINE)	03/23/53	TO	09/19/62
GOLD BOND CROWN COAT CEMENT (HIGH ALKALINE)	03/23/53	TO	10/30/56
GOLD BOND CROWN COAT CEMENT (HIGH ALKALINE)	02/02/53	TO	03/23/53
GOLD BOND FINISHER	03/15/58	TO	03/15/60
GOLD BOND FORMULA "A1" EXPERIMENTAL	12/11/57	TO	05/08/58

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/3

PRODUCT	DATES MANUFACTURE		
GOLD BOND JOINT ADHESIVE	01/16/59	TO	01/12/60
GOLD BOND JOINT CEMENT	03/11/57	TO	05/31/57
GOLD BOND JOINT CEMENT X-1	05/02/60	TO	05/15/62
GOLD BOND JOINT CEMENT X-3	09/09/60	TO	10/18/60
GOLD BOND JOINT CEMENT X-4	10/11/60	TO	05/11/62
GOLD BOND JOINT CEMENT X-6	12/10/61	TO	05/25/62
GOLD BOND JOINT CEMENT X-7	02/27/61	TO	05/25/62
GOLD BOND JOINT CEMENT "X2C" (EXPERIMENTAL)	10/23/57	TO	05/25/62
GOLD BOND JOINT COMPOUND	05/11/62	TO	01/17/70
GOLD BOND JOINT COMPOUND	05/11/62	TO	04/09/73
GOLD BOND JOINT COMPOUND	05/11/62	TO	01/17/70
GOLD BOND JOINT COMPOUND 4050-C	05/11/62	TO	04/16/72
GOLD BOND JOINT COMPOUND 4050-C	05/11/60	TO	04/16/72
GOLD BOND JOINT COMPOUND 4070	05/11/62	TO	07/01/69
GOLD BOND JOINT COMPOUND X2A	05/11/62	TO	00/00/67
GOLD BOND JOINT COMPOUND X2C	05/11/62	TO	09/26/66
GOLD BOND JOINT COMPOUND X2C	05/29/61	TO	05/25/62
GOLD BOND JOINT COMPOUND X-8	05/11/62	TO	04/09/73
GOLD BOND JOINT COMPOUND X-8	05/11/62	TO	04/09/73
GOLD BOND JOINT COMPOUND X-8	05/08/61	TO	05/25/62
GOLD BOND JOINT COMPOUND X-8 (RARITAN)	10/02/63	TO	09/26/66
GOLD BOND JOINT FINISHER (EXPERIMENTAL)	08/31/59	TO	03/15/60
GOLD BOND PREMIX JOINT CEMENT POWDER	08/20/53	TO	04/16/56
GOLD BOND PREMIXED JOINT CEMENT	09/07/61	TO	11/25/64
GOLD BOND PREMIXED JOINT CEMENT	12/22/53	TO	04/16/56
GOLD BOND PREMIXED JOINT CEMENT	05/08/61	TO	00/00/69
GOLD BOND PRE-MIXED JOINT CEMENT	02/09/56	TO	12/01/60
GOLD BOND READY MIXED JOINT CEMENT	11/09/60	TO	06/07/61
GOLD BOND READY MIXED JOINT CEMENT	03/29/60	TO	11/01/60
GOLD BOND READY MIXED JOINT CEMENT	09/09/60	TO	09/21/60
GOLD BOND READY MIXED JOINT CEMENT	03/16/60	TO	12/01/60
GOLD BOND TAPE JOINT CEMENT 1055-C	06/01/49	TO	04/07/52
GOLD BOND TAPE JOINT CEMENT 3000 C	06/01/49	TO	02/24/53
GOLD BOND TAPE JOINT CEMENT 3000-C	06/01/49	TO	03/23/53
GOLD BOND TAPE JOINT CEMENT 303	10/08/56	TO	09/26/66
GOLD BOND TAPE JOINT CEMENT 401-C	06/01/49	TO	04/07/52
GOLD BOND TOPPING CEMENT EXPERIMENTAL	11/22/57	TO	09/19/62
GOLD BOND TOPPING COMPOUND (EXPERIMENTAL)	07/13/59	TO	01/12/60
GOLD BOND TOPPING COMPOUND B-4	07/13/62	TO	08/02/65
GOLD BOND TOPPING COMPOUND B-4	08/02/65	TO	00/00/67
GOLD BOND TOPPING COMPOUND B-5	07/13/62	TO	00/00/67
GOLD BOND TOPPING COMPOUND "B1"	09/28/59	TO	10/13/60
GOLD BOND TOPPING COMPOUND "B2"	03/17/60	TO	09/19/62
GOLD BOND TOPPING COMPOUND "B-4"	11/08/60	TO	09/19/62
GOLD BOND TOPPING "XM" (RARITAN ONLY)	07/13/59	TO	10/13/60
GOLD BOND TOPPNG COMPOUND (LITTLE ROCK FORMULA)	10/11/60	TO	09/19/62
GOLD BOND QUIK TREAT JOINT COMPOUND (REVISED)	09/17/63	TO	01/14/65
GOLD BOND TRITREATMENT AND JOINT CEMENT "E" GOOD HOPE	09/08/59	TO	05/25/62

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/4

PRODUCT	DATES MANUFACTURED		
GOLD BOND TRITREATMENT JOINT CEMENT	09/27/57	TO	10/26/59
GOLD BOND TRITREATMENT JOINT CEMENT EXPERIMENTAL	12/13/57	TO	03/18/58
GOLD BOND TRITREATMENT JOINT CEMENT 303	05/08/58	TO	05/11/63
GOLD BOND TRITREATMENT JOINT CEMENT 4050-C	05/28/58	TO	05/11/63
GOLD BOND TRITREATMENT JOINT CEMENT X	11/05/57	TO	05/08/58
GOLD BOND TRITREATMENT JOINT CEMENT X2D	10/26/59	TO	05/11/63
GOLD BOND TRITREATMENT JOINT COMPOUND	05/11/62	TO	04/09/73
GOLD BOND TRITREATMENT JOINT COMPOUND	05/11/62	TO	04/09/73
GOLD BOND VINYL-ACRYLIC JOINT COMPOUND	04/24/64	TO	01/14/65
G-5 TOPPING COMPOUND MATTESON	02/10/69	TO	04/10/72
HIGH ALKALINE JOINT CEMENT	02/24/54	TO	05/26/61
IMPROVED READY MIX	04/13/64	TO	05/27/64
IMPROVED READY MIX JOINT COMPOUND	08/27/64	TO	00/00/67
IMPROVED READY MIX JOINT COMPOUND	02/25/64	TO	01/21/65
IMPROVED READY MIX JOINT COMPOUND	05/25/64	TO	05/24/65
JOINT CEMENT LOW ALKALINE	08/05/51	TO	UNKNOWN
JOINT CEMENT LOW ALKALINE 1055-C	03/23/53	TO	01/06/65
JOINT CEMENT X-2A	05/31/57	TO	05/25/62
JOINT COMPOUND 4070	07/14/61	TO	05/25/62
JOINT COMPOUND V-S	03/08/65	TO	07/17/67
JOINT COMPOUND (PRIMARY STARCH BASE)	04/23/65	TO	05/11/66
JOINT COMPOUND (VINYL TYPE)	08/17/64	TO	01/14/65
JOINT COMPOUND (VINYL TYPE)	08/17/64	TO	01/14/65
JOINT COMPOUND (VINYL TYPE)	08/17/64	TO	03/11/66
"L" JOINT COMPOUND ROTAN ONLY	07/18/66	TO	03/15/67
LOW ALKALINE JOINT CEMENT	03/03/55	TO	00/00/72
LOW ALKALINE JOINT CEMENT	03/11/54	TO	10/20/54
LEVITT PRE-MIX AND READY MIX ED JOINT COMPOUND	09/03/63	TO	00/00/69
NEW IMPROVED GOLD BOND READY MIX JOINT COMPOUND	08/20/62	TO	05/02/65
NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND	12/28/61	TO	05/24/65
NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND RARITON ONLY	11/07/62	TO	00/00/69
NON-VINYL TRIPLE T	05/10/74	TO	07/24/75
"O" JOINT COMPOUND GOOD HOPE & ROTAN ONLY)	02/09/65	TO	04/09/73
PASTEBLOCK-FIL	08/29/63	TO	12/07/73
Q - W COMPOUND	10/12/73	TO	06/14/74
QUIK TREAT JOINT COMPOUND	10/19/72	TO	03/22/74
RARITAN SPECIAL VINYL JOINT COMPOUND	02/06/68	TO	10/02/68
READY MIX, FORMULA M-1	11/01/66	TO	03/27/69
READY MIX FORMULA "M"	03/15/65	TO	00/00/67
READY MIX FORMULA "M"			
READY MIX, FORMULAS M-1, MECHANICAL	02/15/66	TO	00/00/67
TOOL GRADE	11/01/66	TO	03/27/69

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/5

PRODUCT	DATES MANUFACTURED		
READY MIX "N - H"	10/23/68	TO	11/06/69
READY MIX BLOCKFIL	11/07/66	TO	12/07/73
READY MIX JOINT CEMENT	04/09/59	TO	06/10/59
READY MIXED JOINT CEMENT	01/23/62	TO	04/16/62
READY MIX JOINT COMPOUND FORMULA G-1 SPECIAL MATTESON	10/07/71	TO	11/21/73
READY MIX JOINT COMPOUND FORMULA G-1 SPECIAL MATTESON	10/07/71	TO	11/21/73
READY MIX JOINT COMPOUND FORMULA ML	10/13/65	TO	03/27/69
READY MIX JOINT COMPOUND FORMULA ML-2	03/27/69	TO	02/12/73
READY MIX JOINT COMPOUND FORMULA "R" WESTWEGO	06/08/73	TO	04/16/76
READY MIX JOINT COMPOUND N-1	10/30/69	TO	04/08/71
READY MIX JOINT COMPOUND "E" WESTWEGO	10/30/69	TO	11/20/73
READY MIX JOINT COMPOUND "E-1" WESTWEGO	06/05/72	TO	011/24/73
READY MIX JOINT COMPOUND "N-H" BALTIMORE	11/26/70	TO	10/12/71
READY MIX JOINT COMPOUND "W" WESTWEGO	10/30/69	TO	02/08/72
READY MIX M-1 MECH. TOOLS GRADE	08/24/67	TO	02/04/70
READY MIX M-1 (IMPROVED SHRINK & POCKING)	08/24/67	TO	02/04/70
READY MIX TOPPING	11/30/70	TO	04/16/76
READY MIX TOPPING COMPOUND	01/18/73	TO	04/16/76
READY MIX "N-H"	08/19/68	TO	04/18/71
READY MIXED GALLONS & PATCH KITS MATTESON LX FORMULA	08/28/72	TO	02/15/74
READY MIXED JOINT COMPOUND FORMULA LX BALTIMORE	09/20/71	TO	11/24/73
READY MIXED JOINT COMPOUND FORMULA ML-3	06/21/72	TO	03/15/74
READY MIXED JOINT COMPOUND FORMULA "R" BALTIMORE	04/20/73	TO	04/16/76
READY MIXED JOINT COMPOUND FORMULA "R" MATTESON	08/10/73	TO	04/06/76
READY MIXED JOINT COMPOUND FORMULA "R" LONG BEACH	03/01/74	TO	04/16/76
READY MIXED JOINT COMPOUND FORMULAS "C" MATTESON	05/13/70	TO	03/08/72
SEARS AND WARDS JOINT CEMENT	08/04/53	TO	10/13/60
SEAR'S AND WARD'S JOINT CEMENT	10/10/60	TO	09/27/63
SPECIAL GOLD BOND JOINT CEMENT X	01/23/59	TO	08/16/61
SPECIAL TOPPING CEMENT	01/23/59	TO	09/19/60
SPECIAL WHITE READY-MIXED JOINT COMPOUND	06/23/70	TO	08/18/73
STA-SMOOTH 30 JOINT COMPOUND	03/05/70	TO	06/11/70
STA-SMOOTH JOINT COMPOUND	07/13/72	TO	09/18/74
STA-SMOOTH JOINT COMPOUND	02/19/68	TO	07/24/72
STA-SMOOTH JOINT COMPOUND	02/19/68	TO	07/24/72

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/6

PRODUCT	DATES MANUFACTURED		
TAPE JOINT CEMENT 3042-C	09/09/49	TO	03/23/53
TAPE JOINT CEMENT 1055-C	08/27/52	TO	02/24/52
TAPE JOINT CEMENT - 3000-C	07/12/49	TO	02/24/53
TAPE JOINT CEMENT 4050-C	01/25/50	TO	03/23/53
TAPE JOINT CEMENT 4050-C	08/29/53	TO	02/24/53
TAPE JOINT CEMENT 4050-C	03/23/53	TO	06/01/54
TAPE JOINT CEMENT 4050-CX	08/29/53	TO	02/24/53
TAPE JOINT CEMENT 4050-CX	03/23/53	TO	06/01/54
TAPE JOINT CEMENT 4050-P	08/27/52	TO	02/24/53
TAPE JOINT CEMENT AMES TAPE MACHINE	03/23/53	TO	11/30/54
TAPE JOINT CEMENT AMES TAPE MACHINE	01/12/53	TO	03/23/53
TAPE JOINT CEMENT (SPECIAL AMES FORMULA)	05/03/54	TO	12/07/54
THERMO-WELD II COMPOUND	03/27/72	TO	09/08/72
TOPPING COMOUND "R"	01/03/66	TO	07/17/67
TOPPING COMPOUND	05/29/74	TO	04/16/76
TOPPING COMPOUND ROTAN	09/19/66	TO	02/06/70
TOPPING COMPOUND TRAIL BATCH	05/29/58	TO	08/25/58
TOPPING COMPOUND (WESTERN SALES DIST)	05/19/66	TO	02/02/70
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND	07/01/69	TO	01/28/70
TRIPLE T JOINT COMPOUND	02/05/68	TO	03/27/69
TRIPLE T JOINT COMPOUND (ALL PURPOSE)	04/23/68	TO	03/27/69
TRITREATMENT JOINT COMPOUND "G"			
TRITREATMENT JOINT COMPOUND (ROTAN)	09/19/66	TO	04/09/73
VINYL JOINT COMPOUND ALL PURPOSE	10/01/68	TO	04/16/76
VINYL JOINT COMPOUND ALL PURPOSE	10/01/68	TO	04/16/76
VINYL JOINT COMPOUND ALL PURPOSE	10/01/68	TO	04/16/76
VINYL JOINT COMPOUND ALL PURPOSE	10/01/68	TO	04/16/76
VINYL TOPPING COMPOUND	09/29/71	TO	04/16/76
VINYL TOPPING COMPOUND	09/29/71	TO	04/16/76
WESCO 10-X (JOINT CEMENT)	07/07/53	TO	01/06/65
WESCO JOINT CEMENT 20-X	12/03/52	TO	08/04/53
WESCO JOINT CEMENT 20-X	03/23/53	TO	08/01/53
WESCO JOINT CEMENT 2000	12/03/52	TO	08/04/53
WESCO JOINT CEMENT 2000	03/23/53	TO	08/01/53
WHITE READY MIX GUN GRADE	02/06/68	TO	02/12/70
WHITE TOPPING COMPOUND (MATTESON ONLY)	05/17/65	TO	12/10/68
X-8 JOINT COMPOUND GOOD HOPE	02/10/69	TO	04/09/73
X-8 JOINT COMPOUND RARITAN	05/17/65	TO	04/02/73

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/7

4050-P JOINT CEMENT
DATES 3/23/53 TO 6/1/54
52-11-2

INGREDIENT	% BY WT.
LIMESTONE	20.20
MICA	24.24
ASBESTOS	12.12
CLAY	16.16
FIBROUS TALC	16.16
CASEIN	6.06
SODA ASH	0.81
DOWICIDE G	0.24
HYDRATED LIME	4.04
YELLOW OXIDE 2087	0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/8

4050-P JOINT CEMENT
DATE 3/17/52 TO 8/29/52
52-40-5A

INGREDIENT	% BY WT.
LIMESTONE	20.15
MICA	24.18
ASBESTOS	12.09
CLAY	16.12
FIBROUS TALC	16.12
CASEIN	6.05
SODA ASH	0.81
DOWICIDE G	0.24
HYDRATED LIME	4.03
YELLOW OXIDE 2087	0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/9

4050-P JOINT CEMENT
DATED 8/29/52 TO 3/23/53
52-40-4A

INGREDIENT	% BY WT.
LIMESTONE	20.15
MICA	24.18
ASBESTOS	12.09
CLAY	16.12
FIBROUS TALC	16.12
CASEIN	6.05
SODA ASH	0.81
DOWICIDE G	0.24
HYDRATED LIME	4.03
YELLOW OXIDE 2087	0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/10

ALL PURPOSE JOINT COMPOUND (WESTERN SALES DISTRICT) LONG BEACH PLANT
DATES 5/2/66 TO 7/17/67
52-19-5-A

INGREDIENT	% BY WT.
LIMESTONE	55.56
MICA	9.26
ASBESTOS	9.26
CLAY	9.26
TALC	9.26
STARCH	4.63
COSAN JTAS	0.14
NATROSOL	0.32
GELVA 702	2.31

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/11

A-1 TOPPING COMPOUND (GOOD HOPE AND ROTAN ONLY)
A-1 TOPPING COMPOUND (GOOD HOPE)
A-1 TOPPING COMPOUND (WESTWEGOO
DATES 5/17/65 TO 4/9/73
P52-12-8

INGREDIENT	5/17/65 % BY WT	7/1/68 % BY WT	5/19/69 % BY WT	4/7/70 % BY WT	7/27/70 % BY WT
LIMESTONE	50.66	54.67	55.31	55.78	55.78
MICA	8.44	2.10	2.13	2.15	2.15
ASBESTOS	10.56	10.51	9.36	8.58	8.58
FIBROUS TALC	4.22	4.21	4.25	4.29	
CASEIN	3.80	3.78	3.83	3.86	3.86
SODIUM TRIPOLYPHOSPHATE	0.09	0.11	0.11	0.11	0.11
AMMONIUM BIBORATE	0.09	0.11	0.11	0.11	0.11
AMMONIUM OXALATE	0.19	0.21	0.21	0.21	0.21
VANCIDE 51Z	0.04				
BORAX	0.08	0.11	0.11	0.11	0.11
NATROSOL	0.32	0.32	0.34	0.34	0.34
TRI SODIUM PHOSPHATE	0.38	0.42	0.43	0.43	0.43
ATTAGEL	2.11	2.10	2.13	1.07	1.07
VELVETEEN R	19.00	21.03	21.27	21.45	21.45
ADVACIDE TJP		0.34	0.43	0.43	0.43
ATTACLAY				1.07	1.07
PYROPHILLITE					4.29

BEDDING COMPOUND (WESTERN SALES DISTRICT) LONG BEACH PLANT
WESTERN SALES DISTRICT JOINT AND ALL PURPOSE COMPOUND (LONG bEACH) 6/21/67
JOINT AND ALL PURPOSE COMPOUND LONG BEACH 2/2/70
DATES 5/2/66 TO 4/9/73
52-19-1

INGREDIENT	5/2/66 % BY WT	6/21/67 % BY WT	2/2/70 % BY WT	8/24/70 % BY WT	3/1/71 % BY WT
LIMESTONE	54.97	50.96	56.80	64.25	64.25
TALC	13.74	14.56	12.08		
ASBESTOS	9.16	7.28	3.87	2.97	2.97
NATROSOL	0.46				
GELVA 702	1.15				
STARCH	6.64				
COSAN JTA5	0.14	0.29	0.24	0.25	0.25
MICA	9.16	12.13	9.67	7.41	7.41
CLAY	4.58	7.20	9.67	17.30	17.30
CASEIN		6.31	6.28	6.42	6.42
NOPCO PD1		0.19			
RENEX 35		0-0.05*			
KELGIN		0.24-0.36*	0.29	0.30	0.30
TRISODIUM PHOSPHATE		0.34	0.39	0.44	0.44
AMMONIUM OXALATE		0.49	0.58	0.52	0.57
DIAMMONIUM PHOSPHATE		0.05	0.05	0.05	
KELCO SCS		0.02	0.04	0.05	0.05
CELLOSIZE			0.05	0.05	0.05

* VARIED TO MEET DRYING CONDITIONS OF THE MARKET AREA

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/13

BLOCK FILL COMPOUND
GOLD BOND BLOCK FILL COMPOUND (5/4/69)
BLOCK-FIL (10/23/67)
DATES 2/18/59 TO 12/7/73
52-69

INGREDIENT	2/18/59 % BY WT	10/23/67 % BY WT
CHALK WHITING	25.28	25.28
LIMESTONE	13.59	13.59
ASBESTOS	5.06	5.06
TALC	5.06	5.06
RESYN 78-3117	9.35	
TITANIUM DIOXIDE	2.28	2.22
ZT WATERPROOFER	1.01	1.01
SODIUM TRIPOLYPHOSPHATE	0.38	
GRAG 974	0.09	
SILICA SAND	37.92	37.92
AIRCO RF 251		9.35
TETRA POTASSIUM PYROPHOSPHATE		0.38
COSAN JTA5		0.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/14

BLOCK FILL COMPOUND
BLOCK-FIL (10/23/67)
DATES 2/10/59 TO 9/6/68

INGREDIENT	% BY WT.
CALCIUM CARBONATE	38.87
ASBESTOS	5.06
TALC	5.06
RESYN 78-31117	9.35
TITANIUM DIOXIDE	2.28
ZT WATERPROOFER	1.01
SODIUM TRIPOLYPHOSPHATE	0.38
CRAG 974 FUNGICIDE	0.09
SILICA SAND	37.92

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/15

B-6 TOPPING COMPOUND
TOPPING COMPOUND RARITAN (3/15/67)
TOPPING COMPOUND BALTIMORE (2/10/70)
DATES 5/17/65 TO 4/9/73
P52-12-7

INGREDIENT	5/17/65 % BY WT	4/13/66 % BY WT	3/15/67 % BY WT	12/6/67 % BY WT	2/10/70 % BY WT	5/5/70 % BY WT
LIMESTONE	54.12	54.14	53.93	53.93	52.01	52.04
MICA	20.91	11.07	11.56	11.56	13.87	13.88
ASBESTOS	12.30	9.84	11.56	11.56	11.27	11.24
TALC	4.92	4.92	9.63	9.63	10.40	10.41
CASEIN	4.43	4.43	4.24	4.24	4.16	4.16
AMMONIUM BIBORATE	0.15	0.15				
VANCIDE 51Z	0.05	0.05	0.04	0.04	0.04	0.04
BORAX	0.15	0.11				
NATROSOL	0.32	0.32	0.19	0.19	0.19	0.19
TRISODIUM PHOSPHATE	0.12	0.12	0.19	0.19	0.19	0.19
ATTAGEL	1.97	1.97				
DARVAN #1	0.07	0.07				
DIAMMONIUM PHOSPHATE	0.20	0.20				
YELLOW OXIDE 2087	0.20	0.20	0.19			
UCON FLUID LB-135	0.10	0.10				
NARVON		12.30				
CLAY			7.70	7.70	6.94	6.94
AMMONIUM OXALATE			0.31	0.31	0.30	0.30
KELGIN MV			0.23			
NOPCO PD1			0.23	0.23	0.23	0.23
KELGIN F				0.23	0.23	0.23
YELLOW OXIDE 1788				0.19	0.17	0.17

CROWN COAT CEMENT EXPERIMENTAL FORMULA
DATES 4/21/58 TO 6/10/59
52-16-10-A

INGREDIENT	% BY WT.
LIMESTONE	34.97
MICA	14.99
ASBESTOS	14.99
CLAY	5.00
FIBROUS TALC	22.48
CASEIN	5.49
DOWICIDE G	0.20
TRISODIUM PHOSPHATE	1.50
HYDRATED LIME	0.30
YELLOW OXIDE	0.10

CROWN COAT CEMENT FORMULA 303
DATES 9/10/57 TO 6/10/59
52-16-10-A

INGREDIENT	% BY WT.
LIMESTONE	35.68
MICA	32.11
ASBESTOS	14.27
CLAY	10.70
CASEIN	3.57
POWDERED GLUE	2.14
AMMONIUM BIBORATE	0.50
DOWICIDE G	0.21
DIAMMONIUM PHOSPHATE	0.50
CMC	0.18
YELLOW OXIDE 1788	0.11
GREEN OXIDE G4099	0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/18

CROWN COAT CEMENT FORMULA 4050-C
DATES 9/10/57 TO 6/10/59
52-16-10-A

INGREDIENT	% BY WT.
LIMESTONE	19.92
MICA	15.94
ASBESTOS	7.97
CLAY	15.94
FIBROUS TALC	27.89
CASEIN	3.59
PROSEIN	5.98
SODA ASH	0.80
DOWICIDE G	0.24
HYDRATED LIME	1.59
YELLOW OXIDE 1788	0.12
GREEN OXIDE G4099	0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/19

CROWN COAT CEMENT FORMULA LOW ALKALINE
SHIPPED BY MATTESON
DATES 9/10/57 TO 6/10/59
52-16-10-A

INGREDIENT	% BY WT.
LIMESTONE	43.48
MICA	21.74
ASBESTOS	14.49
CLAY	14.49
CASEIN	2.90
POWDERED GLUE	1.45
AMMONIUM BIBORATE	0.36
DOWICIDE G	0.14
TRISODIUM PHOSPHATE	0.25
DIAMMONIUM PHOSPHATE	0.36
CMC	0.18
GREEN OXIDE G4099	0.04
YELLOW OXIDE 1788	0.11

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/20

CROWN COAT CEMENT FORMULA X
DATES 9/10/57 TO 6/10/59
52-16-10-A

INGREDIENT	% BY WT.
LIMESTONE	34.76
MICA	14.90
ASBESTOS	12.41
CLAY	14.90
FIBROUS TALC	14.90
CASEIN	5.96
DOWICIDE G	0.20
TRISODIUM PHOSPHATE	1.49
HYDRATED LIME	0.30
YELLOW OXIDE 1788	0.15
GREEN OXIDE G4099	0.05

CROWN COAT CEMENT LOW ALKALINE
DATES 10/8/56 TO NO OBSOLETION DATE LISTED
52-16-4-A

INGREDIENT	% BY WT.
LIMESTONE	43.56
MICA	21.78
ASBESTOS	14.52
CLAY	14.52
CASEIN	2.90
POWDERED GLUE	1.45
AMMONIUM BIBORATE	0.36
DOWICIDE G	0.15
METHOCEL	0.25
DIAMMONIUM PHOSPHATE	0.36
GREEN OXIDE	0.04
YELLOW OXIDE 1783	0.11

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/22

CROWN COAT CEMENT "H"
DATES 7/22/57 TO 6/10/59
52-16-10-A

INGREDIENT	7/22/57 % BY WT.	7/31/57 % BY WT.
LIMESTONE	56.08	56.11
MICA	14.02	14.03
ASBESTOS	9.35	9.35
CLAY	9.35	9.35
FIBROUS TALC	4.67	4.68
CASEIN	4.67	4.68
DOWICIDE G	0.28	0.23
TRISODIUM PHOSPHATE	0.93	0.94
HYDRATED LIME	0.47	0.47
CMC	0.06	0.06
GREEN OXIDE 4099	0.02	0.02
YELLOW OXIDE 1788	0.09	0.09

CROWN COAT CEMENT (LOW ALKALINE)
DATES 3/30/56 to 7/31/57
52-16-2

	3/30/56 % BY WT.	5/28/56 % BY WT.	8/20/56 % BY WT.
LIMESTONE	43.65	43.62	43.59
CLAY	14.55	14.54	14.53
MICA	21.83	21.81	21.79
CASEIN	2.91	2.91	2.91
DIAMMONIUM PHOSPHATE	0.29	0.36	0.36
POWDERED GLUE	1.46	1.45	1.45
AMMONIUM BIBORATE	0.29	0.36	0.36
METHOCEL	0.25		
DOWICIDE G	0.15	0.15	0.15
GREEN OXIDE	0.07	0.07	0.04
ASBESTOS	14.55	14.54	14.53
CARBOXY METHYL CELLULOSE		0.18	0.18
YELLOW OXIDE 1788			0.11

"D2" TOPPING COMPOUND-MATTESON
DATES 1/25/71 TO 2/15/74
P52-12-5

INGREDIENT	1/25/71* % BY WT	% BY WT	3/17/72* % BY WT	% BY WT
LIMESTONE	66.76	66.94	66.90	67.08
MICA	10.99	10.99	11.01	11.01
CASEIN	3.02	3.02	3.03	3.03
STARCH	1.37	1.37	1.38	1.38
NATROSOL	0.22	0.22	0.17	0.17
KELZAN D	0.22	0.22		
AMMONIUM OXALATE	0.22	0.22	0.22	0.22
TRISODIUM PHOSPHATE	0.27	0.27	0.28	0.28
PHENYL MERCURIC ACETATE	0.16	0.16		
DARVAN #1	0.05	0.05	0.06	0.06
ASBESTOS	5.49	5.31	5.51	5.32
CLAY	10.99	10.99	11.01	11.01
UCON FLUID LB 135	0.11	0.11	0.11	0.11
YLO 1788	0.11	0.11	0.11	0.11
ZANCOAT			0.17	0.17
BIOCIDE 290			0.07	0.07

* TWO FORMULAS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/25

EXPERIMENTAL JOINT CEMENT 4050-D
DATES 5/8/58 TO 6/10/59
52-11-14-A

INGREDIENT	% BY WT.
LIMESTONE	56.04
MICA	7.31
ASBESTOS	11.21
CLAY	9.75
CASEIN	4.87
PROSEIN	2.44
SODA ASH	0.49
DOWICIDE G	0.19
TRISODIUM PHOSPHATE	0.58
HYDRATED LIME	0.97
CELITE 281	6.09
BENTONITE	0.05

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/26

GOLD BOND 1055CU AND WESCO 10X0 JOINT CEMENT
GOLD BOND 1055CU AND WESCO 10XU JOINT CEMENT (1/13/55)
DATES 10/20/54 TO 3/5/57
52-10-2

INGREDIENT	10/20/54 % BY WT.	11/12/54 % BY WT.	3/5/56 % BY WT.
LIMESTONE	32.15	32.17	32.18
MICA	16.08	16.08	16.09
ASBESTOS	8.04	8.04	8.05
CLAY	12.06	12.06	12.07
FIBROUS TALC	20.10	20.10	20.11
CASEIN	3.22	3.22	3.22
PROSEIN	6.83	6.84	6.84
SODA ASH	1.21	1.21	1.21
DOWICIDE G	0.24	0.24	0.24
YELLOW OXIDE 2087	0.08	0.04	

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/27

GOLD BOND JOINT ADHESIVE
DATES 1/16/59 TO 1/12/60
72-83-10-A

INGREDIENT	% BY WT.
MICA	29.78
ASBESTOS	4.70
TALC	15.67
SODIUM NITRITE	0.47
POLYVINYL ACETATE	14.11
WATER	32.92
DARVAN #1	0.47
CMC	0.31
PYCAL 94	1.57

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/28

GOLD BOND JOINT CEMENT
DATES 3/11/57 TO 5/31/57
52-10-5

INGREDIENT	% BY WT.
LIMESTONE	42.49
MICA	28.33
ASBESTOS	21.25
CASEIN	5.67
AMMONIUM BIBORATE	0.74
DOWICIDE G	0.14
UREA	0.64
TETRA POTASSIUM PYROPHOSPHATE	0.35
DARVAN #1	0.39

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/29

GOLD BOND JOINT CEMENT X-1
DATES 5/2/60 TO 5/15/62
52-11-8-A

INGREDIENT	% BY WT.
LIMESTONE	54.71
ASBESTOS	21.14
TALC	4.97
CASEIN	5.47
SODIUM TRIPOLYPHOSPHATE	0.12
AMMONIUM BIBORATE	0.50
DOWICIDE G	0.25
BORAX	0.25
NATROSOL	0.15

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/30

GOLD BOND JOINT CEMENT X-4
GOLD BOND JOINT CEMENT X-5 (11/8/60)
DATES 10/11/60 TO 5/11/62
52-11-10-A

INGREDIENT	10/11/60 % BY WT.	11/8/60 % BY WT.	12/8/60 % BY WT.
LIMESTONE	54.84	54.56	54.70
MICA	11.22	11.16	11.19
ASBESTOS	12.46	12.40	12.43
TALC	4.99	4.96	4.97
CASEIN	1.74	1.74	1.74
PROCOTE	3.24	3.22	3.23
SODIUM TRIPOLYPHOSPHATE	0.25	0.25	0.25
AMMONIUM BIBORATE	0.40	0.40	0.40
DOWICIDE G	0.15	0.15	0.15
BORAX	0.10	0.10	0.10
NATROSOL	0.25		
GLENDON MC 159	9.97	9.92	9.95
RENNEX 35	0.25	0.25	
DARVAN #1	0.15	0.15	0.15
CELLOSIZE		0.25	0.25
AZITE 900		0.50	0.50

GOLD BOND JOINT CEMENT X-6
GOLD BOND JOINT COMPOUND X-6 (3/10/61)
DATES 2/10/61 TO 5/25/62
52-10-14-A

INGREDIENT	% BY WT.
LIMESTONE	64.60
MICA	11.18
ASBESTOS	17.39
CASEIN	2.24
SODA ASH	0.25
SODIUM TRIPOLYPHOSPHATE	0.25
AMMONIUM BIBORATE	0.25
DOWICIDE G	0.10
CELLOSIZE QP	0.17
AZITE 900	0.25
PROCOTE C	3.23
YELLOW OXIDE 1788	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/32

GOLD BOND JOINT CEMENT X-7
DATES 2/27/61 TO 5/25/62
52-11-15-A

INGREDIENT	2/27/61 % BY WT.	4/5/61 % BY WT.
LIMESTONE	53.57	54.07
MICA	12.17	12.29
ASBESTOS	10.96	11.06
TALC	14.61	14.75
CASEIN	3.90	3.93
PROCOTE	2.43	2.46
SODIUM TRIPOLYPHOSPHATE	0.29	0.15
AMMONIUM BIBORATE	0.49	0.49
DOWICIDE G	0.15	0.15
BORAX	0.19	0.20
CELLOSIZE	0.15	0.17
DIAMMONIUM PHOSPHATE	0.29	
DARVAN	0.07	0.02
AZITE 900	0.63	0.17
YLO 2087	0.10	0.10

GOLD BOND JOINT CEMENT "X2C" (EXPERIMENTAL)
GOLD BOND JOINT CEMENT "X2C" (8/25/58)
GOLD BOND JOINT COMPOUND "X2D" (9/1/59)
DATES 10/23/57 TO 5/25/62
52-11-7

INGREDIENT	10/23/57 % BY WT.	3/25/58 % BY WT.	9/1/59 % BY WT.	10/26/59* % BY WT.	12/28/60 % BY WT.
LIMESTONE	52.01	51.95	52.23	52.23-52.17	52.23
MICA	18.57	18.56	18.65	18.65-18.63	18.65
ASBESTOS	12.38	12.37	12.43	12.43-12.42	12.43
CLAY	9.91	9.90	9.95	9.95-9.94	9.95
CASEIN	5.45	5.44	5.47	5.47-5.47	5.47
SODA ASH	0.25	0.25			
DOWICIDE G	0.15	0.25	0.25	0.25-0.25	0.25
METHOCEL	0.15	0.15	0.15	0.15-0.15	0.15
TRISODIUM PHOSPHATE	0.74	0.74			
HYDRATED LIME	0.40	0.40			
SODIUM TRIPOLYPHOSPHATE			0.12	0.12-0.12	0.12
AMMONIUM BIBORATE			0.50	0.50-0.50	0.50
BORAX			0.25	0.25-0.25	0.25
DARVAN				0-0.10	

*TWO FORMULATIONS IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/34

GOLD BOND JOINT COMPOUND
GOLD BOND JOINT COMPOUND X2D
DATES 5/11/62 TO 1/17/70
P52-10-8

INGREDIENT	5/11/62 % BY WT.	7/13/62 % BY WT. W*	7/13/62 % BY WT. S*	10/16/63 % BY WT. W*	10/16/63 % BY WT. S*	2/9/65 % BY WT. W*	2/9/65 % BY WT. S*	10/13/65 % BY WT. W*	10/13/65 % BY WT. S*
LIMESTONE	52.23	52.23	52.21	52.23	52.31	52.33	52.31	52.29	52.[illegible]
MICA	18.65	18.65	18.65	18.65	18.68	18.69	18.68	18.68	18.64
ASBESTOS	12.43	12.43	12.43	12.43	12.45	12.46	12.45	12.45	12.4
CLAY	9.95	9.95	9.94	9.95	9.96	9.97	9.96	9.96	9.9[illegible]
CASEIN	5.47	5.47	5.47	5.47	5.48	5.48	5.48	5.48	5.47
SODIUM TRIPOLYPHOSPHATE	0.12	0.12	0.10	0.12	0.10	0.12	0.10	0.12	0.10
AMMONIUM BIBORATE	0.50	0.50	0.10	0.50	0.10	0.50	0.10	0.50	0.10
DOWICIDE G	0.25	0.25	0.25	0.25					
BORAX	0.25	0.25	0.21	0.25	0.21	0.25	0.21	0.25	0.15
NATROSOL	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
DIAMMONIUM PHOSPHATE			0.25		0.25		0.25		0.35
PYCAL 94			0.25		0.25				
VANCIDE 51Z					0.05	0.05	0.05	0.05	0.05
BENZOFLEX 9-88							0.25		0.25
DARVAN								0.07	0.20

*A SUMMER(S) AND WINTER(W) FORMULATION WAS IN USE.

GOLD BOND JOINT COMPOUND
GOLD BOND JOINT COMPOUND X2D
DATES 5/11/62 TO 1/17/70
P52-10-8

INGREDIENT	7/3/67 % BY WT. W*	S*	7/1/68 % BY WT. W*	S*
LIMESTONE	52.29	52.19	54.81	54.69
MICA	18.68	18.64	18.69	18.65
ASBESTOS	9.96	9.94	9.97	9.94
CLAY	9.96	9.94	9.97	9.94
CASEIN	5.48	5.47	5.48	5.47
BORAX	0.25	0.15	0.19	0.11
SODIUM TRIPOLYPHOSPHATE	0.12	0.10	0.12	0.10
AMMONIUM BIBORATE	0.50	0.10	0.50	0.10
NATROSOL	0.15	0.15	0.15	0.15
VANCIDE 51Z	0.05	0.05	0.05	0.05
DIAMMONIUM PHOSPHATE		0.35		0.35
BENZOFLEX 9-88		0.25		
DARVAN	0.07	0.20	0.07	0.20
PYCAL 94				0.25

*A SUMMER(S) AND WINTER(W) FORMULATION WAS IN USE.

GOLD BOND JOINT COMPOUND 4050-C
4050-C JOINT COMPOUND (2/9/65)
DATES 5/11/62 TO 4/16/72
P52-10-4

INGREDIENT	2/10/69 % BY WT.	5/19/69 % BY WT.	6/12/70 % BY WT.
LIMESTONE	48.49	50.95	74.50-75.08
MICA	10.96	13.62	6.94-6.53
ASBESTOS	6.30	6.27	7.40-7.28
TALC	21.92	16.35	
FIBROUS TALC	5.48	5.45	
CASEIN	4.11	4.09	3.70-3.73
STARCH		1.36	1.39-1.31
SODIUM TRIPOLYPHOSPHATE	0.22	0.22	0.19-0.19
AMMONIUM OXALATE	0.44	0.44	0.32-0.30
COSAN JTA5	0.22	0.22	0.19-0.17
SOYA PROTEIN	1.10		
KELGIN F	0.05	0.33	0.05-0.05
TRISODIUM PHOSPHATE	0.33	0.33	0.28-0.26
DARVAN #1	0.11	0.11	
UCON FLUID LB 135	0.27	0.27	0.19-0.19
NARVON CEF2			4.63-4.67
YELLOW OXIDE 1788			0.09-0.11
NATROSOL			0.14-0.13

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/37

GOLD BOND JOINT COMPOJND 4050-C
4050-C JOINT COMPOUND (2/9/65)
DATES 5/11/62 TO 4/16/72
P52-10-4

INGREDIENT	5/11/62 % BY WT.	2/9/65 % BY WT.	7/3/67 % BY WT.	7/1/68 % BY WT.
LIMESTONE	19.95	19.98	43.56	44.67
MICA	15.96	15.99	14.52	16.75
ASBESTOS	7.98	7.99	6.05	5.58
CLAY	15.96	15.99	9.68	2.79
TALC	27.93	27.98	14.52	22.33
CASEIN	3.59	3.60	3.98	5.58
SODA ASH	0.80	0.80	0.73	0.22
SOYA FLOUR	5.99	6.00	5.44	
HYDRATED LIME	1.60	1.60	1.45	1.12
DOWICIDE G	0.24			
VANCIDE 51Z		0.08	0.07	
ATTAGEL				0.45
SODIUM TRIPOLYPHOSPHATE				0.22
COSAN JTA5				0.22
NATROSOL				0.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/38

GOLD BOND JOINT COMPOUND 4070
4070 JOINT COMPOUND (2/9/65)
DATES 5/11/62 TO 7/1/69
P52-10-5

INGREDIENT	5/11/62 % BY WT.	10/23/62 % BY WT.	2/9/65 % BY WT.	7/3/67 % BY WT.	7/1/68 % BY WT.
LIMESTONE	54.79	56.34	57.83	57.66	62.62
MICA	12.56	12.91	12.72	12.68	9.45
ASBESTOS	9.13	9.39	9.25	9.23	7.09
CLAY	5.71				
TALC	11.42	11.74	11.57	11.53	11.81
CASEIN	5.02	5.16	5.09	5.07	5.20
SODA ASH	0.23	0.23	0.21	0.21	0.19
DOWICIDE G	0.14	0.14			
TRISODIUM PHOSPHATE	0.55	0.56	0.51	0.51	0.47
HYDRATED LIME	0.37	0.38	0.32	0.32	0.28
KELSIZE LV	0.09	0.09	0.14	0.14	0.14
ATTAGEL 30		3.05	2.31	2.31	2.36
VANCIDE 51Z			0.05		
ADVACIDE TJP				0.35	0.37

GOLD BOND JOINT COMPOUND X2A
DATES 5/11/62 TO 1967
52-10-6

INDREDIENTS	5/11/62 % BY WT.	3/29/63 % BY WT. S*	3/29/63 % BY WT. W*	10/16/83 % BY WT. S*	10/16/83 % BY WT. W*	12/18/63 % BY WT. S*	12/18/63 % BY WT. W*	2/9/65 % BY WT.
LIMESTONE	34.79	34.79	34.62	34.79	34.67	34.84	34.62	34.86
MICA	14.91	14.91	14.84	14.91	14.86	14.93	14.84	14.94
ASBESTOS	12.43	12.43	12.36	12.43	12.38	12.44	12.36	12.45
CLAY	14.91	14.91	14.84	14.91	14.86	14.93	14.84	14.94
TALC	14.91	14.91	14.84	14.91	14.86	14.93	14.84	14.94
CASEIN	5.96	5.96	5.93	5.96	5.94	5.97	5.93	5.98
DOWICIDE G	0.20	0.20	0.20	0.20			0.20	
TRISODIUM PHOSPHATE	1.49	1.49	1.48	1.49	1.49	1.49	1.48	1.49
HYDRATED LIME	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.36
YELLOW OXIDE 5087	0.10	0.10	0.10	0.10	0.10	0.10	0.10	
STARCH			0.49		0.50		0.49	
VANCIDE 51Z					0.05	0.05		0.05

*A SUMMER(S) AND WINTER(W) FORMULATION WERE IN USE.

NOTE- UPON CUSTOMER REQUEST A MINERAL OIL ADDITION, NOT TO EXCEED 15 LB/TON, WOULD BE MADE TO PROVIDE WET EDGE. THIS IS NOT ACCOUNTED FOR IN ABOVE CALCULATIONS.

GOLD BOND JOINT COMPOUND X2C
DATES 5/11/62 TO 9/26/66
52-10-7

INGREDIENT	% BY WT.
LIMESTONE	51.95
MICA	18.56
ASBESTOS	12.37
CLAY	9.90
CASEIN	5.44
SODA ASH	0.25
DOWICIDE G	0.25
METHOCEL	0.15
TRISODIUM PHOSPHATE	0.74
HYDRATED LIME	0.40

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/41

GOLD BOND JOINT COMPOUND X2C
DATES 5/29/61 TO 5/25/62
52-11-20

INGREDIENT	% BY WT.
LIMESTONE	51.95
MICA	18.56
ASBESTOS	12.37
CLAY	9.90
CASEIN	5.44
SODA ASH	0.25
DOWICIDE G	0.25
METHOCEL	0.15
TRISODIUM PHOSPHATE	0.74
HYDRATED LIME	0.40

GOLD BOND JOINT COMPOUND X-8
DATES 5/8/61 TO 5/25/62
52-11-16-A

INGREDIENT	5/8/61 % BY WT.	9/13/61 % BY WT.
LIMESTONE	52.27	52.22
MICA	11.88	11.87
ASBESTOS	14.26	14.24
TALC	14.26	14.24
CASEIN	3.80	3.80
PROCOTE	2.38	2.37
SODIUM TRIPOLYPHOSPHATE	0.10	0.09
AMMONIUM BIBORATE	0.14	0.14
DOWICIDE G	0.14	0.14
BORAX	0.24	0.24
CELLOSIZE	0.14	
DIAMMONIUM PHOSPHATE	0.24	0.24
DARVAN #1	0.07	0.07
YELLOW OXIDE 1780	0.10	0.09
NATROSOL		0.24

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/43

GOLD BOND JOINT COMPOUND X-8
X-8 JOINT COMPOUND (2/9/65)
JOINT COMPOUND MATTESON (3/14/67)
"U" JOINT COMPOUND (MATTESON) (5/19/69)
DATES 5/11/62 TO 4/9/73
P52-10-10

INGREDIENT	5/19/69 % BY WT	6/12/70* % BY WT	% BY WT	1/14/71* % BY WT	% BY WT	8/17/72* % BY WT	% BY WT
LIMESTONE	54.00	74.57	75.17	74.66	75.26	74.76	75.37
MICA	11.11	6.95	6.54	6.96	6.55	6.97	6.56
ASBESTOS	5.28	7.41	7.29	7.42	7.30	7.43	7.31
TALC	16.67						
FIBROUS TALC	5.56						
CASEIN	5.56	3.71	3.74	3.71	3.74	3.71	3.75
SODIUM TRIPOLYPHOSPHATE	0.22	0.19	0.19	0.19	0.19	0.19	0.19
AMMONIUM OXALATE	0.50	0.32	0.30	0.32	0.30	0.32	0.30
COSAN JTA5	0.22	0.19	0.17	0.19	0.17		
NATROSOL	0.11	0.14	0.13	0.14	0.13	0.12	0.09
TRISODIUM PHOSPHATE	0.22	0.28	0.26	0.28	0.26	0.28	0.26
KELGIN F	0.17	0.05	0.05	0.05	0.05		
NOPCO PD-1	0.17						
DARVAN #1	0.11						
NARVON CEF2		4.63	4.67				
UCON FLUID LB 135		0.19	0.19	0.07	0.07	0.07	0.07
PYROPHILLITE				4.64	4.68	4.64	4.69
ZANCOAT						0.03	0.04
BIOCIDE 290						0.08	0.07
STARCH		1.39	1.31	1.39	1.31	1.39	1.31

* TWO FORMULATIONS IN USE. WHEN COLOR IS REQUIRED 0.13% YLO 1788 IS ADDED.

GOLD BOND JOINT COMPOUND X-8
X-8 JOINT COMPOUND (2/9/65)
JOINT COMPOUND MATTESON (3/14/67)
"U" JOINT COMPOUND (MATTESON) (5/19/69)
DATES 5/11/62 TO 4/9/73
P52-10-10

INGREDIENT	5/11/62 % BY WT	7/13/62 % BY WT W*	7/13/62 % BY WT S*	10/16/63 % BY WT W*	10/16/63 % BY WT S*	2/9/65 % BY WT W*	2/9/65 % BY WT S*
LIMESTONE	52.22	52.22	52.10	52.22	52.15	54.64	54.52
MICA	11.87	11.87	11.84	11.87	11.85	11.88	11.85
CASEIN	3.80	3.80	3.79	3.80	3.79	3.80	3.79
PROCOTE	2.37	2.37	2.37	2.37	2.37	2.38	2.37
NATROSOL	0.24	0.24	0.24	0.24	0.24	0.24	0.24
SODIUM TRIPOLYPHOSPHATE	0.09	0.09	0.09	0.09	0.09	0.10	0.09
DIAMMONIUM PHOSPHATE	0.24	0.24	0.24	0.24	0.24	0.24	0.24
BORAX	0.24	0.24	0.24	0.24	0.24	0.24	0.24
AMMONIUM BIBORATE	0.14	0.14	0.14	0.14	0.14	0.14	0.14
DARVAN #1	0.07	0.07	0.07	0.07	0.07	0.07	0.07
DOWICIDE G	0.14	0.14	0.14	0.14			
YELLOW OXIDE 1788	0.09	0.09	0.09	0.09	0.09	0.10	0.09
ASBESTOS	14.24	14.24	14.21	14.24	14.22	11.88	11.85
TALC	14.24	14.24	14.21	14.24	14.22	14.26	14.22
PYCAL 94			0.24		0.24		
VANCIDE 51Z					0.05	0.05	0.05
BENZOFLEX 9-88							0.24

* A WINTER (W) AND SUMMER (S) FORMULATION WAS IN USE.

GOLD BOND JOINT COMPOUND X-8
X-8 JOINT COMPOUND (2/[illegible]/65)
JOINT COMPOUND MATTESON (3/14/67)
"U" JOINT COMPOUND (MATTESON) (5/19/69)
DATES 5/11/62 TO 4/9/73
P52-10-10

INGREDIENT	8/2/65 % BY WT W*	8/2/65 % BY WT S*	10/13/65 % BY WT W*	10/13/65 % BY WT S*	3/14/67 % BY WT
LIMESTONE	55.97	55.81	55.49	55.27	47.97
MICA	12.17	12.13	12.33	12.28	13.70
ASBESTOS	9.73	9.71	9.86	9.83	6.85
TALC	14.60	14.56	14.79	14.74	13.70
CASEIN	3.89	3.88	3.94	3.93	5.71
PROCOTE	2.43	2.43	2.47	2.46	
SODIUM TRIPOLYPHOSPHATE	0.10	0.10	0.10	0.10	0.41
VANCIDE 51Z	0.05	0.05	0.05	0.05	
BORAX	0.24	0.15	0.25	0.15	
NATROSOL	0.24	0.17	0.17	0.17	0.09
DIAMMONIUM PHOSPHATE	0.24	0.44	0.25	0.44	
DARVAN #1	0.07	0.15	0.07	0.15	
YELLOW OXIDE YLO 1788	0.10	0.10	0.10	0.10	
AMMONIUM BIBORATE	0.15	0.10	0.15	0.10	
BENZOFLEX 9-88		0.24		0.25	
CLAY					9.14
KELGIN MV					0.18
AMMONIUM OXALATE					0.37
COSAN JTA5					0.27
AZITE 900					0.82
NACCONAL					0.05
MOPCO PD1					0.18
ATTAGEL					0.46

* A WINTER (W) AND SUMMER (S) FORMULATION WAS IN USE

GOLD BOND JOINT COMPOUND X-8 (RARITAN)
DATES 10/2/63 TO 9/26/66
P52-10-11

INGREDIENT	10/2/63 % BY WT. S*	10/2/63 % BY WT. W*	2/9/65 % BY WT. S*	2/9/65 % BY WT. W*
LIMESTONE	54.49	54.62	54.59	54.69
MICA	11.84	11.87	11.87	11.89
ASBESTOS	10.66	10.69	10.68	10.70
TALC	14.21	14.25	14.24	14.27
CASEIN	6.16	6.17	6.17	6.18
SODIUM TRIPOLYPHOSPHATE	0.09	0.09	0.09	0.10
AMMONIUM BIBORATE	0.09	0.14	0.09	0.14
DOWICIDE G	0.14	0.14		
BORAX	0.24	0.24	0.24	0.24
NATROSOL	0.19	0.19	0.19	0.19
DIAMMONIUM PHOSPHATE	0.28	0.24	0.28	0.24
DARVAN #1	0.07	0.07	0.07	0.07
DOWICIDE H	0.05	0.05		
YELLOW OXIDE 1788	0.05	0.05	0.05	0.05
ATTAGEL	1.18	1.19	1.19	1.19
PYCAL 94	0.24			
VANCIDE 51Z			0.05	0.05
BENZOFLEX 9-88			0.24	

*A SUMMER(S) AND WINTER(W) FORMULATION WERE IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/47

GOLD BOND JOINT FINISHER (EXPERIMENTAL)
GOLD BOND JOINT FINISHER (1/16/59)
DATES 8/31/59 TO 3/15/60
52-10-31-A

INGREDIENT	% BY WT.
STUCCO	25.18
MICA	5.04
ASBESTOS	15.11
TALC	5.04
METHOCEL	0.25
GLUE	0.30
HAMACO GLUE	3.02
CACIUM CARBONATE	45.32
OIL	0.76

GOLD BOND PREMIX JOINT CEMENT POWDER
DATES 8/20/53 TO 4/16/56
73-12A

INGREDIENT	% BY WT.
LIMESTONE	45.50
MICA	18.20
ASBESTOS	13.65
CLAY	13.65
CASEIN	6.82
DIAMMONIUM PHOSPHATE	1.82
YELLOW OXIDE 5087	0.09
DOWICIDE G	0.27

GOLD BOND PREMIXED JOINT CEMENT
DATES 9/7/61 TO 11/25/64
72-83-31-A

	9/7/61 % BY WT.	11/7/61 % BY WT.	1/23/62 % BY WT.
WATER	39.98	40.45	40.47
PHENYL MECURIC ACETATE	0.05	0.02	0.02
NATROSOL 250 HR		0.06	
LIMESTONE	32.42	32.19	32.21
MICA	7.37	7.32	7.32
CASEIN	2.36	2.34	2.34
PROCOTE	1.47	1.46	1.46
CELLOSIZE	0.10	0.10	0.10
SODIUM TRI POLYPHOSPHATE	0.09	0.06	0.06
BORAX	0.12	0.15	0.15
DARVAN	0.01	0.01	0.01
AMMONIUM BIBORATE	0.29	0.09	0.09
AZITE 900	0.10	0.10	0.10
DOWICIDE G	0.10	0.09	0.09
YELLOW OXIDE YLO-2087	0.06	0.06	0.06*
ASBESTOS	6.63	6.58	6.59
TALC	8.89	8.78	8.78
DIAMMONIUM PHOSPHATE		0.15	0.15

* 0.12 IN CERTAIN MARKETS

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/50

GOLD BOND PREMIXED JOINT CEMENT
DATES 12/22/53 TO 4/16/56
72-83-2A

INGREDIENT	12/22/53 % BY WT.	11/4/54 % BY WT.
LIMESTONE	14.58	14.44
MICA	12.5	12.38
ASBESTOS	10.42	10.31
CLAY	5	4.95
FIBROUS TALC	9.17	9.08
CASEIN VEHICLE	25.83	25.58
WATER	20.83	20.63
CMC SOLUTION	1.67	1.65
TRIBUTYL PHOSPHATE		0.17
ANTIFOAM H		0.83

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/51

GOLD BOND PREMIXED JOINT CEMENT
DATES 5/8/61 TO 1969
72-83-30-A

INGREDIENT	% BY WT.	* % BY WT.
WATER	39.99	39.99
PHENYL MECURIC ACETATE	0.05	0.05
LIMESTONE	32.13	32.43
MICA	7.30	7.37
CASEIN	2.34	2.36
PROCOTE	1.46	1.47
CELLOSIZE	0.09	0.10
SODIUM TRI PHOSPHATE	0.17	0.09
DIAMMONIUM PHOSPHATE	0.17	
BORAX	0.12	0.12
DARVAN	0.04	0.01
AMMONIUM BIBORATE	0.29	0.29
AZITE 900	0.38	0.10
DOWICIDE G	0.09	0.09
YELLOW OXIDE YLO-2087	0.08	0.06
ASBESTOS	6.57	6.63
TALC	8.76	8.84

* MATTESON ONLY

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/52

GOLD BOND PRE-MIXED JCINT CEMENT
GOLD BOND READY-TO-USE JOINT CEMENT (5/2/56)
DATES 2/9/56 TO 12/1/60
72-83-5A

INGREDIENT	2/9/56 % BY WT.	8/28/57 % BY WT.
MICA	32.67	33.55
ASBESTOS	7.26	7.46
CLAY	8.17	8.39
WATER	29.04	26.84
METHOCEL SOLUTION	9.07	9.32
POLYVINYL ACETATE EMULSION	6.90	7.08
POLYVINYL ALCOHOL SOLUTION	5.44	5.59
DIBUTYL PHTHALATE	0.54	0.56
BENTONITE	0.91	0.93
SODIUM BENZOATE		0.24
SUPER AD-IT		0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/53

GOLD BOND READY MIXED JOINT CEMENT
DATES 11/9/60 TO 6/7/61
72-83-11-A

INGREDIENT	11/9/60 % BY WT. D	E	F
MICA	14.18	14.18	14.18
ASBESTOS	7.53	7.53	7.53
TALC	15.05	15.05	15.05
GELVA S98	11.11		
FLEXBOND 855		11.42	
MC 4530 ACRYLIC			11.42
SODIUM TRIPOLYPHOSPHATE	0.38	0.38	0.38
PHENYL MERCURIC ACETATE	0.06	0.06	0.06
NATROSOL SOLUTION	36.15	36.15	36.15
DARVAN #1	0.19	0.19	0.19
SANTRICIZER 160 OR TRICESYL PHOSPHATE	0.30		
WHITING	15.05	15.05	15.05

GOLD BOND READY MIXED JOINT CEMENT
DATES 3/29/60 TO 11/1/60
72-83-8-A

INGREDIENT	% BY WT.
MICA	8.70
ASBESTOS	7.19
CLAY	8.70
TALC	13.11
SODIUM NITRITE	0.35
SODIUM TRIPOLYPHOSPHATE	0.35
PHENYL MERCURIC ACETATE	0.06
NATROSOL SOLUTION	29.00
ANTIFOAM B	0.23
WHITING	15.20
KOSOL	6.96
POLYVINYL ACETATE	10.15

GOLD BOND READY MIXED JOINT CEMENT
GOLD BOND READY MIXED JOINT COMPOUND (4/7/61)
DATES 9/9/60 TO 9/21/60
72-83-10-A

INGREDIENT	9/9/60 % BY WT. A	9/9/60 % BY WT. B	9/9/60 % BY WT. C	11/7/60 % BY WT.	1/12/61 % BY WT.	4/7/61 % BY WT.
MICA	14.23	14.23	14.23	14.16	14.14	14.11
ASBESTOS	7.56	7.56	7.56	7.52	7.51	7.49
TALC	15.11	15.11	15.11	15.04	15.01	14.98
SODIUM TRIPOLYPHOSPHATE	0.19	0.19	0.19	0.38	0.38	0.38
PHENYL MERCURIC ACETATE	0.06	0.06	0.06	0.06	0.06	0.06
NATROSOL SOLUTION	36.04	36.04	36.04	36.13	36.06	36.20
WHITING	15.11	15.11	15.11	15.04	15.01	14.98
FLEXBOND 855	11.46					
VINAC WR 50		11.16		11.11	11.09	11.06
GELVA S-98			11.16			
SANTICIZER 160		0.30	0.30	0.38	0.38	
DARVAN				0.19	0.19	0.19
YELLOW OXIDE 5087					0.19	0.19
TRICRESYLPHOSPHATE						0.38

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/56

GOLD BOND READY MIXED JOINT CEMENT
DATES 3/16/60 TO 12/1/60
72-83-7-A

INGREDIENT	% BY WT.
MICA	8.75
ASBESTOS	7.23
CLAY	8.75
TALC	13.18
KOSOL SOLUTION	8.16
POLYVINYL ACETATE	8.75
PHENYL MERCURIC ACETATE	0.06
NATROSOL SOLUTION	29.15
SODIUM TRI POLYPHOSPHATE	0.29
SODIUM NITRITE	0.29
ANTIFOAM B	0.12
WHITING	15.28

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/57

GOLD BOND TAPE JOINT CEMENT 1055-C
DATES 6/1/49 TO 4/7/52
52-40-1

	6/1/49 % BY WT.	7/12/49 % BY WT.	2/22/50 % BY WT.
CASEIN	7.43	7.51	6.82
CLAY	14.87	15.02	13.65
ASBESTOS	9.91	10.01	18.20
MICA	14.87	15.02	18.20
LIMESTONE	49.55	50.05	40.95
DIAMMONIUM PHOSPHATE	1.98	2.00	1.82
ZINC OXIDE	0.99		
DOWICIDE G	0.30	0.30	0.27
YELLOW OXIDE 2587	0.10	0.10	0.09

	2/15/51 % BY WT.	7/26/51 % BY WT.	9/5/51 % BY WT.	3/26/52 % BY WT.
CASEIN	6.82	6.82	6.82	6.82
CLAY	13.65	13.65	13.64	13.64
ASBESTOS	13.65	13.65	13.64	13.64
MICA	27.30	27.30	27.27	27.27
LIMESTONE	36.40	36.40	36.36	36.36
DIAMMONIUM PHOSPHATE	0.91	0.91	0.91	0.91
DOWICIDE	0.27	0.27	0.27	0.27
YELLOW OXIDE 2087	0.09	0.09	0.18	0.18
AMMONIUM BIBORATE	0.91			0.91
AMMONIUM BICARBONATE		0.91	0.91	

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/58

GOLD BOND TAPE JOINT CEMENT, 3000 C
DATES 6/1/49 TO 2/24/53
52-4-3

	% BY WT.
CASEIN	7.15
CLAY	14.30
ASBESTOS	9.53
MICA	14.30
LIMESTONE	47.66
HYDRATED LIME	4.77
TRISODIUM PHOSPHATE	1.91
DOWICIDE G	0.29
YELLOW OXIDE 2587	0.10

GOLD BOND TAPE-JOINT CEMENT 401-C
DATES 6/1/49 TO 4/7/52
52-40-2

	% BY WT.
CASEIN	7.04
CLAY	20.12
ASBESTOS	20.12
MICA	20.12
LIMESTONE	25.15
HYDRATED LIME	5.03
TRISODIUM PHOSPHATE	2.01
DOWICIDE G	0.30
YELLOW OXIDE 2587	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/60

GOLD BOND TAPE JOINT CEMENT 3000-C
DATES 6/1/49 TO 3/23/53
52-40-3

INGREDIENT	% BY WT.
LIMESTONE	47.66
MICA	14.30
ASBESTOS	9.53
CLAY	14.30
CASEIN	7.15
DOWICIDE G	0.29
TRISODIUM PHOSPHATE	1.91
HYDRATED LIME	4.77
YELLOW OXIDE 2587	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/61

GOLD BOND TOPPING CEMENT EXPERIMENTAL
GOLD BOND TOPPING CEMENT (6/24/58)
GOLD BOND TOPPING COMPOUND (6/23/60)
DATES 11/22/57 TO 9/19/62
52-16-12

INGREDIENT	11/22/57 % BY WT.	6/24/58 % BY WT.	11/4/58 % BY WT.
LIMESTONE	42.42	42.10	42.10
MICA	17.47	17.34	17.34
ASBESTOS	8.73	8.67	8.67
CLAY	4.99	4.95	4.95
FIBROUS TALC	19.96	19.81	19.81
CASEIN	3.49	3.47	3.47
SODIUM TRIPOLYPHOSPHATE	0.50	0.50	0.50
AMMONIUM BIBORATE	0.20	0.20	0.20
DOWICIDE G	0.15	0.15	0..15
DEHIDRI CRYSTALS	2.00	1.98	
CMC	0.10	0.10	
MINERAL OIL		0.74	0.74
NATROSOL			0.10
STARCH			1.98

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/62

GOLD BOND TOPPING COMPOUND EXPERIMENTAL
GOLD BOND TOPPING COMPOUND "B" (9/8/59)
DATES 7/13/59 TO 1/12/60
52-16-15-A

INGREDIENT	7/13/59* % BY WT. #1	#2	9/8/59 % BY WT.
LIMESTONE	44.69	44.73	44.70
MICA	17.38	17.40	17.38
ASBESTOS	11.17	11.18	11.17
CLAY	4.97	4.97	4.97
TALC	14.90	14.91	14.90
CASEIN	3.48	3.48	3.48
PROCOTE	1.99	1.99	1.99
SODIUM TRIPOLYPHOSPHATE	0.12	0.12	0.12
AMMONIUM BIBORATE	0.50	0.50	0.50
DOWICIDE G	0.15	0.15	0.15
BORAX	0.25	0.25	0.25
NATROSOL	0.22	0.12	0.20
YELLOW OXIDE 2087	0.10	0.10	0.10
DARVAN #1	0.10	0.10	0.10

*TWO FORMULATIONS (#1 AND #2) WERE IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/63

GOLD BOND TAPE JOINT CEMENT 303
DATES 10/8/56 TO 9/26/66
52-10-4-A

INGREDIENT	% BY WT.
LIMESTONE	35.70
MICA	32.13
ASBESTOS	14.28
CLAY	10.71
CASEIN	3.57
AMMONIUM BIBORATE	0.50
DOWICIDE G	0.21
METHOCEL	0.25
POWDERED GLUE	2.14
DIAMMONIUM PHOSPHATE	0.50

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/64

GOLD BOND TOPPING COMPOUND B-4
DATES 7/13/62 TO 8/2/65
52-12-4

INGREDIENT	7/13/62 % BY WT. W*	7/13/62 % BY WT. S*	10/16/63 % BY WT. W*	10/16/63 % BY WT. S*	2/9/65 % BY WT. W*	2/9/65 % BY WT. S*
LIMESTONE	54.19	54.07	54.19	54.12	54.24	54.12
MICA	12.32	12.29	12.32	12.30	12.33	12.30
ASBESTOS	11.08	11.06	11.08	11.07	11.09	11.07
TALC	14.78	14.75	14.78	14.76	14.79	14.76
CASEIN	3.94	3.93	3.94	3.94	3.94	3.94
PROCOTE	2.46	2.46	2.46	2.46	2.47	2.46
SODIUM TRIPOLYPHOSPHATE	0.10	0.10	0.10	0.10	0.10	0.10
AMMONIUM BIBORATE	0.15	0.07	0.15	0.07	0.15	0.07
DOWICIDE G	0.15	0.15	0.15			
BORAX	0.25	0.25	0.25	0.25	0.25	0.25
NATROSOL	0.17	0.17	0.17	0.17	0.17	0.17
DIAMMONIUM PHOSPHATE	0.25	0.29	0.25	0.30	0.25	0.30
YLO 2087	0.10	0.10	0.10	0.10	0.10	0.10
PYCAL 94		0.25		0.25		
DARVAN #1	0.07	0.07	0.07	0.07	0.07	0.07
VANCIDE 51Z				0.05	0.05	0.05
BENZOFLEX						0.25

*A WINTER (W) AND SUMMER (S) FORMULATION WERE IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/65

GOLD BOND TOPPING COMPOUND (LITTLE ROCK FORMULA)
GOLD BOND TOPPING COMPOUND "B-5"
DATES 10/11/60 TO 9/15/62
52-16-7

INGREDIENT	10/11/60 % BY WT.	1/18/61 % BY WT.	2/27/61 % BY WT.	9/15/61 % BY WT.
LIMESTONE	55.25	55.25	55.25	55.37
MICA	11.30	11.30	11.30	11.33
ASBESTOS	12.56	12.56	12.56	12.58
TALC	5.02	5.02	5.02	5.03
CASEIN	1.51	1.51	1.51	1.51
PROCOTE	3.01	3.01	3.01	3.02
SODIUM TRIPOLYPHOSPHATE	0.25	0.25	0.25	0.15
AMMONIUM BIBORATE	0.35	0.35	0.35	0.23
DOWICIDE G	0.15	0.15	0.15	0.15
BORAX	0.10	0.10	0.10	0.10
NATROSOL	0.30		0.30	0.30
GLENDON MC	10.05	10.05	10.05	10.70
DARVAN	0.15	0.15	0.15	0.15
CELLOSIZE		0.30		

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/66

GOLD BOND TOPPING (FOR RARITAN ONLY) "XM"
DATES 7/13/59 TO 10/13/60
52-16-11-A

INGREDIENT	% BY WT.
LIMESTONE	34.97
MICA	14.99
ASBESTOS	14.99
CLAY	5.00
TALC	22.46
CASEIN	5.49
DOWICIDE G	0.20
TRISODIUM PHOSPHATE	1.50
HYDRATED LIME	0.30
YELLOW OXIDE 5087	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/67

GOLD BOND JOINT CEMENT X-3
DATES 9/9/60 TO 10/18/60
52-11-9A

INGREDIENT	% BY WT.
LIMESTONE	54.62
MICA	21.10
ASBESTOS	12.41
TALC	4.97
CASEIN	1.99
PROCOTE	3.48
SODIUM TRIPOLYPHOSPHATE	0.25
AMMONIUM BIBORATE	0.50
DOWICIDE G	0.15
BORAX	0.10
NATROSOL	0.30
DARVAN #1	0.15

GOLD BOND TOPPING COMPOUND "B1"
DATES 9/28/59 TO 10/13/60
52-16-15-1-A

INGREDIENT	9/28/59 % BY WT.	10/26/59 % BY WT.
LIMESTONE	44.41	49.42
MICA	17.27	12.35
ASBESTOS	11.10	11.12
CLAY	4.93	4.94
TALC	14.80	14.83
CASEIN	3.95	3.95
PROCOTE	1.97	1.98
SODIUM TRIPOLYPHOSPHATE	0.12	0.12
AMMONIUM BIBORATE	0.64	0.64
DOWICIDE G	0.15	0.15
BORAX	0.25	0.25
NATROSOL	0.20	0.15
YELLOW OXIDE 2087	0.10	0.10
DARVAN #1	0.20	

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/69

GOLD BOND TOPPING COMPOUND B-5
DATES 7/13/62 TO 1967
52-12-5

INGREDIENT	7/13/62 % BY WT. W*	7/13/62 % BY WT. S*	9/20/62 % BY WT. W*	9/20/62 % BY WT. S*	10/16/63 % BY WT. W*	10/16/63 % BY WT. S*	2/9/65 % BY WT. W*	2/9/65 % BY WT. S*
LIMESTONE	55.37	55.20	55.40	55.20	55.40	55.26	55.46	55.26
MICA	11.33	11.29	11.33	11.29	11.33	11.30	11.34	11.30
ASBESTOS	12.58	12.55	12.59	12.55	12.59	12.56	12.60	12.56
TALC	5.03	5.02	5.04	5.02	5.04	5.02	5.04	5.02
CASEIN	1.51	1.51	1.51	1.51	1.51	1.51	1.51	1.51
PROCOTE	3.02	3.01	3.02	3.01	3.02	3.01	3.02	3.01
SODIUM TRIPOLYPHOSPHATE	0.15	0.10	0.15	0.10	0.15	0.10	0.15	0.10
AMMONIUM BIBORATE	0.23	0.08	0.23	0.08	0.23	0.08	0.23	0.08
DOWICIDE G	0.15	0.15	0.15	0.15	0.15			
BORAX	0.10	0.16	0.08	0.16	0.08	0.16	0.08	0.16
NATROSOL	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30
GLENDON MC	10.70	10.04	10.07	10.04	10.07	10.04	10.08	10.04
DARVAN #1	0.15	0.15	0.13	0.15	0.13	0.15	0.13	0.15
DIAMMONIUM PHOSPHATE		0.20		0.20		0.20		0.20
PYCAL 94		0.25		0.25		0.25		
VANCIDE 51Z						0.05		0.05
BENZOFLEX 9-88								0.25

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/70

GOLD BOND TOPPING COMPOUND B-4
DATES 8/2/65 TO 1967
52-12-4

INGREDIENT	8/2/65 % BY WT. W*	S*	10/13/65 % BY WT. W*	S*
LIMESTONE	54.24	54.04	55.47	55.27
MICA	12.33	12.28	12.33	12.28
ASBESTOS	11.09	11.05	9.86	9.83
TALC	14.79	14.74	14.79	14.74
CASEIN	3.94	3.93	3.94	3.93
PROCOTE	2.47	2.46	2.47	2.46
SODIUM TRIPOLYPHOSPHATE	0.10	0.10	0.10	0.10
AMMONIUM BIBORATE	0.15	0.10	0.15	0.10
VANCIDE 51Z	0.05	0.05	0.05	0.05
BORAX	0.25	0.15	0.25	0.15
NATROSOL	0.17	0.17	0.17	0.17
DIAMMONIUM PHOSPHATE	0.25	0.44	0.25	0.44
DARVAN	0.07	0.15	0.07	0.15
YELLOW OXIDE 2087	0.10	0.10	0.10	0.10
BENZOFLEX		0.25		0.25

A WINTER (W) AND SUMMER (S) FORMULATION WERE USED.

GOLD BOND TOPPING COMPOUND "B2"
GOLD BOND TOPPING COMPOUND "B3" (5/31/60)
DATES 3/17/60 TO 9/19/62
52-16-16

INGREDIENT	3/17/60 % BY WT.	5/31/60 % BY WT.
TALC	14.86	14.70
LIMESTONE	[illegible].53	53.91
MICA	12.38	12.25
ASBESTOS	11.14	11.03
CLAY	4.95	
CASEIN	3.96	3.92
PROCOTE	1.98	2.45
SODIUM TRIPOLYPHOSPHATE	0.10	0.29
AMMONIUM BIBORATE	0.50	0.49
DOWICIDE G	0.15	0.15
BORAX	0.20	0.20
NATROSOL	0.15	0.15
YELLOW OXIDE 2087	0.10	0.10
DIAMMONIUM PHOSPHATE		0.29
DARVAN #1		0.07

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/72

GOLD BOND TOPPING COMPOUND "B-4"
DATES 11/8/60 TO 9/19/62
52-16-18-A

INGREDIENT	11/8/60 % BY WT.	4/26/61* % BY WT.	7/25/61 % BY WT.	9/15/61 % BY WT.
LIMESTONE	53.57	53.57-54.07	54.07	54.12
MICA	12.17	12.17-12.29	12.29	12.30
ASBESTOS	10.96	10.96-11.06	11.06	11.07
CLAY	14.61	14.61-14.75	14.75	14.76
CASEIN	3.90	3.90-3.93	3.93	3.94
PROCOTE	2.43	2.43-2.46	2.46	2.46
SODIUM TRIPOLYPHOSPHATE	0.29	0.29-0.15	0.15	0.10
AMMONIUM BIBORATE	0.49	0.49-0.49	0.49	0.15
DOWICIDE G	0.15	0.15-0.15	0.15	0.15
BORAX	0.19	0.[illegible]-0.19	0.19	0.25
CELLOSIZE	0.15	0.15-0.17	0.17	
DIAMMONIUM PHOSPHATE	0.29	0.29-0		0.25
DARVAN	0.07	0.07-0.02	0.02	0.02
AZITE 900	0.63	0.63-0.17	0.17	0.17
YLO 2087	0.10	0.10-0.10	0.10	0.10
NATROSOL				0.17

*TWO FORMULAS WERE IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/73

GOLD BOND QUIK TREAT JOINT COMPOUND (REVISED)
DATES 9/17/63 TO 1/14/65
52-14-4-A

	% BY WT.
LIMESTONE	26.44
MICA	7.93
MINERAL OIL	0.79
BENTONITE CLAY	0.79
ASBESTOS	5.29
NATROSOL	0.36
DARVAN	0.05
VANCIDE	0.04
POWERED GLUE	0.21
POTASSIUM SULFATE	0.24
POLY VINYL ACETATE 702	3.17
POLY VINYL ALCOHOL BP-20-30	0.74
DEXTRINE	1.06
STUCCO	52.88

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/74

GOLD BOND TRITREATMENT AND JOINT CEMENT "E" GOOD HOPE
GOLD BOND TRITREATMENT AND JOINT COMPOUND "E" GOOD HOPE (8/4/61)
DATES 9/8/59 TO 5/25/62
52-10-13

INGREDIENT	9/8/59 % BY WT.	10/5/59 % BY WT.	3/14/60 % BY WT.
LIMESTONE	59.61	70.31	66.41
MICA	9.54	4.69	6.87
ASBESTOS	9.54	11.72	11.45
CLAY	14.31	7.03	9.16
CASEIN	5.10	5.16	5.04
SODIUM TRIPOLYPHOSPHATE	0.72		0.11
DOWICIDE G	0.24	0.23	0.14
TRISODIUM PHOSPHATE	0.72	0.47	
SODIUM BICARBONATE	0.24		
KELSIZE LV		0.07	
SODA ASH		0.09	
HYDRATED LIME		0.23	
AMMONIUM BIBORATE			0.46
BORAX			0.23
METHOCEL			0.11

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/75

GOLD BOND ALL PURPOSE JOINT CEMENT
DATES 10/19/54 TO 6/20/57
52-10-10

INGREDIENT	10/19/54 % BY WT.	11/12/54 % BY WT.
LIMESTONE	32.15	32.17
MICA	16.08	16.08
ASBESTOS	8.04	8.04
CLAY	12.06	12.06
FIBROUS TALC	20.10	20.10
CASEIN	3.22	3.22
SOYA FLOUR	6.83	6.84
SODA ASH	1.21	1.21
DOWICIDE G	0.24	0.24
YELLOW OXIDE 2087	0.08	0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/76

GOLD BOND CONCRETE FINISH COAT
DATES 8/27/58 TO 2/20/68
52-31-1A

INGREDIENT	% BY WT.
LIMESTONE	51.95
MICA	18.56
ASBESTOS	12.37
CLAY	9.90
CASEIN	5.44
SODA ASH	0.25
DOWICIDE G	0.25
METHOCEL	0.15
TRISODIUM PHOSPHATE	0.74
HYDRATED LIME	0.40

GOLD BOND CONCRETE FILLER
DATES 1/16/59 TO 6/1/65
52-31-5-A

INGREDIENT	% OF WT.
MICA	5.01
ASBESTOS	11.31
TALC	5.01
DOWICIDE G	0.15
METHOCEL	0.25
STUCCO	50.09
GLUE	0.20
HAMACO GLUE	3.00
WHITING	25.03

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/78

GOLD BOND CROWN COAT CEMENT (LOW ALKALINE)
DATES 2/23/53 TO 3/23/53
52-51-1

INGREDIENT	% BY WT.
LIMESTONE	56.07
MICA	14.02
ASBESTOS	9.35
CLAY	14.02
CASEIN	4.67
AMMONIUM BOBORATE	0.70
DOWICIDE G	0.28
DIAMMONIUM PHOSPHATE	0.70
GREEN OXIDE G 4099	0.19

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/79

GOLD BOND CROWN COAT CEMENT
DATES 3/11/57 TO 6/20/57
52-16-5

INGREDIENT	% BY WT.
LIMESTONE	42.43
MICA	28.29
ASBESTOS	21.22
CASEIN	5.66
AMMONIUM BIBORATE	0.74
DOWICIDE G	0.14
UREA	0.64
TETRAPOTASSIUM PYROPHOSPHATE	0.35
DARVAN #1	0.39
GREEN OXIDE G4099	0.04
YELLOW OXIDE 2087	0.11

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/80

GOLD BOND CROWN COAT CEMENT (LOW ALKALINE)
DATES 3/23/53 TO 9/19/62
52-16-1

INGREDIENT	3/23/53 % BY WT.	11/10/54 % BY WT.
LIMESTONE	56.07	56.13
MICA	14.02	14.03
ASBESTOS	9.35	9.35
CLAY	14.02	14.03
CASEIN	4.67	4.68
AMMONIUM BIBORATE	0.70	0.70
DOWICIDE G	0.28	0.28
DIAMMONIUM PHOSPHATE	0.70	0.70
GREEN OXIDE G4099	0.19	0.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/81

GOLD BOND CROWN COAT CEMENT (HIGH ALKALINE)
DATES 3/23/53 TO 10/30/56
52-16-3

	3/23/53 % BY WT.	9/17/54 % BY WT.
LIMESTONE	55.30	55.89
CLAY	13.82	13.97
MICA	13.82	13.97
ASBESTOS	9.22	9.32
CASEIN	4.61	4.66
HYDRATED LIME	1.84	0.93
SODIUM OLEATE	0.92	
GREEN OXIDE	0.18	0.09
DOWICIDE G	0.28	0.28
TRI SODIUM PHOSPHATE		0.65
METHOCEL		0.23

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/82

GOLD BOND CROWN COAT CEMENT (HIGH ALKALINE)
DATES 2/2/53 TO 3/23/53
52-51-5

INGREDIENT	% BY WT.
LIMESTONE	55.30
MICA	13.82
ASBESTOS	9.22
CLAY	13.82
CASEIN	4.61
DOWICIDE G	0.28
HYDRATED LIME	1.84
SODIUM OLEATE	0.92
GREEN OXIDE G 4099	0.18

GOLD BOND FORMULA "A1" EXPERIMENTAL
DATES 12/11/57 TO 5/8/58
52-10-6-A

INGREDIENT	% BY WT.
LIMESTONE	34.81
MICA	29.84
ASBESTOS	9.95
CLAY	4.97
FIBROUS TALC	12.43
CASEIN	3.98
SODIUM TRIPOLYPHOSPHATE	0.50
AMMONIUM BIBORATE	0.30
DOWICIDE G	0.20
DEHIDRI CRYSTALS	2.98
CMC	0.05

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/84

GOLD BOND FINISHER
DATES 3/15/58 TO 3/15/60
52-10-30-A

INGREDIENT	% BY WT.
LIMESTONE	23.65
MICA	8.71
ASBESTOS	7.47
FIBROUS TALC	6.22
DOWICIDE G	0.10
METHOCEL	0.25
STUCCO	49.78
RETARDER	0.05
STABILIZER	0.04
POLYVINYL ALCOHOL	1.24
HAMACO GLUE	2.49

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/85

GOLD BOND TRITREATMENT JOINT CEMENT EXPERIMENTAL
DATES 12/13/57 TO 3/18/58
52-10-21-A

INGREDIENT	% BY WT.
LIMESTONE	55.56
MICA	21.99
ASBESTOS	10.42
CLAY	4.63
CASEIN	3.24
SODIUM TRIPOLYPHOSPHATE	0.23
DOWICIDE G	0.17
TRISODIUM PHOSPHATE	0.23
HYDRATED LIME	0.46
DEHIDRI CRYSTALS	3.01
CMC	0.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/86

GOLD BOND TRITREATMENT JOINT CEMENT 303
DATES 5/8/58 TO 5/11/63
52-10-11

INGREDIENT	5/8/58 % BY WT.	7/18/60 % BY WT.
LIMESTONE	35.73	35.73
MICA	32.15	32.15
ASBESTOS	14.29	14.29
CLAY	10.72	10.72
CASEIN	3.57	3.57
AMMONIUM BIBORATE	0.50	0.50
DOWICIDE G	0.21	0.21
POWDERED GLUE	2.14	2.14
DIAMMONIUM PHOSPHATE	0.50	0.50
CMC	0.18	
NATROSOL		0.18

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/87

GOLD BOND TRITREATMENT JOINT CEMENT
DATES 9/27/57 TO 10/26/59
52-10-11

INGREDIENT	9/27/57 % BY WT.	11/5/57 % BY WT.	3/18/58 % BY WT.	5/8/58 % BY WT.	8/25/58 % BY WT.	9/2/59 % BY WT.
LIMESTONE	55.68	27.88	62.23	52.01	51.95	52.23
MICA	23.20	22.08	21.54	18.57	18.56	18.65
ASBESTOS	9.28	10.46	9.57	12.38	12.37	12.43
CLAY	4.64	4.65		9.91	9.90	9.95
CASEIN	2.32	3.25	3.30	5.45	5.44	5.47
SODA ASH	0.23	0.09		0.25	0.25	
DOWICIDE G	0.17	0.17	0.14	0.15	0.25	0.25
HYDRATED LIME	0.46	0.46		0.40	0.40	
DEHIDRI CRYSTALS	3.94	3.02				
CMC	0.07	0.05				
COMMERCIAL WHITING		27.88				
TRISODIUM PHOSPHATE			0.48	0.74	0.74	
BURTONITE 7			0.[illegible]			
SODIUM BICARBONATE			0.23			
BENTONITE			1.44			
COLEX GLUE			0.96			
METHOCEL				0.15	0.15	0.15
SODIUM TRIPOLYPHOSPHATE						0.12
AMMONIUM BIBORATE						0.50
BORAX						0.25

GOLD BOND TRITREATMENT JOINT CEMENT X
DATES 11/5/57 TO 5/8/58
52-10-11

INGREDIENT	% BY WT.
LIMESTONE	34.83
MICA	14.93
ASBESTOS	12.44
CLAY	14.93
FIBROUS TALC	14.93
CASEIN	5.97
DOWICIDE G	0.20
TRISODIUM PHOSPHATE	1.49
HYDRATED LIME	0.30

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/89

GOLD BOND VINYL-ACRYLIC JOINT COMPOUND 9/17/63 TO 4/24/64
JOINT COMPOUND VINYL TYPE 4/24/64 TO 1/14/65
52-14-5-A

	9/17/63 % BY WT.	4/24/64 % BY WT.
LIMESTONE	64.20	60.79
MICA	7.41	8.87
DIBUTYL PHTHALATE	0.49	0.30
TALC	12.35	15.20
ASBESTOS	9.87	8.87
CLAY ATTAGEL	1.23	1.01
NATROSOL	0.20	0.51
METHOCEL	0.20	-
VANCIDE 51Z	0.05	0.08
PETRO AA	0.05	
POLY VINYL ACETATE S-702	2.96	3.04
CYANAMER P-26	0.99	1.01
NACANOL DB		0.08
DEFOAMER, TROYKYD		0.25

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/90

G-5 TOPPING COMPOUND MATTESON
"D" TOPPING COMPOUND MATTESON (6/17/70)
DATES 2/10/69 TO 4/10/72
P52-12-16

INGREDIENT	2/10/69 % BY WT.	6/17/70* % BY WT.	7/27/70* % BY WT.
LIMESTONE	47.93	66.81-66.74	66.85-66.78
MICA	11.08	11.04-11.03	11.05-11.04
ASBESTOS	5.26	5.25-5.33	5.25-5.33
TALC	19.40		
FIRBOUS TALC	11.08		
CASEIN	2.77	3.04-3.03	3.04-3.04
AMMONIUM OXALATE	0.25	0.22-0.22	0.22-0.22
COSAN JTA 5	0.17	0.17-0.17	0.17-0.17
TRISODIUM PHOSPHATE	0.25	0.22-0.22	0.22-0.22
KELGIN F	0.33		0.28-0.28
DARVAN	0.08	0.06-0.06	0.06-0.06
UCONFLUID LB 135	0.28	0.17-0.18	0.17-0.18
YELLOW OXIDE 2087	0.14	AS REQD.	AS REQD.
CLAY		11.04-11.03	11.05-11.04
STARCH		1.38-1.38	1.38-1.38
BENAGEL		0.33-0.33	
NATROSOL		0.28-0.28	
METHOCEL			0.28-0.28

*TWO FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/91

HIGH ALKALINE JOINT CEMENT
TAPE JOINT CEMENT 4050-C, 4050-CX AND WESCO 40-X (5/12/54)
TAPE JOINT CEMENT 4050-C, 4050-CX (5/9/58)
TAPE JOINT COMPOUND 4050-C, 4050-CX (5/26/61)
52-11-4

INGREDIENT	2/24/54 % BY WT.	6/1/54 % BY WT.	11/12/54 % BY WT.	12/9/54 % BY WT.	3/2/56 % BY WT.	5/26/61 % BY WT.
LIMESTONE	20.07	19.91	19.94	19.94	19.95	19.95
MICA	16.06	15.93	15.95	15.95	15.96	15.96
ASBESTOS	8.03	7.96	7.98	7.97	7.98	7.98
CLAY	16.06	15.93	15.95	15.95	15.96	15.96
TALC	28.10	27.88	27.92	27.91	27.93	27.93
CASEIN	3.61	3.58	3.59	3.59	3.59	3.59
PROSEIN	6.02	5.97	5.98	5.98	5.99	
SODA ASH	0.80	0.80	0.80	0.80	0.80	0.80
DOWICIDE G	0.24	0.24	0.08	0.24	0.24	0.24
HYDRATED LIME	0.80	1.59	1.60	1.59	1.60	1.60
YELLOW OXIDE 2087	0.21	0.21	0.21	0.08		
SOYA FLOUR						5.99

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/92

IMPROVED READY MIX
DATES 4/13/64 TO 5/27/64
72-83-14-4-A

	% BY WT.
WATER	13.59
ASBESTOS	2.86
METHOCEL SOLUTION	16.31
POLY VINYL ACETATE	8.58
MICA	12.87
TALC	11.44
LIMESTONE	34.34

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/93

IMPROVED READY MIX JOINT COMPOUND
(EXTENDED OPEN TIME)
PHOENIX OPERATION
DATES 8/27/64 TO 1967
72-83-14-6-3-A

	% BY WT.
WATER	32.02
DEFOAMER	0.04
PHENYL MECURIC ACETATE 30	0.05
POLY VINYL ACETATE	8.11
ETHYLENE GLYCOL	0.27
LIMESTONE	31.08
METHOCEL	0.32
ASBESTOS	3.78
MICAEOUS SILICA	4.05
TALC	10.81
CLAY	4.05
MICA	5.40

IMPROVED READY MIX JOINT COMPOUND
(PHOENIX OPERATION)
DATES 2/25/64 TO 1/21/65
72-83-14-6-2-A

	2/25/64 % BY WT.	9/4/64 % BY WT.
WATER	29.34	29.34
PHENYL MECURIC ACETATE	0.06	0.06
VINAC WR-56	9.01	9.01
LIMESTONE	34.16	34.16
METHOCEL	0.32	0.32
ASBESTOS	2.85	2.85
MICA	12.81	4.27
TALC	11.39	11.39
MICAEOUS SILICA		8.54
DEFOAMER	0.04	0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/95

IMPROVED READY MIX JOINT COMPOUND
DATES 5/25/64 TO 5/24/65
72-83-14-6-1-A

	5/25/64 % BY WT.		6/5/64 % BY WT.	
	WHITE	COLORED	WHITE	COLORED
WATER	13.53	13.52	13.53	13.52
ASBESTOS	2.85	2.85	2.85	2.85
YELLOW OXIDE 1788		0.06		0.06
METHOCEL SOLUTION 2%	16.23	16.22	16.23	16.22
VINAC WR-56	9.01	9.01	9.01	9.01
MICA	12.81	12.81	4.27	4.27
TALC	11.39	11.38	11.39	11.38
LIMESTONE	34.18	34.16	34.18	34.16
MICAEOUS SILICA			8.54	8.54

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/96

JOINT CEMENT LOW ALKALINE
JOINT CEMENT LOW ALKALINE 1055-C 9/5/51
DATES 8/6/51 TO UNKNOWN
52-40-2A

	8/6/51 % BY WT.	9/5/51 % BY WT.	11/1/51 % BY WT.
CASEIN	6.82	6.82	6.82
CLAY	13.64	13.65	13.65
ASBESTOS	13.64	13.65	13.65
MICA	18.18	18.20	18.20
LIMESTONE	45.45	45.45	45.50
DIAMMONIUM PHOSPHATE	1.82	1.82	0.91
DOWICIDE G	0.27	0.27	0.27
YELLOW OXIDE 2087	0.18	0.09	0.09
AMMONIUM BIBORATE			0.91

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/97

JOINT CEMENT X-2A
JOINT CEMENT "X" (7/31/57)
GOLD BOND JOINT CEMENT "X" (10/25/57)
DATES 5/31/57 TO 5/25/62
52-11-6

INGREDIENT	% BY WT.
LIMESTONE	34.79
MICA	14.91
ASBESTOS	12.43
CLAY	14.91
TALC	14.91
CASEIN	5.96
DOWICIDE G	0.20
TRISODIUM PHOSPHATE	1.49
LIME	0.30
YELLOW OXIDE 5087	0.10

NOTE - 5/26/60 MAY BE SHIPPED TO CUSTOMERS REQUESTING THE ADDITION OF MINERAL OIL NOT TO EXCEED 15 LB/TON.

JOINT COMPOUND 4070
DATES 7/14/61 TO 5/25/62
52-11-5-A

INGREDIENT	% BY WT.
LIMESTONE	54.79
MICA	12.56
ASBESTOS	9.13
CLAY	5.71
TALC	11.42
CASEIN	5.02
SODA ASH	0.23
DOWICIDE G	0.14
TRISODIUM PHOSPHATE	0.55
HYDRATED LIME	0.37
KELSIZE LV	0.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/99

JOINT COMPOUND V-S
DATES 3/8/65 TO 7/17/67
52-14-9-A

	3/8/65 % BY WT.		4/22/65 % BY WT.	
	COLORED	WHITE	COLORED	WHITE
LIMESTONE	60.84	60.90	60.90	60.90
MICA	8.87	8.88	8.88	8.88
TALC	15.21	15.22	15.22	15.22
NATROSOL 250MXR	0.38	0.38	0.38	0.38
NACONOL DB	0.08	0.08	0.08	0.08
VANCIDE 51Z	0.08	0.08	0.08	0.08
TROYKYD DEFOAMER EX262	0.20	0.20	0.20	0.20
YELLOW OXIDE	0.10		0.10	
VINAC RP-251	3.04	3.04	3.04	3.04
STARCH	2.03	2.03	2.03	2.03
ASBESTOS	8.87	8.88	8.88	8.88
DIBUTYL PHTHALATE	0.30	0.30	0.30	0.30

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/100

JOINT COMPOUND (PRIMARY STARCH BASE) 4/23/65 TO 7/12/65
TRIPLE T JOINT COMPOUND 7/12/65 TO 5/11/66
DATES 4/23/65 TO 5/11/66
52-15-1-A

	4/23/65 % BY WT.		6/16/65 % BY WT.		7/12/65 % BY WT.		8/17/65 % BY WT.
	WHITE	COLORED	WHITE	COLORED	WHITE	COLORED	
LIMESTONE	58.22	58.17	58.14	58.08	58.14	58.08	57.49
MICA	9.70	9.69	9.69	9.68	9.69	9.68	9.58
BENZOFLEX 9-88	0.49	0.48	0.48	0.48	0.48	0.48	0.24
POLY VINYL ACETATE 702	1.21	1.21	1.21	1.21	1.21	1.21	1.68
NATROSOL	0.15	0.15	0.29	0.29	0.29**	0.29**	0.22
DOWCIL 100	0.15	0.15	0.15	0.15			
YELLOW OXIDE 1788		0.10		0.10		0.10	AS REQ'D
STARCH	3.39	3.39	3.39	3.39	3.39	3.39	4.32
TALC	19.41	19.39	19.38	19.36	19.38	19.36	19.16
***COSAN JTA-5					0.15	0.15	0.14
ASBESTOS	7.28	7.27	7.27	7.26	7.27	7.26	7.19

** FOR ROTAN USE ONLY - 0.36%

*** EXISTING PLANT STOCKS OF DOWCIL 100 MAY BE USED FOR DIRECT REPLACEMENT OF COSAN JTA-5 UNTIL SUPPLY IS DEPLETED.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/101

JOINT COMPOUND (VINYL TYPE)
DATES 8/17/64 TO 1/14/65
52-14-8-A

	% BY WT.
LIMESTONE	57.39
MICA	8.73
DIBUTYL PHTHALATE	0.30
VANCIDE 51Z	0.07
MACANOL DB	0.07
DEFOAMER, TROYKYD	0.25
NATROSOL	0.50
CYANAMER P-26	1.00
POLY VINYL ACETATE S702	2.99
TALC	12.48
CLAY	7.49
ASBESTOS	8.73

JOINT COMPOUND (VINYL TYPE)
DATES 8/17/64 TO 1/14/65
52-14-7-A

	8/17/64 % BY WT.
LIMESTONE	60.79
MICA	8.87
DIBUTYL PHTHALATE	0.30
VANCIDE 51Z	0.08
NACANOL DB	0.08
DEFOAMER, TROYKYD	0.25
NATROSOL	0.51
CYANAMER P-26	1.01
POLY VINYL ACETATE S702	3.04
TALC	15.20
ATTAGEL 30	1.01
ASBESTOS	8.87

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/103

GOLD BOND TRITREATMENT JOINT CEMENT 4050-C
DATES 5/28/58 TO 5/11/63
52-10-11

INGREDIENT	% BY WT.
LIMESTONE	19.95
MICA	15.96
ASBESTOS	7.98
CLAY	15.96
TALC	27.93
CASEIN	3.59
PROSEIN	5.99
SODA ASH	0.80
DOWICIDE G	0.24
HYDRATED LIME	1.60

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/104

GOLD BOND TRITREATMENT JOINT CEMENT X2D
DATES 10/26/59 TO 5/11/63
52-10-11

INGREDIENT	9/2/59* % BY WT.	12/29/60 % BY WT.
LIMESTONE	52.23-52.17	52.23
MICA	18.65-18.63	18.65
ASBESTOS	12.43-12.42	12.43
CLAY	9.95-9.94	9.95
CASEIN	5.47-5.47	5.47
SODIUM TRIPOLYPHOSPHATE	0.12-0.12	0.12
AMMONIUM BIBORATE	0.50-0.50	0.50
DOWICIDE G	0.25-0.25	0.25
BORAX	0.25-0.25	0.25
METHOCEL	0.15-0.15	0.15
DARVAN #1	0-0.10	

*TWO FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/105

GOLD BOND TRITREATMENT JOINT COMPOUND
TRITREATMENT JOINT COMPOUND (2/9/65)
TRITREATMENT JOINT COMPOUND E-1 (6/12/70)
DATES 5/11/62 TO 4/9/73
P52-18-3

		5/11/62			10/23/62	2/19/63
INGREDIENT	4050-C % BY WT	E % BY WT	X2D % BY WT	303 % BY WT	E % BY WT	E % BY WT
LIMESTONE	19.95	66.41	52.22	35.73	67.18	68.07
MICA	15.96	6.87	18.65	32.15	6.95	6.81
ASBESTOS	7.98	11.45	12.43	14.29	11.58	11.12
CLAY	15.96	9.16	9.95	10.72	6.95	6.81
CASEIN	3.59	5.04	5.47	3.57	5.10	4.99
PROSEIN	5.99					
POWDERED GLUE				2.14		
DOWICIDE G	0.24	0.16	.25	0.21	0.16	0.16
BORAX		0.23	.25		0.23	0.23
METHOCEL		0.11	.15		0.12	0.11
HYDRATED LIME	1.60					
DIAMMONIUM PHOSPHATE				0.50		
SODIUM TRIPOLYPHOSPHATE		0.11	0.12		0.12	0.11
AMMONIUM BIBORATE		0.46	0.50	0.50	0.46	0.45
NATROSOL				0.18		
ATTAGEL					1.16	1.13
TALC	27.93					
SODA ASH	0.80					

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/106

GOLD BOND TRITREATMENT JOINT COMPOUND
TRITREATMENT JOINT COMPOUND (2/9/65)
TRITREATMENT JOINT COMPOUND E-1 (6/12/70)
DATES 5/11/62 TO 4/9/73
P52-18-3

INGREDIENT	12/10/68 E % BY WT	11/6/69 % BY WT	% BY WT	6/12/70 % BY WT	% BY WT	2/10/71 % BY WT	% BY WT
LIMESTONE	73.58	75.45	75.45	75.35	75.22	75.40	75.27
MICA	11.50	6.76	6.57	6.75	6.54	6.75	6.55
ASBESTOS	6.90	7.21	7.32	7.20	7.29	7.20	7.30
CASEIN	5.06	3.60	3.56	3.60	3.74	3.60	3.74
SODIUM TRIPOLYPHOSPHATE	0.09	0.18	0.19	0.18	0.19	0.18	0.19
AMMONIUM BIBORATE	0.21						
VANCIDE 51Z	0.05						
BORAX	0.18						
NATROSOL	0.14	0.14	0.13	0.14	0.13	0.14	0.13
ATTAGEL	2.30						
STARCH		1.35	1.31	1.35	1.31	1.35	1.31
AMMONIUM OXALATE		0.32	0.30	0.31	0.30	0.32	0.30
COSAN JTA5		0.18	0.17	0.18	0.17	0.18	0.17
TRISODIUM PHOSPHATE		0.27	0.26	0.27	0.26	0.27	0.26
KELGIN F		0.05	0.05	0.04	0.05	0.05	0.05
NARVON		4.50	4.69	4.50	4.67		
UCON FLUID LB-135				0.13	0.13	0.07	0.07
PYROPHILLITE						4.50	4.68

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/107

JOINT CEMENT LOW ALKALINE 1055-C
DATES 3/23/53 TO 1/6/65
52-10-1

INGREDIENT	% BY WT
LIMESTONE	45.50
MICA	18.20
ASBESTOS	13.65
CLAY	13.65
CASEIN	6.82
DIAMMONIUM PHOSPHATE	0.91
AMMONIUM BIBORATE	0.91
YELLOW OXIDE 2087	0.09
DOWICIDE G	0.27

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/108

JOINT COMPOUND (VINYL TYPE)
DATES 8/17/64 TO 3/11/66
52-14-6-A

	8/17/64 % BY WT.	1/21/65 % BY WT.
LIMESTONE	60.79	60.98
MICA	8.87	8.89
DIBUTYL PHTHALATE	0.30	0.30
VANCIDE 512	0.08	0.08
NACANOL DB	0.08	0.08
DEFOAMER, TROYKYD	0.25	0.20
NATROSOL	0.51	
CYANAMER P-26	1.01	1.02
POLY VINYL ACETATE S702	3.04	3.05
TALC	15.20	15.24
CLAY-ATTAGEL 30	1.01	0.76
ASBESTOS	8.87	8.89
CELLOSIZE		0.51

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/109

LOW ALKALINE JOINT CEMENT
303 JOINT CEMENT (6/20/55)
GOLD BOND TAPE JOINT CEMENT 303 (10/27/55)
303 JOINT COMPOUND (2/9/65)
DATES 3/3/55 TO 1972
P52-10-3

INGREDIENT	3/3/55 % BY WT.	6/20/55 % BY WT.	5/28/56 % BY WT.	7/20/60 % BY WT.	2/9/65 % BY WT.
LIMESTONE	35.79	36.01	35.73	35.74	35.79
ASBESTOS	14.32	14.40	14.29	14.30	14.32
CLAY	10.74	10.80	10.72	10.72	10.74
CASEIN	2.86	2.88	3.57	3.57	3.58
AMMONIUM BIBORATE	0.72	0.43	0.50	0.50	0.50
DOWICIDE G	0.21	0.22	0.21	0.21	
METHOCEL	0.25	0.25			
POWDERED GLUE	2.15	2.16	2.14	2.14	2.15
DIAMMONIUM PHOSPHATE	0.72	0.43	0.50	0.50	0.50
MICA	32.21	32.41	32.15	32.17	32.21
YELLOW OXIDE 2087	0.04				
CARBOXY METHYL CELLULOSE			0.18		
NATROSOL				0.14	0.14
VANCIDE 51Z					0.07

LOW ALKALINE JOINT CEMENT
DATES 3/11/54 TO 10/20/54
52-10-1

INGREDIENT	3/11/54 % BY WT.	6/15/54 % BY WT.
LIMESTONE	33.53	32.15
MICA	12.57	16.08
ASBESTOS	8.38	8.04
CLAY	12.57	12.06
PYROPHYLLITE	8.38	
CASEIN	3.35	3.22
PROSEIN	7.12	6.83
SODA ASH	1.26	1.21
DOWICIDE G	0.25	0.24
FIBROUS TALC	12.57	20.10
YELLOW OXIDE 2087		0.08

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/111

LEVITT PRE-MIX AND READY MIXED JOINT COMPOUND
(FORMULA E)
DATES 9/3/63 1969
72-83-14-3-A

	% BY WT.
WATER	12.68
BENTONITE	0.52
DAXAD 30	0.06
ASBESTOS	4.07
COLOR STABOLOID YLO-1788	0.10
CYANAMER P-26 SOLUTION	3.34
METHOCEL SOLUTION	16.57
BENZOFLEX 9-88	0.15
POLY VINYL ACETATE	2.91
MICA	13.08
TALC	11.63
LIMESTONE	34.89

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/112

"L" JOINT COMPOUND ROTAN ONLY
DATES 7/18/66 TO 3/15/67
P52-18-5-A

INGREDIENT	% BY WT.
LIMESTONE	66.10
MICA	9.12
ASBESTOS	6.84
TALC	9.12
CASEIN	5.01
SODA ASH	0.14
NATROSOL	0.09
TRISODIUM PHOSPHATE	0.46
HYDRATED LIME	0.23
ATTAGEL CLAY	2.28
CYANAMER P-26	0.14
UCON FLUID LB 135	0.12
ADVACIDE [illegible]	0.36

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/113

NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND
SPECIAL WHITE FOR GOOD HOPE ONLY
(FORMULA D)
DATES 8/20/62 TO 5/2/65
72-83-16-A

	8/20/62 % BY WT.	3/29/63 % BY WT.	8/27/64 % BY WT.
METHOCEL	15.75	15.77	16.00
POTASSIUM TRIPOLY PHOSPHATE.	0.16		
WATER	15.47	15.49	14.29
PHENYL MECURIC ACETATE	0.05		
VINAC WR-50	8.44		
DIBUTYL-PHATHALATE	0.28	0.28	
ASBESTOS	3.94	3.94	4.00
MICA	7.60	7.61	3.43
BENTONITE CLAY	0.51	0.51	0.51
TALC	14.06	14.08	14.29
LIMESTONE	33.75	33.80	34.29
DAXAD 30		0.06	0.06
POLYVINYL ACETATE		8.45	8.86
MICACEOUS SILICA			4.29

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/114

NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND
NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND (FORMULA C) (2/12/62)
DATES 12/28/61 TO 5/24/65
72-83-14-1

INGREDIENT	12/28/61 % BY WT.	1/30/62 % BY WT. 325 GA. BATCH	1/30/62 % BY WT. 280 GA. BATCH	2/12/62 % BY WT. WHITE	2/12/62 % BY WT. COLORED	10/2/62 % BY WT. WHITE	10/2/62 % BY WT. COLORED	5/1/63 % BY WT. WHITE	5/1/63 % BY WT. COLORED
LIMESTONE	22.75	34.53	34.54	33.85	33.79	33.82	33.80	33.80	33.78
MICA	31.55	10.36	10.36	10.15	10.14	10.15	10.14	10.14	10.14
ASBESTOS	4.73	4.03	4.02	3.95	3.94	3.95	3.94	3.94	3.94
BENTONITE	0.51	0.52	0.52	0.51	0.51	0.51	0.51	0.51	0.51
DAXAD 30	0.28							0.06	0.06
PHENYL MERCURIC ACETATE	0.06	0.05	0.05	0.05	0.05				
NATROSOL SOLUTION	30.33								
VINAC WR50	9.48	8.63	8.63	8.46	8.45	8.46	8.45		
DIBUTYL PHTHALATE	0.20	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
PROPYLENE GLYCOL	0.38								
METHOCEL SOLUTION		16.12	16.12	15.80	15.77	16.07	16.06	16.06	16.05
POTASSIUM TRI POLYPHOSPHATE		0.16	0.16	0.16	0.16				
WATER		13.82	13.81	15.51	15.49	15.50	15.49	15.49	15.48
TALC		11.51	11.51	11.28	11.26	11.27	11.27	11.27	11.26
YELLOW OXIDE YL02087					0.17		0.06		
POLYVINYL ACETATE								8.45	8.45
YELLOW OXIDE 1788									0.06

NEW IMPROVED GOLD BOND READY MIXED JOINT COMPOUND RARITON ONLY
DATES 11/7/62 TO 1969
72-83-14-A

	11/7/62 % BY WT.		12/17/62 % BY WT.	
INGREDIENT	WHITE	COLORED	WHITE	COLORED
LIMESTONE	34.04	34.02	34.04	34.01
MICA	10.21	10.21	10.21	10.20
ASBESTOS	3.97	3.97	3.97	3.97
TALC	11.35	11.34	11.35	11.34
METHOCEL SOLUTION	16.17	16.16	16.17	16.15
WATER	14.89	14.89	14.89	14.88
VINAC WR50	8.51	8.51	8.51	8.50
DIBUTYL PHTHALATE	0.28	0.28	0.28	0.28
DAXAD 30	0.06	0.06	0.06	0.06
BENTONITE	0.51	0.51	0.51	0.51
YLO 1788		0.06		0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/116

NON-VINYL TRIPLE T
DATES 4/10/74 TO 7/24/75
52-10-12

INGREDIENT	4/10/74 % BY WT	5/10/74* % BY WT	% BY WT	11/7/74* % BY WT	% BY WT
LIMESTONE	75.89	75.89	76.01	77.29	77.36
MICA	9.49	9.49	9.50	9.66	9.67
PYROPHYLLITE	4.74	4.74		4.83	
ASBESTOS	2.85	2.85	2.85	3.86	3.87
DOW LATEX XD 8124.01	3.16	3.16	3.09		
STARCH	3.16	3.16	3.09		
NATROSOL	0.38	0.38	0.38	0.19	0.19
MOPCO PD-1	0.28	0.28	0.29	0.29	0.29
DOWICIL 75	0.05	0.05	0.05	0.06	0.05
CLAY			4.75		4.83
METHOCEL				0.19	0.19
DARVAN #1				0.06	0.07
DOW LATES XD 8655.01				3.22	3.14
POLYVINYL ALCOHOL				0.32	0.34

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/117

"O" JOINT COMPOUND GOOD HOPE AND ROTAN ONLY
"O" JOINT COMPOUND GOOD HOPE ONLY (7/18/66)
"O" JOINT COMPOUND WESTWEGO ONLY (5/19/69)
DATES 2/9/65 TO 4/9/73
P52-18-4

INGREDIENT	2/9/65 % BY WT	7/18/66 % BY WT	7/1/68 % BY WT	5/19/69 % BY WT	4/7/70 % BY WT
LIMESTONE	66.48	66.27	67.74	68.14	68.17
MICA	9.17	9.14	9.03	9.08	9.09
ASBESTOS	6.88	6.86	5.64	5.00	5.00
TALC	9.17	9.14	9.03	9.08	9.09
CASEIN	5.04	5.03	4.97	5.00	5.00
SODA ASH	0.14	0.14	0.15	0.15	0.12
VANCIDE 51Z	0.05				
NATROSOL	0.14	0.14	0.16	0.16	0.17
TRISODIUM PHOSPHATE	0.46	0.46	0.46	0.47	0.47
HYDRATED LIME	0.18	0.18	0.20	0.16	0.16
ATTAGEL	2.29	2.29	2.26	2.27	2.27
ADVACIDE TJP		0.37	0.36	0.45	0.45

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/118

PASTEBLOCK-FIL
READY MIX BLOCK-FIL (10/23/68)
DATES 8/29/63 TO 12/7/73
72-60

INGREDIENT	% BY WT
WATER	15.09
DAXAD 30	1.01
SOYA LECITHIN	0.50
TRITON CF10	0.47
ETHYLENE GLYCOL	1.84
PHENYL MERCURIC ACETATE	0.08
NOPCO NXZ	0.25
TITANIUM DIOXIDE	1.68
LIMESTONE	33.53
UCAR 180	25.15
ASBESTOS	10.06
AQUA AMMONIA	0.19
UCON FLUID LB1715	0.08
ATTAGEL	10.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/119

Q-W COMPOUND
DATES 10/12/73 TO 6/14/74
52-11-6

INGREDIENT	10/12/73* % BY WT		5/28/74 % BY WT
STUCCO	70.35	70.02	70.01
ASBESTOS	1.14	1.14	1.14
MARVON	16.64	17.03	17.03
POLYVINYL ALCOHOL	1.43	1.42	1.42
METHOCEL	0.24	0.24	0.24
NOPCO PD-1	0.07	0.07	0.07
STABILIZER	0.14	0.14	0.14
TROYSAN SEP-10	0.04	0.04	
SORBITOL	0.45	0.45	0.45
MICA	9.51	9.46	9.46
RETARDER	AS REQD.	AS REQD.	AS REQD.
DOWICIL			0.04

* TWO FORMULAS IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/120

QUIK TREAT JOINT COMPOUND
DATES 10/19/72 TO 3/22/74
52-11-4

INGREDIENT	10/19/72 % BY WT	2/12/73* % BY WT	% BY WT
STUCCO	70.98	70.98	70.86
RETARDER	AS REQD	AS REQD	AS REQD
ASBESTOS	1.77	1.77	1.77
TROYSAN SEP-10	0.09	0.09	
YLO 1788	0.12	0.12	0.12
NATROSOL	0.41	0.41	0.41
AMIDEX B-5111	2.96	2.96	2.95
POLYVINYL ACETATE	2.96	2.96	2.95
STARCH	2.96	2.96	2.95
MICA	17.75	17.75	17.71
ADVACIDE TJP			0.27

* TWO FORMULAS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/121

RARITAN SPECIAL VINYL JOINT COMPOUND
DATES 2/6/68 TO 10/2/68
P52-10-13

INGREDIENT	% BY WT.
LIMESTONE	57.78
MICA	11.56
ASBESTOS	9.63
CLAY	4.81
TALC	9.63
NATROSOL	0.24
VINAC RP-251	3.37
VINOL 552	1.20
VANCIDE 51Z	0.05
CELITE 281	0.87
BENZOFLEX 9-88	0.87

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/122

READY MIX, FORMULA N-1
DATES 11/1/66 TO 3/27/69
72-63-14-12

	11/1/66 % BY WT.	8/24/67 % BY WT.
WATER	15.20	15.17
ASBESTOS	3.19	3.18
YELLOW OXIDE 1788	0.08	0.08
POLY VINYL ACETATE	7.70	7.28
BENZOFLEX 9-88	0.21	0.64
METHOCEL SOLUTION	19.21	19.17
MICA	5.31	9.27
PYROPHYLLITE	3.98	2.65
MICAEOUS SILICA	3.98	3.97
TALC	10.62	7.95
LIMESTONE	30.53	30.46
NOPCO PD-1		0.19

READY MIX FORMULA "M"
(MECHANICAL TOOLS)
DATES 2/15/66 TO 1967
72-83-14-11

	% BY WT.
WATER	18.29
METHOCEL SOLUTION	18.39
ETHYLENE GLYCOL	0.25
BENZOFLEX 9-88	0.33
POLY VINYL ACETATE	7.01
ASBESTOS	3.56
YELLOW OXIDE-1788	0.08
MICA	5.08
TALC	10.16
MICAEOUS SILICA	3.81
PYROPHLLITE	3.81
LIMESTONE	29.22

READY MIX FORMULA "M"
DATES 3/15/65 TO 1967
72-83-14-8

	3/15/65 % BY WT.	4/13/66 % BY WT.	8/10/66 % BY WT.
WATER	33.63	33.81	33.90
METHOCEL 90	0.53	0.54	0.54
ASBESTOS	3.3/3	3.21	3.22
PHENYL MECURIC ACETATE	0.05	0.04	0.05
DEFOAMER	0.04	0.04	0.04
ETHYLENE GLYCOL	0.27	0.27	
YELLOW OXIDE 1788	0.08	0.08	0.08
POLY VINYL ACETATE	6.71	6.75	6.77
BENZOFLEX 9-88	0.35	0.35	0.35
MICA	5.33	5.36	5.37
PYROPHYLLITE	4.00	4.02	4.03
MICAEOUS SILICA	4.00	4.02	10.74
TALC	10.66	10.71	30.88
LIMESTONE	30.63	30.80	

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/125

READY MIX, FORMULA M-1, MECHANICAL TOOL GRADE
DATES 11/1/66 TO 3/27/69
72-83-14-13

	11/1/66 % BY WT.	8/24/67 % BY WT.
WATER	18.52	18.49
ASBESTOS	3.04	3.04
YELLOW OXIDE 1788	0.08	0.08
POLY VINYL ACETATE	7.81	7.34
BENZOFLEX 9-88	0.20	0.63
METHOCEL SOLUTION	18.35	18.32
MICA	5.07	8.86
PYROPHYLLITE	3.08	2.53
MICAROUS SILICA	3.08	3.80
TALC	10.15	7.60
LIMESTONE	29.17	29.12
MOPCO PD-1		0.18

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/126

READY MIX "N-H"
DATES 8/19/68 TO 4/18/71
72-83-14-15

	8/19/68 % BY WT.	10/23/68 % BY WT. *	% BY WT. **
WATER	34.18	25.18	34.18
YELLOW OXIDE	0.08	0.08	0.08
DOWICIL	0.07	0.04	0.07
NOPCO NXZ	0.04	0.02	0.04
UCAR 130	7.23	7.21	7.23
BENZOFLEX 9-88	0.63	0.63	0.63
NATROSOL	0.26	0.26	0.26
METHOCEL	0.26	9.49	0.26
ASBESTOS	[illegible]	3.15	3.16
NOPCO PD-1	0.18	0.18	0.18
MICA	9.20	9.18	9.20
PYROPHYLLITE	2.63	2.62	2.63
MICACEOUS SILICA	3.94	3.93	3.94
TALC	7.89	7.87	7.89
LIMESTONE	30.24	30.16	30.24

* RARITAN METHOCEL SOLUTION
** MATTESON DRY METHOCEL

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/127

READY MIX BLOCKFIL
READY MIX BLOCKFIL #955 (2/27/67)
DATES 11/7/66 TO 12/7/73
72-88

INGREDIENT	% BY WT
WATER	38.94
PNENYL MERCURIC ACETATE	0.07
NXZ DEFOAMER	0.02
CELLOSIZE	0.10
DAXAD 30	0.06
ASBESTOS	[illegible].89
UCAR WC 133	10.38
TITANIUM DIOXIDE	5.12
METHOCEL	0.32
MICACEOUS SILICA	4.66
BENTONITE	0.35
TALC	6.98
LIMESTONE	26.77
MICA	2.33

READY MIXED JOINT CEMENT
DATES 2/9/61 TO 2/12/62
72-83-12-A

	2/9/61 % BY WT.	5/26/61 % BY WT.
NATROSOL SOLUTION	39.06	36.68
DAXAD 30	0.18	0.18
PHENYL MECURIC ACETATE	0.05	0.06
VINAC WR-50	10.66	11.00
TRI CRESYL PHOSPHATE	0.3	0.37
ASBESTOS	7.10	7.34
MICA	21.30	18.34
TALC	14.20	14.67
LIMESTONE	7.10	9.17
BENTONITE		2.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/129

READY MIX JOINT CEMENT
GOLD BOND READY MIXED JOINT CEMENT 6/10/59
DATES 4/9/59 TO 11/3/60
72-83-6-A

INGREDIENT	4/9/59 % BY WT.	6/10/59 % BY WT.	11/23/59 % BY WT.	4/25/60 % BY WT.	5/16/60 % BY WT.	7/14/60 % BY WT.
MICA	6.35	8.37	8.61	8.64	8.54	5.75
ASBESTOS	7.89	6.97	7.11	7.14	7.06	7.09
CLAY	12.62	8.37	8.61	8.64	8.54	8.63
TALC	7.89	12.55	12.97	13.01	12.87	15.92
NATROSOL SOLUTION	29.41	27.89	28.69	28.79	28.47	34.82
WHITING	12.62	14.61	15.03	15.08	14.92	14.96
POLYVINYL ACETATE	16.72	9.76	10.04	10.07	9.96	10.66
WATER	6.50	2.79				
POTASSIUM TRI POLYPHOSPHATE		0.56	0.57	0.58	0.57	
ANTIFOAM B		0.56	0.57	0.23	0.23	
SODIUM BENZOATE		0.84	0.86	0.86	0.85	0.86
PHENYL MERCURIC ACETATE		0.06	0.06	0.06	0.06	0.06
KOSOL SOLUTION		6.69	6.88	6.91	6.83	
RESOFLEX R296					1.09	
SODIUM TRIPOLYPHOSPHATE						0.38
PYCAL 94						0.86

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/130

READY MIXED JOINT CEMENT
REGULAR GOLD BOND READY MIXED JOINT COMPOUND (2/12/62)
DATES 1/23/62 TO 4/16/62
72-83-12A

INGREDIENT	1/[illegible]/62 % BY WT.	2/12/62 % BY WT.
LIMESTONE	9.17	9.11
MICA	18.34	18.23
ASBESTOS	7.34	7.29
CLAY	1.83	1.82
TALC	14.67	14.58
NATROSOL SOLUTION	36.68	37.06
DAXAD 30	0.18	0.18
PHENYL MERCURIC ACETATE	0.06	0.06
VINAC WR 30	11.00	10.94
TRICRESYL PHOSPHATE	0.37	0.36
BENTONITE	0.37	0.36

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/131

READY MIXED JOINT COMPOUND FORMULA G-1 SPECIAL MATTESON
READY MIXED JOINT COMPOUND FORMULA G-1 MATTESON (2/10/72)
READY MIXED JOINT COMPOUND FORMULA G-1 (3/1/73)
DATES 10/7/71 TO 11/21/73
52-70-7

INGREDIENT	% BY WT	3/1/73* % BY WT	% BY WT
WATER	34.62	33.87	33.87
ASBESTOS	1.10	1.08	1.08
CMP ACETATE	0.07	0.07	
LIMESTONE	38.48	37.65	37.65
STARCH	0.74	0.72	0.72
TALC	6.25	6.12	6.12
METHOCEL	0.21	0.20	0.20
MICA	6.83	6.48	6.48
NATROSOL	0.11	0.11	0.11
BENZOFLEX 9-88	0.22	0.22	0.22
UCAR131	5.58	5.46	5.46
NOPCO 9201-A	0.11	0.11	0.11
CLAY	3.31		
PROPYLENE GLYCOL	0.31	0.30	0.30
YLO 1788	0.07	0.06	0.06
NARVON CEF2		7.56	7.56
TROYSAN 360			0.06

* THREE FORMULATIONS IN USE

READY MIXED JOINT COMPOUND FORMULA G-1 SPECIAL MATTESON
READY MIXED JOINT COMPOUND FORMULA G-1 MATTESON (2/10/72)
READY MIXED JOINT COMPOUND FORMULA G-1 (3/1/73)
DATES 10/7/71 TO 11/21/73
52-70-7

INGREDIENT	10/7/71 % BY WT	12/8/71 % BY WT	1/17/72 % BY WT	6/14/72* % BY WT	6/14/72* % BY WT	11/18/72* % BY WT	11/18/72* % BY WT
WATER	34.62	34.62	34.62	34.62	33.87	34.62	33.87
ASBESTOS	1.10	1.10	1.10	1.10	1.08	1.10	1.08
CMP ACETATE	0.05	0.05	0.07	0.07	0.07	0.07	0.07
LIMESTONE	38.49	38.49	38.48	38.48	37.65	38.48	37.65
STARCH	0.74	0.74	0.74	0.74	0.72	0.74	0.72
TALC	6.26	6.26	6.25	6.25	6.12	6.25	6.12
METHOCEL	0.21	0.21	0.21	0.21	0.20	0.21	0.20
MICA	8.83	8.83	8.83	8.83	6.48	8.83	6.48
NATROSOL	0.11	0.11	0.11	0.11	0.11	0.11	0.11
BENZOFLEX 9-88	0.22	0.22	0.22	0.22	0.22	0.22	0.22
UCAR 131	5.58	5.58	5.58	5.58	5.46	5.58	5.46
DEFOAMER NXZ	0.11						
CLAY	3.31	3.31	3.31	3.31		3.31	
PROPYLENE GLYCOL	0.31	0.31	0.31	0.31	0.30	0.31	0.30
YLO 1788	0.07	0.07	0.07	0.07	0.06	0.07	0.06
DEFOAMER Y-125		0.11	0.11	0.11	0.11	0.11	0.11
NARVON CEFZ					7.56		7.56
NOPCO 9201-A						0.11	0.11

* TWO FORMULAS IN USE.

READY MIX JOINT COMPOUND
FORMULA ML
(LONG BEACH PLANT)
DATES 10/13/65 TO 3/27/69
72-83-14-10

	10/13/65 % BY WT.	5/2/66 % BY WT.	11/14/66 % BY WT.	5/10/67 % BY WT.	7/17/67 % BY WT.
MICA	5.12	5.11	9.59	9.65	9.65
METHOCEL 90	0.51	0.51	0.50	0.48	0.48
ASBESTOS	3.84	3.84	4.19	3.62	3.62
TALC	10.23	10.23	7.19	7.24	7.24
CLAY	7.68	7.67	9.56	9.65	9.65
LIMESTONE	29.42	29.41	23.97	24.12	24.12
WATER	36.07	36.12	37.25	37.48	34.49
PHENYL MECURIC ACETATE 30	0.05	0.05	0.06	0.06	
DEFOAMER	0.04	0.04	0.05	0.05	0.05
POLY VINYL ACETATE W-56-W	6.45	6.43			
ETHYLENE GLYCOL	0.26	0.26			
BENZOFLEX 9-88	0.33	0.33			
UCAR WC-133			7.61	7.66	7.66
CMP-ACETATE					0.05

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/134

READY MIX JOINT COMPOUND FORMULA ML-2 (LONG BEACH PLANT)
READY MIXED JOINT COMPOUND FORMULA ML-2 LONG BEACH (4/29/70)
DATES 3/27/69 TO 2/12/73
P52-70-3

INGREDIENT	3/27/69 % BY WT	10/30/69 % BY WT	[illegible]/70 % BY WT	7/31/70 % BY WT	12/9/70 % BY WT	1/14/71 % BY WT
LIMESTONE	24.00	31.84	32.06	32.06	33.35	33.35
TALC	7.20	7.71	7.76	7.76	7.80	7.80
ASBESTOS	3.60	0.96	0.97	0.97	0.97	0.97
METHOCEL	0.48	0.54	0.54	0.54	0.54	0.54
MICA	9.60	7.71	7.76	7.76	6.38	6.38
CLAY	9.60	7.71	7.76	7.76	7.80	7.80
WATER	37.80	35.44	34.92	34.91	34.91	34.91
CMP-ACETATE	0.05	0.05	0.05			
DEFOAMER NXZ	0.05	0.05	0.05	0.05	0.05	0.05
UCAR WC133	7.62	7.99	8.05	8.05	8.05	8.05
YLO 1788			0.08	0.08	0.08	0.08
DOWICIL 100				0.08	0.08	0.08
DEFOAMER COLLOIDS 60						0.05

6/21/72 PROPYLENE GLYCOL IN THE AMOUNT OF 0.29%BY WT MAY BE ADDED TO PRODUCT SHIPMENT TO MARKETS WHERE FAST DRYING CONDITIONS PREVAIL.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/135

READY MIXED JOINT COMPOUND FORMULA R WESTWEGO
DATES 6/8/73 TO 4/16/76
52-70-11

INGREDIENT	6/8/73* % BY WT	% BY WT	11/20/73 % BY WT	12/27/73 % BY WT
WATER	32.76	32.07	33.10	33.10
ASBESTOS	1.33	1.19	1.31	1.31
CMP ACETATE	0.03	0.03		
LIMESTONE	51.82	52.20	51.21	51.21
METHOCEL	0.12	0.12		
UCAR WC-130	4.74	4.80	4.68	4.98
BENZOFLEX 9-88	0.44	0.45	0.44	0.16
PROPYLENE GLYCOL	0.31	0.33	0.31	0.31
MICA	5.15	5.47	5.09	5.09
NOPCO 9201-A	0.10	0.10	0.10	0.10
PYROPHYLLITE	2.94	2.98	2.91	2.91
NATROSOL	0.25	0.25		
DOWICIL 75			0.09	0.09
METHOCEL/NATROSOL			0.73	0.73
POTASSIUM CARSONATE			0.03	0.03

* TWO FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/136

READY MIX JOINT COMPOUND N-1
DATES 10/30/69 TO 4/8/71
P52-70-8

INGREDIENT	% BY WT.
LIMESTONE	30.82
MICA	8.93
ASBESTOS	2.23
TALC	9.68
UCAR LATEX WC130	6.70
BENZOFLEX 9-88	1.12
DEFOAMER MXZ	0.06
ETHYLENE GLYCOL	0.74
NOPCO PD1	0.19
WATER	32.38
METHOCEL	0.37
DOWICIL 100	0.08
GLENDON SK200	2.61
MARVON	4.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/137

READY MIX JOINT COMPOUND "E" WESTWEGO
READY MIXED JOINT COMPOUND "E" WESTWEGO 11/25/69
DATES 10/30/69 TO 11/20/73
52-70-9

INGREDIENT	10/30/69 % BY WT	11/25/69* % BY WT	% BY WT	6/18/70* % BY WT	% BY WT	7/9/70 % BY WT
WATER	31.94	30.77	30.85	30.79	39.95	30.79
UCAR WC-130	7.01	7.10	7.12	7.11	6.19	7.11
BENZOFLEX 9-88	0.62	0.63	0.63	0.63	0.55	0.63
CMP ACETATE	0.04	0.04	0.04	0.04	0.03	0.04
COLLOIDS 581B	0.28	0.28	0.28			
ASBESTOS	2.03	2.05	2.06	2.05	1.79	2.05
MICA	4.58	4.64	4.66	4.74	4.13	4.74
FIBROOUS TALC	3.85	3.90	3.91			
METHOCEL BLEND	0.83	0.84	0.84	0.84	0.73	0.84
TALC	1.04	1.06	1.05	1.06	0.92	1.06
LIMESTONE	47.79	48.70	48.55	48.75	42.23	48.75
DEFOAMER NXZ				0.05	0.04	0.05
PYROPHILLITE				3.95	3.44	3.95

* TWO FORMULATIONS IN USE

READY MIXED JOINT COMPOUND "E-1" WESTWEGO (NARVON FORMULATION)
DATES 6/5/72 TO 11/24/73
52-70-10

INGREDIENT	% BY WT*	% BY WT*
WATER	30.79	30.80
BENZOFLEX 9-88	0.63	0.63
ASBESTOS	2.0[illegible]	2.05
MICA	2.37	2.63
METHOCEL BLEND	0.84	0.84
NARVON CEF-2	2.37	2.11
UCAR WC-130	7.11	7.11
DEFOAMER NXZ	0.05	0.05
CMP ACETATE	0.04	0.04
LIMESTONE	48.75	48.75
PYROPHILLITE	3.95	3.95
TALC	1.06	1.05

* TWO FORMULATIONS IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/139

READY MIXED JOINT COMPOUND "N-H" BALTIMORE-1600 GALLON MIXER
DATES 11/26/70 TO 10/12/71
52-70-11

INGREDIENT	% BY WT.
LIMESTONE	30.97
MICA	8.92
ASBESTOS	3.13
TALC	7.95
BENZOFLEX 9-88	0.67
DEFOAMER NX2	0.02
DEFOAMER PD1	0.19
DOWICIL 100	0.06
LATEX WC 130	7.25
WATER	33.73
METHOCEL	0.27
NATROSOL	0.27
XLO 1798	0.08
HARVON	3.86
PYROPHYLLITE	2.65

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/140

READY MIX JOINT COMPOUND "W" WESTWEGO
DATES 10/30/69 TO 2/8/72
P52-70-10

INGREDIENT	% BY WT.
LIMESTONE	35.26
MICA	5.00
ASBESTOS	3.08
TALC	9.24
UCAR WC 130	7.70
BENZOFLEX 9-88	0.46
WATER	31.33
METHOCEL INTERMEDIATE	0.89
CMP ACETATE	0.06
DEFOAMER NXZ	0.05
GLENDON SKC 200	6.93

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/141

READY MIX M-1 MECH. TOOLS GRADE
(IMPROVED SHRINKAGE AND POCKING)
DATES 8/24/67 TO 2/4/70
P52-70-5

INGREDIENT	% BY WT.
LIMESTONE	29.12
MICA	8.86
ASBESTOS	3.04
TALC	7.60
PVA WC 130	7.34
BENZOFLEX 9-86	0.63
METHOCEL SOLUTION	18.32
WATER	18.49
YELLOW OXIDE 1788	0.08
NOPCO - PD 1	0.18
PYROPHYLLITE	2.53
MICACEOUS SILICA	3.80

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/142

READY MIX M-1 (IMPROVED SHRINKAGE AND POCKING)
DATES 8/24/67 TO 2/4/70
P52-70-4

INGREDIENT	% BY WT.
LIMESTONE	30.46
MICA	9.27
ASBESTOS	3.18
TALC	7.95
PVA WC 130	7.28
MICACEOUS SILICA	3.97
METHOCEL SOLUTION	19.17
WATER	15.17
YELLOW OXIDE	0.08
BENZOFLEX 9-88	0.64
NOPCO PD 1	0.19
PYROPHYLLITE	2.65

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/143

READY MIXED TOPPING LONG BEACH
READY MIXED TOPPING (6/29/72)
READY MIXED TOPPING (LONG BEACH) (10/15/74)
DATES 11/30/70 TO 4/16/76
52-70-4

INGREDIENT	11/30/70 % BY WT	4/22/71 % BY WT	9/20/71 % BY WT	6/29/72 % BY WT	4/12/74 % BY WT	8/1/74 % BY WT	9/16/74 % BY WT
WATER	24.23	24.15	32.52	32.43	32.43	32.43	32.42
ASBESTOS	1.04	1.03	1.10	1.10	1.10	1.10	1.10
COLLOIDS 60	0.10	0.10					
OWICIL 100	0.05	0.05					
UCAR WC-133	6.40	6.38	3.11	3.11			
LIMESTONE	67.50	67.26	56.79	56.64	56.64	56.63	56.63
METHOCEL	0.28	0.28	0.24	0.24	0.24	0.24	0.24
HYDRATED LIME	0.05	0.05					
OLEIC ACID	0.35	0.34					
PROPYLENE GLYCOL		0.34		0.27	0.27	0.27	0.27
MICA			5.50	5.48	5.48	5.48	5.48
STARCH			.55	0.55	0.55	0.55	0.55
RETEN			0.05	0.05	0.05	0.05	0.05
CMP ACESTATE			0.05	0.05	0.05		
NXZ DEFOAMER			0.09	0.09	0.09	0.09	
UCAR WC-131					3.11	3.11	3.11
Y364 PRESERVATIVE						0.07	0.07
DEFOAMER 9201-A							0.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/144

READY MIXED TOPPING COMPOUND (MATTESON)
READY MIXED TOPPING COMPOUND (3/23/73)
READY MIXED TOPPING COMPOUND (MATTESON) (10/15/74)
DATES 1/18/73 TO 4/16/76
52-70-6

INGREDIENT	1/18/73 % BY WT	8/14/74 % BY WT
WATER	35.58	34.75
CMP ACETATE	0.04	
ASBESTOS	1.11	1.13
LIMESTONE	38.77	41.11
METHOCEL	0.44	0:43
FIBROUS TALC	6.30	7.55
MICA	6.67	4.86**
NARVON CEF-2	7.78	
LATEX WC-131	2.78	2.83
NOPCO 9201-A	0.11	0.11
PROPYLENE GLYCOL	0.33	0.35
YLO 1788	0.07	
PYROPHYLLITE		6.75
DOWICIL 75		0.08
POTASSIUM CARBONATE		0.04

** MICA USED FROM VARIOUS SOURCES HAD VARYING BULK DENSITY AND AMOUNT WOULD BE ADJUSTED.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/145

READY MIX "N-H"
READY MIX "N-H" (MATTESON PLANT) 11/6/69
DATES 10/23/68 TO 4/8/71
P52-70-7

INGREDIENT	10/23/68 % BY WT. SOLUTION	10/23/68 % BY WT. POWDER	11/6/69 % BY WT. LARGE MIXER	11/6/69 % BY WT. SMALL MIXER
LIMESTONE	30.16	30.24	29.90	27.90
MICA	9.18	9.20	9.10	9.30
ASBESTOS	3.15	3.16	3.12	3.19
MICACEOUS SILICA	3.93	3.94		
TALC	7.87	7.89	7.80	7.97
PYROPHYLLITE	2.62	2.63	2.60	2.66
UCAR 130	7.21	7.23	7.15	7.31
BENZOFLEX 9-88	0.63	0.63	0.62	0.64
NOPCO NXZ	0.02	0.04	0.04	0.04
METHOCEL SOLUTION	9.49			
METHOCEL		0.26	0.26	0.27
NATROSOL	0.26	0.26	0.26	0.27
WATER	25.18	34.18	34.92	33.48
YELLOW OXIDE	0.08	0.08		
DOWICIL 100	0.04	0.07	0.07	0.07
NOPCO PD 1	0.18	0.18	0.18	0.19
YELLOW OXIDE 1788			0.08	0.08
NARVON			3.90	3.99

READY MIXED GALLONS AND PATCH KITS MATTESON-LX FORMULA
DATES 8/28/72 TO 2/15/74
52-70-15

INGREDIENT	8/28/72 % BY WT	11/8/72 % BY WT
WATER	33.71	33.71
CMP ACETATE	0.04	0.04
ASBESTOS	1.35	1.35
LIMESTONE	37.46	37.46
NATROSOL	0.13	
MICA	7.49	7.49
METHOCEL	0.25	0.37
TALC	7.49	7.49
NARVON	3.75	3.75
LATEX WC-131	7.93	7.93
BENZOFLEX 9-88	0.30	0.30
DEFOAMER Y-125	0.11	
NOPCO 9201-A		0.11

READY MIXED JOINT COMPOUND FORUMLA LX BALTIMORE
DATES 9/20/71 TO 11/24/73
52-70-12

INGREDIENT	9/20/71 % BY WT	10/29/71 % BY WT	9/29/72 % BY WT	11/20/72 % BY WT	7/5/73 % BY WT
WATER	33.71	33.75	32.33	32.33	32.32
BENZOFLEX 9-88	0.64	0.74	0.76	0.76	0.76
NXZ DEFOAMER	0.12	0.12	0.13	0.13	0.13
DOWICIL 100	0.07	0.07	0.08	0.08	
YLO-1788	0.08	0.08	0.08	0.08	0.08
METHOCEL	0.27	0.24	0.25	0.38	0.38
NATROSOL	0.14	0.12	0.13		
MICA	7.41	7.42	7.63	7.63	7.63
ASBESTOS	1.81	1.78	1.37	1.37	1.37
FIBROUS TALC	7.41	7.42			
UCAR WC-130	7.41	7.42	7.63	7.63	7.63
HARVON CEF-2	3.84	3.71	3.82	3.82	3.81
LIMESTONE	37.06	37.11	38.16	38.16	38.15
TALC			7.63	7.63	7.63
DOWICIL 75					0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/148

READY MIXED JOINT COMPOUND FORMULA ML-3 LONG BEACH
(IMPROVED SANDING AND COLD BOND)
READY MIXED JOINT COMPOUND FORMULA ML-3 LONG BEACH 2/8/73
DATES 6/21/72 TO 3/15/74
52-70-2

INGREDIENT	6/21/72 % BY WT	7/5/73 % BY WT
METHOCEL	0.49	0.49
TALC	7.90	7.90
MICA	6.47	6.47
CLAY	7.90	7.90
WATER	34.31	34.30
PROPLYLENE GLYCOL	0.29	0.29
DEFOAMER WX2	0.14	0.14
DIBUTYL PHTHALATE	0.29	0.29
ASBESTOS	0.98	0.98
DOWICIL 100	0.08	
UCAR WC-133	7.35	7.35
YELLOW OXIDE 1788	0.08	0.08
LIMESTONE	33.72	33.71
DOWICIL 75		0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/149

READY MIXED JOINT COMPOUND FORMULA R BALTIMORE
DATES 4/20/73 TO 4/16/76
52-70-17

INGREDIENT	4/20/73 % BY WT	5/10/73 % BY WT	7/5/73 % BY WT	11/19/73* % BY WT	% BY WT	10/15/74 % BY WT
WATER	31.78	31.09	31.08	31.08	31.08	31.08
ASBESTOS	1.05	1.21	1.21	1.21	1.21	1.21
DOWICIL 100	0.06	0.06				
LIMESTONE	52.52	52.94	52.93	52.93	52.93	52.93
METHOCEL	0.13	0.13	0.13	0.13	0.13	0.13
UCAR WC 130	4.83	4.87	4.86	4.86		
BENZOFLEX 9-88	0.45	0.45	0.45	0.45	0.45	0.18
PROPYLENE GLYCOL	0.33	0.33	0.33	0.33	0.33	0.33
MICA	5.25	5.29	5.29	5.29	5.29	5.29
PYROPHYLLITE	3.25	3.28	3.28	3.28	3.28	3.28
NOPCO 9201-A	0.11	0.11	0.11	0.11	0.11	0.11
NATROSOL	0.25	0.25	0.25	0.25	0.25	0.25
UCAR 131					4.86	5.14
DOWICIL 75			0.08	0.08	0.08	0.08

* TWO FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/150

READY MIXED JOINT COMPOUND FORMULA R MATTESON
DATES 8/10/73 TO 4/6/76
52-70-18

INGREDIENT	8/10/73 % BY WT	11/20/73 % BY WT	3/15/74 % BY WT	9/16/74 % BY WT	6/26/75 % BY WT
WATER	31.31	31.30	31.29	30.91	30.93
ASBESTOS	1.23	1.23	1.23	1.39	1.39
CMP ACETATE	0.03				
UCAR WC-131	5.14	5.14	5.14	5.25	5.26
BENZOFLEX 9-88	0.17	0.17	0.17	0.15	0.15
PROPYLENE GLYCOL	0.31	0.31	0.31	0.36	0.36
LIMESTONE	53.09	53.06	53.05	53.58	53.60
MICA	5.14	5.14	5.14	4.89	4.90
PYROPHYLLITE	3.09	3.09	3.09	2.83	2.83
NOPCO 9201-A	0.10	0.10	0.10	0.11	0.05
METHOCEL	0.14	0.14	0.14	0.13	0.13
NATROSOL	0.24	0.24	0.24	0.26	0.26
DOWICIL 75		0.08	0.08	0.09	0.09
POTASSIUM CARBONATE			0.03	0.04	0.04

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/151

READY MIXED JOINT COMPOUND FORMULA C MATTESON
DATES 5/13/70 TO [illegible]/8/72
52-70-6

INGREDIENT	5/13/70 % BY WT.	9/22/70 % BY WT.	11/30/70 % BY WT.	7/26/71 % BY WT.	1/17/72 % BY WT
LIMESTONE	35.46	35.45	35.45	35.87	35.87
MICA	9.97	9.97	9.97	8.97	8.97
ASBESTOS	1.77	1.77	1.77	1.79	1.79
CLAY	3.32	3.32	3.32	3.36	3.36
TALC	5.54	5.54	5.54	5.61	5.60
UCAR WC 130	5.54	5.54			
UCAR WC 131			5.86	5.93	5.93
BENZOFLEX 9-88	0.28	0.28	0.28	0.24	0.24
DIBUTYL PHTHALATE	0.28	0.28			
STARCH	0.74	0.74	0.74	0.75	0.75
METHOCEL	0.17	0.17	0.17	0.17	0.17
NATROSOL	0.11	0.11	0.11	0.11	0.11
WATER	36.57	36.56	36.56	37.00	36.99
NXZ DEFOAMER	0.16	0.16	0.16	0.16	0.16
DOWICIL 100	0.09	0.11	0.11		
CMP ACETATE				0.05	0.07

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/152

READY MIXED JOINT COMPOUND FORMULA R LONG BEACH
DATES 3/1/74 TO 4/16/76
52-70-5

INGREDIENT	3/1/74* % BY WT		6/12/74 % BY WT
LIMESTONE	52.66	52.66	52.65
ASBESTOS	1.23	1.23	1.23
MICA	5.14	5.14	5.14
CLAY	3.09	3.09	3.09
METHOCEL	0.14	0.14	0.14
NATROSOL	0.23	0.23	0.23
UCAR WC 131	5.10		5.10
UCAR WC 133		5.10	
WATER	31.71	31.71	31.72
DOWICIL 75	0.10	0.10	0.10
POTASSIUM CARBONATE	0.02	0.02	0.02
BENZOFLEX 9-88	0.16		0.16
DIBUTYL PHTHALATE		0.16	
PROPYLENE GLYCOL	0.31	0.31	0.31
DEFOAMER 9201-A	0.10	0.10	0.10

* TWO FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/153

SEARS AND WARDS JOINT CEMENT
DATES 8/4/53 TO 10/13/60
52-12-2

INGREDIENT	8/4/53 % BY WT.	10/5/55 % BY WT.
LIMESTONE	55.88	55.88
MICA	22	22
ASBESTOS	2	2
PROSEIN	2.5	2.5
KAY SOY	6.5	
DOWICIDE G	0.06	0.06
HYDRATED LIME	1	1
WHITING	10	10
ZINC STEARATE	0.06	0.06
SOYA FLOUR		6.5

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/154

SEAR'S AND WARD'S JOINT CEMENT
DATES 10/10/60 TO 9/27/63
52-19-1

INGREDIENT	10/10/60 % BY WT.	12/6/60 % BY WT.
LIMESTONE	55.88	65.88
MICA	22	22
ASBESTOS	2	2
CASEIN	2.5	2.5
SOYA FLOUR	6.5	6.5
DOWICIDE G	0.06	0.06
HYDRATED LIME	1	1
WHITING	10	
ZINC STEARATE	0.06	0.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/155

SPECIAL GOLD BOND JOINT CEMENT X
DATES 1/23/59 TO 8/16/61
52-11-5A

INGREDIENT	% BY WT.
LIMESTONE	34.83
MICA	14.93
ASBESTOS	12.44
CLAY	14.93
TALC	14.93
CASEIN	5.97
TRISODIUM PHOSPHATE	1.49
HYDRATED LIME	0.30
CRAG 974	0.07
YELLOW OXIDE 5087	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/156

SPECIAL TOPPING CEMENT
DATES 1/23/59 TO 9/19/60
52-16-14-A

INGREDIENT	% BY WT.
LIMESTONE	35.01
MICA	15.00
ASBESTOS	15.00
CLAY	5.00
TALC	22.51
CASEIN	5.50
TRISODIUM PHOSPHATE	1.50
HYDRATED LIME	0.30
CRAG 974	0.08
YELLOW OXIDE 5087	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/157

SPECIAL WHITE READY-MIXED JOINT COMPOUND
DATES 6/23/70 TO 8/18/73
52-70-5

INGREDIENT	6/23/70 % BY WT	6/1/71 % BY WT	7/20/73 % BY WT
WATER	32.74	32.74	32.74
UCAR WC130	7.12		
BENZOFLEX 9-88	0.43	0.43	0.43
COLLOIDS 60	0.14	0.14	
LIMESTONE	42.70	42.70	42.70
ASBESTOS	0.85	0.85	0.85
DOWICIL	0.06	0.06	0.06
TIANIUM DIOXIDE	1.42	1.42	1.42
MICA	8.54	8.54	8.54
METHOCEL	0.28	0.28	0.28
CLAY	2.85	2.85	2.85
PYROPHYLLITE	2.85	2.85	2.85
POTASSIUM CARBONATE	0.03	0.03	0.03
UCAR WC131		7.12	7.12
NOPCO 9201A			0.14

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/158

STA-SMOOTH 30 JOINT COMPOUND
DATES 3/5/70 TO 6/11/70
52-11-2

INGREDIENT	% BY WT
STUCCO	65.36
RETARDER	0.09
ASBESTOS	1.75
COSAN JTA 5	0.18
YELLOW OXIDE	0.12
NATROSOL	0.41
AMIDEX B-511	2.92
POLYVINYL ACETATE	2.92
STARCH	2.92
MICA	17.51
FIBROUS TALC	5.84

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/159

STA-SMOOTH JOINT COMPOUND
DATES 7/13/72 TO 9/18/74
52-11-1

INGREDIENT	7/3/72 % BY WT	2/12/73* % BY WT	% BY WT	10/19/73* % BY WT	% BY WT	12/31/73* % BY WT	% BY WT
STUCCO	70.98	70.98	70.86	71.22	70.87	69.98	69.65
RETARDER	AS REQD.	AS REQD.	AS REQD.	AS REQD.	AS REQD.	AS REQD.	AS REQD.
ASBESTOS	1.77	1.77	1.77	1.78	1.77	1.13	1.13
PRESERVATIVE SKP-10	0.09	0.09		0.08	0.08		0.04
YLO-1788	0.12	0.12	0.12	0.10	0.10		
NATROSOL	0.41	0.41	0.41	0.41	0.41		
AMIDEX B-511	2.96	2.96	2.95	2.97	2.95		
POLYVINYL ACETATE	2.96	2.96	2.95	2.97	2.95		
STARCH	2.96	2.96	2.95	2.97	2.95	0.95	0.94
MICA	17.75	17.75	17.71	17.31	17.72	9.46	9.41
ADVACIDE TJP			0.27			0.11	
STABILIZER				0.20	0.20	0.13	0.13
NARVON CEF-2						16.55	16.94
POLYVINYL ALCOHOL						0.95	0.94
METHOCEL						0.24	0.28
NOPCO PD-1						0.07	0.08
SORBITOL						0.45	0.45

* TWO FORMULATIONS IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/160

STA-SMOOTH JOINT COMPOUND
DATES 2/19/68 TO 7/24/72
52-11

INGREDIENT	5/7/70 A % BY WT	5/7/70 B % BY WT	1/25/71 A % BY WT	1/25/71 B % BY WT	2/19/71 A % BY WT	2/19/71 B % BY WT	2/19/71 % BY WT
STUCCO	70.92	70.92	65.42	65.42	70.92	70.92	70.92
ASBESTOS	1.77	1.77	1.75	1.75	1.77	1.77	1.77
COSAN JTA5	0.18	0.18	0.18	0.18	0.18	0.18	0.18
YELLOW OXIDE YLO 1788	0.12	0.12	0.12	0.12	0.12	0.12	0.12
NATROSOL	0.41	0.42	0.41	0.41	0.41	0.42	0.41
AMIDEX	2.96	2.95	2.92	2.92	2.96	2.95	2.96
POLYVINYL ACETATE GELVA 702	2.96	2.95	2.92	2.92	2.96	2.95	2.96
STARCH	2.96	2.95	2.92	2.92	2.96	2.95	2.96
MICA	17.73	17.73	17.52	17.52	17.73	17.73	17.73
RETARDER*							
FIBROUS TALC			5.84	5.84			

*AS REQD.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/161

STA-SMOOTH JOINT COMPOUND
DATES 2/19/68 TO 7/24/72
52-11

INGREDIENT	2/19/68 % BY WT	4/1/68 % BY WT	6/10/68 % BY WT	12/16/68 % BY WT
STUCCO	69.34	69.16	69.14	65.42
RETARDER	0.20	0.20	0.23	AS REQD.
ASBESTOS	5.78	5.76	5.76	1.75
MATRASOL	0.40	0.40	0.40	0.41
POLYVINYL ACETATE	4.62	4.61	4.61	2.92
AMI-DEX B-511	2.31	2.31	2.30	2.92
TALC	17.34	17.29	17.29	
YELLOW OXIDE 1788		0.26	0.26	0.12
COSAN JTA5				0.18
STARCH				2.92
MICA				17.52
FIBROUS TALC				5.84

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/162

TAPE JOINT CEMENT 3042-C
DATES 9/9/49 TO 3/23/53
52-40-4

INGREDIENT	8/2/49 % BY WT.	9/9/49 % BY WT.	9/26/49 % BY WT.	1/23/50 % BY WT.
LIMESTONE	37.53	37.5	36	35.43
MICA	8.34	8.33	8	7.87
ASBESTOS	8.34	8.33	12	11.81
CLAY	12.51	12.5	12	11.81
FIBROUS TALC	25.02	25	24	23.62
CASEIN	6.26	6.25	6	7.48
DOWICIDE G	0.25	0.25	0.24	0.24
DIAMMONIUM PHOSPHATE	1.67	1.67	1.6	1.57
YELLOW OXIDE 2587	0.08	0.17	0.16	0.16

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/163

TAPE JOINT CEMENT 1055-C
DATES 8/27/52 TO 2/24/52
52-40-11A

INGREDIENT	% BY WT.
LIMESTONE	45.50
MICA	18.20
ASBESTOS	13.65
CLAY	13.65
CASEIN	6.82
AMMONIUM BIBORATE	0.91
DOWICIDE G	0.27
DIAMMONIUM PHOSPHATE	0.91
YELLOW OXIDE 2087	0.09

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/164

TAPE JOINT CEMENT - 3000-C
DATES 7/12/49 TO 2/24/53
52-40-3A

	% BY WT.
CASEIN	7.32
CLAY	14.65
ASBESTOS	7.32
MICA	14.65
LIMESTONE	48.83
HYDRATED LIME	4.88
TRISODIUM PHOSPHATE	1.95
DOWICIDE G	0.29
YELLOW OXIDE 2587	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/165

TAPE JOINT CEMENT 4050-C
DATES 1/25/50 TO 3/23/53
52-40-5

INGREDIENT	1/25/50 % BY WT.	2/13/50 % BY WT.	11/13/51 % BY WT.	4/21/52 % BY WT.
LIMESTONE	20.15	20.15	20.82	20.65
MICA	24.18	24.18	24.99	24.78
ASBESTOS	12.09	12.09	12.49	12.39
CLAY	16.12	16.12	16.66	16.52
FIBROUS TALC	16.12	16.12	16.66	16.52
CASEIN	6.05	6.05	6.25	6.20
SODA ASH	0.81	0.81	0.83	0.83
DOWICIDE G	0.24	0.24	0.25	0.25
HYDRATED LIME	4.03	4.03	0.83	1.65
YELLOW OXIDE 2587	0.20			
YELLOW OXIDE 2087		0.20	0.21	0.21

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/166

TAPE JOINT CEMENT 4050-C
DATES 8/29/52 TO 2/24/53
52-40-13A

INGREDIENT	% BY WT.
LIMESTONE	20.65
MICA	24.78
ASBESTOS	12.39
CLAY	16.52
FIBROUS TALC	16.52
CASEIN	6.20
SODA ASH	0.83
DOWICIDE G	0.25
HYDRATED LIME	1.65
YELLOW OXIDE 2087	0.21

TAPE JOINT CEMENT 4050-C
TAPE JOINT CEMENT 4050-C AND WESCO 40X (7/7/53)
DATES 3/23/53 TO 6/1/54
52-11-1

INGREDIENT	% BY WT.
LIMESTONE	20.65
MICA	24.78
ASBESTOS	12.39
CLAY	16.52
FIBROUS TALC	16.52
CASEIN	6.20
SODA ASH	0.83
DOWICIDE G	0.25
HYDRATED LIME	1.65
YELLOW OXIDE 2087	0.21

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/168

TAPE JOINT CEMENT 4050-CX
DATES 8/29/52 TO 2/24/53
52-40-14A

INGREDIENT	% BY WT.
LIMESTONE	20.82
MICA	20.82
ASBESTOS	13.88
CLAY	13.88
FIBROUS TALC	20.82
CASEIN	6.94
SODA ASH	1.04
DOWICIDE G	0.21
HYDRATED LIME	1.39
YELLOW OXIDE 2087	0.21

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/169

TAPE JOINT CEMENT 4050-CX
DATES 3/23/53 TO 6/1/54
52-11-3

INGREDIENT	% BY WT.
LIMESTONE	20.82
MICA	20.82
ASBESTOS	13.88
CLAY	13.88
FIBROUS TALC	20.82
CASEIN	6.94
SODA ASH	1.04
DOWICIDE G	0.21
HYDRATED LIME	1.39
YELLOW OXIDE 2087	0.21

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/170

TAPE JOINT CEMENT 1050-P
DATES 8/27/52 TO 2/24/53
52-40-12A

INGREDIENT	% BY WT.
LIMESTONE	20.15
MICA	24.18
ASBESTOS	12.09
CLAY	16.12
FIBROUS TALC	16.12
CASEIN	6.05
SODA ASH	0.81
DOWICIDE G	0.24
HYDRATED LIME	4.03
YELLOW OXIDE 2087	0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/171

TAPE JOINT CEMENT AMES TAPE MACHINE
DATES 3/23/53 TO 11/30/54
52-11-5

INGREDIENT	3/23/53 % BY WT.	5/1/53 % BY WT.	12/18/53 % BY WT.	5/3/54 % BY WT.
LIMESTONE	13.44	40.80	18.02	40.80
MICA	23.52	14.84	13.51	14.84
ASBESTOS	13.44	22.26	13.51	22.26
CLAY	6.72	11.13	13.51	11.13
FIBOURS TALC	33.60			
CASEIN	6.38	7.42	6.76	7.42
SODIUM OXALATE	0.67			
DOWICIDE G	0.20	0.22	0.27	0.22
HYDRATED LIME	1.34	1.48		1.48
SODIUM OLEATE	0.34			
RAW UMBER 1044	0.13	0.13	0.18	0.15
TRIBUTYL PHOSPHATE	0.20	0.22		0.22
SODA ASH		1.48		1.48
PYRAX B			27.03	
PROSEIN			4.50	
TRISODIUM PHOSPHATE			2.70	

TAPE JOINT CEMENT AMES TAPE MACHINE
DATES 1/12/53 TO 3/23/53
52-40-7A

INGREDIENT	1/12/53 % BY WT.	2/24/53 % BY WT.
LIMESTONE	14.04	13.44
MICA	21.05	23.52
ASBESTOS	14.04	13.44
CLAY	7.02	6.72
FIBROUS TALC	35.09	33.60
CASEIN	6.32	6.38
DOWICIDE G	0.21	0.20
HYDRATED LIME	1.40	1.34
SODIUM OLEATE	0.35	0.34
SODIUM OXALATE	0.35	0.67
RAW UNBER 1044	0.14	0.13
TRIBUTYL PHOSPHATE		0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/173

TAPE JOINT CEMENT (SPECIAL AMES FORMULA)
DATES 5/3/54 TO 12/7/54
52-11-6A

INGREDIENT	% BY WT.
LIMESTONE	18.02
MICA	13.51
ASBESTOS	13.51
CLAY	13.51
CASEIN	6.76
PROSEIN	4.50
DOWICIDE G	0.27
TRISODIUM PHOSPHATE	2.70
PYRAX B	27.03
RAW UMBER 1044	0.18

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/174

THERMO-WELD II COMPOUND
QW COMPOUND
DATES 3/27/72 TO 9/8/72
52-11-3

INGREDIENT	3/27/72 % BY WT	9/8/72 % BY WT
STUCCO	87.15	86.51
ASBESTOS	3.74	3.82
POLYVINYL ALCOHOL	1.25	1.27
NOPCO PD-1	0.05	0.05
TROYSAN SEP-10	0.05	0.05
NATROSOL	0.30	0.31
RETARDER	AS REQD	AS REQD
POTASSIUM SULFATE	AS REQD	0.20
MICA	7.47	7.63
STABILIZER		0.15

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/175

TOPPING COMPOUND ROTAN
DATES 9/19/66 TO 2/6/70
P52-12-10

INGREDIENT	9/19/66 % BY WT.	3/14/67 % BY WT.	7/3/67 % BY WT.	11/6/69 % BY WT.
LIMESTONE	49.48	49.75	50.29	50.29
MICA	15.74	15.83	15.78	15.78
ASBESTOS	3.37	3.39	3.35	3.35
CLAY	13.50	13.57	13.81	13.81
TALC	11.25	11.31	10.85	10.85
CASEIN	4.05	4.07	3.94	3.94
AMMONIUM OXALATE	0.22	0.23	0.23	0.23
TRISODIUM PHOSPHATE	0.27	0.27	0.28	0.28
KELSIZE KV	1.12			
KELGIN MV		0.59	0.47	
KELGIN F				0.47
DIAMMONIUM PHOSPHATE	0.09	0.09	0.10	0.10
NACCONAL	0.13	0.14	0.14	0.14
AZITE 900	0.40	0.41	0.40	0.40
ADVACIDE TJP	0.36	0.36	0.36	0.36

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/176

TOPPING COMPOUND TRIAL BATCH
DATES 5/29/58 TO 8/25/58
52-16-13-A

INGREDIENT	% BY WT.
LIMESTONE	39.70
MICA	22.33
ASBESTOS	7.44
TALC	24.81
CASEIN	3.72
SODIUM TRIPOLYPHOSPHATE	0.50
AMMONIUM BIBORATE	0.20
DOWICIDE G	0.15
MINERAL OIL	0.74
AMMONIUM BICARBONATE	0.20
CMC	0.20

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/177

TOPPING COMPOUND (WESTERN SALES DISTRICT) LONG BEACH PLANT
WESTERN SALES DISTRICT TOPPING COMPOUND (LONG BEACH) (6/21/67)
TOPPING COMPOUND LONG BEACH (2/2/70)
DATES 5/19/66 TO 4/9/73
52-19-3

INGREDIENT	5/19/66* % BY WT	8/10/66 % BY WT	6/21/67** % BY WT	1/30/68** % BY WT	2/2/70** % BY WT
LIMESTONE	55.87	45.35	53.71	53.71	51.92
MICA	9.31	15.87	12.21	12.21	12.36
ASBESTOS	9.31	7.94	6.10	6.10	2.23
CLAY	9.31	18.14	7.32	6.35	17.31
TALC	9.31	6.80	14.65	14.65	9.89
STARCH	3.96	3.17			
COSAN JTA5	0.14	0.14	0.24	0.24	0.20
NATROSOL	0.47	0.23	0.10	0.10	
GELVA 702	2.33	2.27			
KELTOSE		0.09			
CASEIN			4.39	4.39	4.70
AMMONIUM OXALATE			0.39	0.39	0.47
RENEX 35			0.02	0.02	
TRISODIUM PHOSPHATE			0.24	0.24	0.26
KELGIN			0.34	0.34	0.30
YELLOW OXIDE			0.05	0.05	0.05
NOPCO PD1			0.20	0.20	0.20
KELCO SCS			0.02	0.02	0.02
ATTAGEL				0.98	
CELLOSIZE					0.10

* WHEN REQUIRED BY CUSTOMER 2 LB OF YELLOW OXIDE PER BATCH MAY BE ADDED.
** WHEN REQUIRED BY CUSTOMER THE YELLOW OXIDE MAY BE OMITTED.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/178

TRIPLE T JOINT COMPOUND (ALL PURPOSE)
DATES 4/23/68 TO 3/27/69
52-15-3

	% BY WT.
MICA	19.15
TALC	23.94
ASBESTOS	1.92
STARCH	6.45
RENEX 25	0.53
COSAN JTA-20	0.07
KELGIN F	0.07
LIMESTONE	47.88

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/179

TRITREATMENT JOINT COMPOUND "G" GOOD HOPE
DATES 11/7/66 TO 7/8/69
P-52-18-7

INGREDIENT	11/7/66 % BY WT.	6/22/67 % BY WT.
LIMESTONE	68.72	68.10
MICA	3.79	4.23
ASBESTOS	4.74	5.17
CLAY	14.22	14.09
CASEIN	3.55	3.52
SODA ASH	0.09	0.07
ADVACIDE TJP	0.33	0.38
NATROSOL	0.12	0.12
TRISODIUM PHOSPHATE	0.33	0.28
HYDRATED LIME	0.07	0.06
HAMMACO GLUE	1.18	1.17
ANIMAL GLUE	0.24	0.23
WHEAT PASTE	0.24	0.23
ATTAGEL CLAY	2.37	2.35

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/180

TRITREATMENT JOINT COMPOUND (ROTAN)
TRITREATMENT JOINT COMPOUND (U.S.) (1/26/70)
TRITREATMENT JOINT COMPOUND (WESTWEGO) (2/10/70)
DATES 9/19/66 TO 4/9/73
P52-18-6

INGREDIENT	9/19/66 % BY WT	6/22/67 % BY WT	12/10/68 % BY WT	1/26/70 % BY WT	2/10/70 % BY WT	4/7/70 % BY WT
LIMESTONE	48.63	49.04	47.33	48.85	49.95	50.07
MICA	15.47	15.16	14.29	11.10	11.35	11.38
ASBESTOS	5.75	5.80	4.47	4.22	4.31	4.10
CLAY	8.84	8.92	5.36	6.66	4.54	4.55
TALC	13.26	13.37	21.43	22.20	22.71	22.76
CASEIN	5.53	5.35	5.36	5.33	5.45	5.46
AMMONIUM OXALATE	0.35	0.36	0.54	0.53	0.54	0.55
ADVACIDE TJP	0.35	0.36	0.36	0.36	0.36	0.36
TRISODIUM PHOSPHATE	0.40	0.40	0.32	0.22	0.23	0.23
DIAMMONIUM PHOSPHATE	0.09	0.09				
NACCONAL	0.13	0.13	0.05	0.04	0.05	0.05
AZITE 900	0.53	0.53				
KELSIZE LV	0.44					
UCON FLUID LB 135	0.22	0.22	0.22	0.22	0.23	0.23
KELGIN MF		0.27				
KELGIN F			0.27	0.27	0.27	0.27

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/181

TOPPING COMPOUND (NON-POLYVINYL ALCOHOL BASE)
DATES 5/29/74 TO 4/16/76
52-10-13

INGREDIENT	% BY WT
LIMESTONE	77.11
MICA	9.64
PYROPHYLLITE	4.82
ASBESTOS	2.89
DOW LATEX 8124.01	3.21
STARCH	1.61
NATROSOL	0.39
NOPCO PD-1	0.29
DOWICIL 75	0.05

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/182

TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (#6219)
DATES 7/1/69 TO 1/28/70
52-10-16

INGREDIENT	WESTWEGO % BY WT.	MATTESON % BY WT.	BALTIMORE % BY WT.
LIMESTONE	73.21	73.21	73.21
MICA	4.88	9.76	9.76
ASBESTOS	2.44	2.44	2.44
CLAY	4.88		
TALC	7.32	7.32	
NARVON CEF2			12.20
COSAN JTA	0.05	0.05	0.05
NATROSOL	0.39	0.39	0.39
PYROPHYLLITE	4.88	4.88	
CELVATOL #62119	1.95	1.95	1.95

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/183

TRIPLE T JOINT COMPOUND 9/7/65 TO 2/5/68
TRIPLE T JOINT COMPOUND ALL PURPOSE 2/5/68 TO 3/27/69
52-15-2-A

	9/7/65 % BY WT.	10/1/65 % BY WT.	2/5/68 % BY WT.
MICA	9.32	9.28	15.16
POLY VINYL ACETATE 702	1.62	2.32	
YELLOW OXIDE YLO-1788	AS REQ'D	AS REQ'D	
STARCH	4.66	4.64	5.05
NATROSOL	0.14	0.14	
COSAN JTA-5	0.14	0.14	0.15
ASBESTOS	9.32	9.32	1.28
TALC	18.64	18.55	32.00
LIMESTONE	55.92	55.66	43.79
BENZOFLEX 9-88	0.23		
KELGIN F			0.07
VINYL G			2.49

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/184

TOPPING COMPOUND "R"
DATES 1/3/66 TO 7/17/67
52-13-1-A

INGREDIENT	% BY WT.
LIMESTONE	53.40
MICA	9.71
ASBESTOS	12.14
CLAY	9.71
TALC	9.71
STARCH	2.43
COSAN JTA5	0.15
NATROSOL	0.25
GELVA 702	2.43
YELLOW OXIDE 1788	0.10

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/185

VINYL JOINT COMPOUND ALL PURPOSE
VINYL JOINT COMPOUND ALL PURPOSE (VINOL 522 BINDER) (9/9/69)
TRIPLET ALL PURPOSE VINYL JOINT COMPOUND (VINOL 522 BINDER) (11/6/69)
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (1/26/70)
DATES 10/1/68 TO 4/16/76
52-10-14

INGREDIENT	10/1/68 % BY WT	9/9/69 % BY WT	% BY WT	11/6/69* % BY WT	% BY WT	% BY WT	1/26/70* % BY WT	% BY WT
LIMESTONE	71.70	72.57	72.57	73.17	72.49	72.57	73.17	72.50
MICA	9.56	9.68	9.68	4.88	9.67	9.68	4.88	9.67
PYROPHYLLITE	4.78	4.84	4.84	4.88		4.84	4.88	
ASBESTOS	2.39	2.42	2.42	2.44	2.42	2.42	2.44	2.42
VINAC RP 251	1.20							
POLYVINYL ALCOHOL	1.91	1.94	1.94	2.20	2.21	1.94	2.20	2.22
SORBITOL	0.86	0.87	0.87		0.90	0.87		0.87
NATROSOL	0.38	0.39	0.39	0.2	0.19	0.39	0.20	0.19
COSAN JTA-5	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
TALC	7.17	7.26	7.26	7.32		7.26	7.32	
NARVON CE-F2				4.88	12.08		4.88	12.08

* THREE FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/186

VINYL JOINT COMPOUND ALL PURPOSE
VINYL JOINT COMPOUND ALL PURPOSE (VINOL 522 BINDER) (9/9/69)
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (VINOL 522 BINDER) (11/6/69)
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (1/26/70)
DATES 10/1/68 TO 4/16/76
52-10-14

	7/31/73*				4/28/75*			
INGREDIENT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT
LIMESTONE	72.37	72.80	72.40	72.03	72.37	72.80	72.40	72.66
MICA	9.65	9.71	9.65	9.60	9.65	9.71	9.65	9.69
PYROPHYLLITE	4.83	3.88	4.83		4.83	3.88	4.83	
ASBESTOS	2.41	2.33	2.45	2.88	2.41	2.33	2.45	2.91
POLYVINYL ALCOHOL	1.93	1.94	1.93	1.92	1.93	1.94	1.93	1.94
SORBITOL	0.87	0.87	0.84	0.86	0.87	0.87	0.84	
NATROSOL	0.39	0.29	0.39	0.38	0.39	0.29	0.39	0.39
NOPCO PD-1	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
TROYSAN SEP-10	0.02		0.02	0.02	0.02		0.02	0.02
ADVACIDE TJP		0.12				0.12		
FIBROUS TALC	7.24	7.77	7.21		7.24	7.77	7.21	
TALC				7.20				7.27
CLAY				4.80				4.84

* FOUR FORMULATIONS IN USE

VINYL JOINT COMPOUND ALL PURPOSE
VINYL JOINT COMPOUND ALL PURPOSE (VINOL 522 BINDER) (9/9/69)
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (VINOL 522 BINDER) (11/6/69)
TRIPLE T ALL PURPOSE VINYL JOINT COMPOUND (1/26/70)
DATES 10/1/68 TO 4/16/76
52-10-14

INGREDIENT	% BY WT	5/28/71* % BY WT	% BY WT	% BY WT	10/20/71** % BY WT	% BY WT	% BY WT
LIMESTONE	72.37	72.37	72.40	72.37	72.37	72.40	72.30
MICA	9.65	9.65	9.65	9.65	9.65	9.65	9.60
PYROPHYLLITE	4.83	4.83	4.83	4.83	4.83	4.83	
ASBESTOS	2.41	2.41	2.45	2.41	2.41	2.45	2.88
POLYVINYL ALCOHOL	1.93	1.93	1.93	1.93	1.93	1.93	1.92
SORBITOL	0.87	0.87	0.84	0.87	0.87	0.84	0.86
NATROSOL	0.39	0.29	0.39	0.39	0.29	0.39	0.38
NOPCO-PD-1	0.29	0.29	0.29	0.29	0.29	0.29	0.29
TROYSAN SEP-10	0.02		0.02	0.02		0.02	0.02
ADVACIDE TJP		0.12			0.12		
FIBROUS TALC	7.24	7.24	7.21	7.24	7.24	7.21	
TALC							7.20
CLAY							4.80

* THREE FORMULATIONS IN USE

** FOUR FORMULATIONS IN USE

VINYL JOINT COMPOUND ALL PURPOSE
VINYL JOINT COMPOUND ALL PURPOSE (VINOL 522 BINDER) (9/9/69)
TRIPLET ALL PURPOSE VINYL JOINT COMPOUND (VINOL 522 BINDER) (11/6/69)
TRIPLET ALL PURPOSE VINYL JOINT COMPOUND (1/26/70)
DATES 10/1/68 TO 4/16/76
52-10-14

		4/9/70*			6/12/70*			2/24/71*	
INGREDIENT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT	% BY WT
LIMESTONE	72.36	73.17	72.50	72.36	73.17	73.05	72.36	73.17	72.38
MICA	9.65	4.88	9.67	9.65	4.88	4.81	9.65	4.88	9.65
PYROPHILLITE	4.82	4.88		4.82	4.88	4.81	4.82	4.88	4.83
ASBESTOS	2.41	2.44	2.42	2.41	2.44	2.44	2.41	2.44	2.44
POLYVINYL ALCOHOL	1.93	2.20	2.22	1.93	2.20	2.18	1.93	2.20	1.93
SORBITOL	0.87		0.87	0.87		0.83	0.87		0.84
NATROSOL	0.39	2.20	0.19	0.39	0.20	0.39	0.39	0.20	0.39
NOPCO PD 1	0.29			0.29		0.19	0.29		0.29
COSAN JTA5	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
TALC	7.24	7.32		7.24	7.32	6.42	7.24	7.32	7.21
NARVON CE-F-2		4.88	12.08		4.88			4.88	
CLAY						4.81			

* THREE FORMULATIONS IN USE

VINYL TOPPING COMPOUND
DATES 9/29/71 TO 4/16/76
52-10-15

INGREDIENT	9/29/71 % BY WT	10/20/71* % BY WT	% BY WT	% BY WT	5/26/72** % BY WT	% BY WT	% BY WT
LIMESTONE	87.93	87.93	87.68	87.68	88.23	87.93	87.68
ASBESTOS	4.15	4.15	4.38	4.38	3.92	4.15	4.38
POLYVINYL ALCOHOL	1.71	1.71	1.70	1.70	1.70	1.71	1.70
SORBITOL	0.73	0.73	0.73	0.73	0.72	0.73	0.73
NOPCO PD-1	0.29	0.29	0.29	0.29	0.26	0.29	0.29
TROYSAN SEP-10	0.05	0.05	0.05		0.02	0.05	0.05
NATROSOL	0.24	0.24	0.29	0.24	0.25	0.24	0.29
MICA	4.89	4.89	4.87	4.87	4.90	4.89	4.87
ADVACIDE TJP				0.10			

* TWO FORMULATIONS IN USE

** FOUR FORMULATIONS IN USE

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/190

VINYL TOPPING COMPOUND
DATES 9/29/71 TO 4/16/76
52-10-15

INGREDIENT	% BY WT	% BY WT	8/23/74* % BY WT	% BY WT
LIMESTONE	86.71	88.23	80.21	87.68
ASBESTOS	4.47	3.92	4.09	4.38
POLYVINYL ALCOHOL	1.86	1.70	0.97	1.70
SORBITOL	0.74	0.72	0.43	0.73
NOPCO PD-1	0.30	0.26	0.29	0.29
TROYSAN SEP-10		0.02	0.02	0.05
NATROSOL	0.24	0.25	0.35	0.29
MICA	5.58	4.90	7.79	4.87
ADVACIDE TJP	0.09			
PYROPHYLLITE			4.87	
STARCH			0.97	

* FOUR FORMULATIONS IN USE

WESCO 10-X (JOINT CEMENT)
DATES 7/7/53 TO 1/6/65
52-10-1

INGREDIENT	% BY WT.
LIMESTONE	45.50
MICA	18.20
ASBESTOS	13.65
CLAY	13.65
CASEIN	6.82
DIAMMONIUM PHOSPHATE	0.91
AMMONIUM BIBORATE	0.91
YELLOW OXIDE 2087	0.09
DOWICIDE G	0.27

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/192

WESCO JOINT CEMENT 20-X
DATES 3/23/53 TO 8/1/53
52-12-1A

INGREDIENT	% BY WT.
LIMESTONE	50.15
MICA	11
ASBESTOS	7
CASEIN	2.5
DOWICIDE G	0.1
TRISODIUM PHOSPHATE	2
WHITING	20
GLUE COLEX	3
WHEAT PASTE	2
BENTONITE	2
ZINC STEARATE	0.05
YELLOW OXIDE 5087	0.2

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/193

WESCO JOINT CEMENT 2000
DATES 3/23/53 TO 8/1/53
52-12-3A

INGREDIENT	% BY WT.
LIMESTONE	55.88
MICA	22
ASBESTOS	2
CASEIN	2.5
KAY SOY	6.5
DOWICIDE G	0.06
HYDRATED LIME	1
WHITING	10
ZINC STEARATE	0.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/194

WESCO JOINT CEMENT 2000
DATES 12/3/52 TO 8/4/53
52-60-5

INGREDIENT	% BY WT.
LIMESTONE	55.88
MICA	22
ASBESTOS	2
CASEIN	2.5
KAYSOY	6.5
DOWICIDE G	0.06
HYDRATED LIME	1
WHITING	10
ZINC STEARATE	0.06

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/195

WESCO JOINT CEMENT 20-X
DATES 12/3/52 TO 8/4/53
52-60-1

INGREDIENT	% BY WT.
LIMESTONE	50.15
MICA	11
ASBESTOS	7
CASEIN	2.5
WHEAT PASTE	2
GLUE COLEX	3
DOWICIDE G	0.1
TRISODIUM PHOSPHATE	2
BENTONITE	2
WHITING	20
ZINC STEARATE	0.05
YELLOW OXIDE 5087	0.2

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/196

WHITE READY MIX GUN GRADE
DATES 2/6/68 TO 2/12/70
P52-70-2

INGREDIENT	% BY WT.
LIMESTONE	32.29
MICA	5.24
ASBESTOS	3.00
TALC	8.99
UCAR WC-130	7.12
BENZOFLEX 9-88	0.42
METHOCEL SOLUTION	18.08
WATER	17.38
PYROPHYLLITE	5.99

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/197

WHITE TOPPING COMPOUND (MATTESON ONLY)
DATES 5/17/65 TO 12/10/68
52-12-9-A

INGREDIENT	% BY WT.
LIMESTONE	46.99
MICA	14.10
ASBESTOS	3.52
TALC	14.10
FIBROUS TALC	14.10
CASEIN	4.23
AMMONIUM BIBORATE	0.14
VANCIDE 51Z	0.05
BORAX	0.14
METHOCEL	0.09
NATROSOL	0.19
TRISODIUM PHOSPHATE	0.19
DIAMMONIUM PHOSPHATE	0.28
ATTAGEL	1.88

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/198

X-8 JOINT COMPOUND RARITAN
JOINT COMPOUND RARITAN (3/14/67)
JOINT COMPOUND BALTIMORE (1/26/70)
DATES 5/17/65 TO 4/2/73
P52-10-12

INGREDIENT	5/17/65 % BY WT	4/13/66 % BY WT	3/14/67 % BY WT	7/3/66* % BY WT	1/26/70 % BY WT	5/5/70 % BY WT
LIMESTONE	54.77	55.42	55.17	55.17-55.16	55.17	52.39
MICA	11.91	12.05	11.41	11.41	11.24	13.97
ASBESTOS	10.72	9.64	9.51	9.51	9.51	9.43
TALC	14.29	10.60	9.51	9.51	9.51	10.48
CASEIN	5.95	6.02	5.52	5.52	5.53	5.45
ATTAGEL	1.19	1.20				
AMMONIUM BIBORATE	0.14	0.14				
AMMONIUM OXALATE			0.38	0.38	0.38	0.42
VANCIDE 51Z	0.05	0.05	0.05	0.05	0.04	0.04
BORAX	0.19	0.14				
NATROSOL	0.29	0.29	0.30	0.32	0.30	0.31
TRISODIUM PHOSPHATE	0.19	0.19	0.19	0.19	0.19	0.19
DIAMMONIUM PHOSPHATE	0.21	0.22				
UVON FLUID LB135	0.10	0.10				
DARVAN		0.07				
CLAY		3.86	7.61	7.61	7.78	6.99
KELGIN MV			0.11	0.11		
KELGIN F					0.11	0.11
NOPCO PD-1			0.23	0.23	0.23	0.22

* TWO FORMULATIONS IN USE.

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/199

X-8 JOINT COMPOUND GOOD HOPE
X-8 JOINT COMPOUND WESTWEGO (11/6/69)
DATES 2/10/69 TO 4/9/73
P52-10-6

INGREDIENT	2/10/69 % BY WT.	11/6/69 % BY WT	4/7/70 % BY WT
LIMESTONE	69.32	68.47	68.42
MICA	9.24	9.51	9.50
TALC	2.31	2.38	2.38
ASBESTOS	11.55	11.89	11.88
PROCOTE G	2.77	2.85	2.85
CASEIN	3.00	3.09	3.09
NATROSOL	0.23	0.24	0.24
BORAX	0.18	0.19	0.24
DIAMMONIUM PHOSPHATE	0.16	0.17	0.14
DARVAN #1	0.05	0.05	0.05
AMMONIUM BIBORATE	0.15	0.13	0.18
SODIUM TRIPOLYPHOSPHATE	0.09	0.10	0.10
ADVACIDE TJP	0.46	0.48	0.48
ANIMAL GLUE	0.46	0.48	0.48

Published by AsbestosClaims.Law
asbestosclaims.law/library/25292/200