MINUTES of INDUSTRIAL HYGIENE COMMITTEE MEETING
(Asbestos Fibre Division)

October 5, 1961 - 10:00 A.M.

PRESENT: Messrs. J. M. Fletcher, A. M. Dennis, C. E. Copp, M.D., R. B. Gresham, V. Straumanis, J. A. Goodwin, H. H. Waller and C. Hook.

ABSENT: Messrs. W. B. Ross and C. R. Engler (on vacation).

Chairman - J. M. Fletcher

OLD BUSINESS

Serial No.

52-2 **DUST CONTROL - DRYER STACKS**

The two-point temperature control has given additional information but blocking condition of Dustex has not been improved. It appears to the Committee that to pursue investigation along the present lines would not be fruitful. Experience has shown that good maintenance is the key in keeping emission dust to a minimum with our present collection system. In order to evaluate the present status, the Committee recommends:

(a) C. Hook to take 3 emission tests per quarter;
(b) Continue to make inspections re. maintenance of present collectors;
(c) Carry out experiments using different materials as wiper blades.

The results of emission tests will pinpoint present condition and allow us to consider necessity for further action.

53-17 **INDUSTRIAL HYGIENIST** Deferred.

58-4 **NOISE CONTROL - DRYERS**

Noise tests show results in 100 db. range. Improvement is definite when coverings are installed. Eight horizontal dryers are now covered, leaving three to do. No deterioration due to covering has been noted. Sound meter has been calibrated.

Note: 95 db. is J-M. acceptable limit.

59-15 **LUNCH ROOM, TOILET - DRYER BUILDING**

This project is in progress. Cost - $3,800. Floors, walls, lockers to be renovated.

Published by AsbestosClaims.Law
asbestosclaims.law/library/24510/1

7/31/48-8/1/48 1948

Serial

60-5 TOILET SEAT COVERS

Dr. Wainer to investigate and report at [illegible] or act.

60-6 SPITTING

The Committee plans to take action to prevent spitting in buildings.

Next Inspection Committee - Messrs. [illegible] E. Grigsby
and J. M. Fletcher

E. E. GILLIAM, Secretary.

cc.- H. M. Jackson - GHO (2)
J. C. Eby
J. E. Morrison

Dept of Health
no spitting rules

Published by AsbestosClaims.Law
asbestosclaims.law/library/24510/2